


IPS Fittings Fabricated Tee - Three Segment



IPS Fittings Fabricated Tee - Three Segment									
Nominal Pipe Size(in)	Pipe OD(in)	DR	Part #	Dimensions				Weight (lbs)	Shipping Method
				L(in)	H(in)	FC(in)	B(in)		
8	8.625	07	ISFFTE0807IPS	48	19.69	24	19.69	68	FedEx
		09	ISFFTE0809IPS	"	"	"	"	57	"
		11	ISFFTE0811IPS	"	"	"	"	47	"
		17	ISFFTE0817IPS	"	"	"	"	43	"
10	10.75	07	ISFFTE1007IPS	48	18.63	24	18.63	104	FedEx
		09	ISFFTE1009IPS	"	"	"	"	87	"
		11	ISFFTE1011IPS	"	"	"	"	73	"
		17	ISFFTE1017IPS	"	"	"	"	49	"
12	12.75	07	ISFFTE1207IPS	48	17.63	24	17.63	144	FedEx
		09	ISFFTE1209IPS	"	"	"	"	120	"
		11	ISFFTE1211IPS	"	"	"	"	101	"
		17	ISFFTE1217IPS	"	"	"	"	68	"
14	14	07	ISFFTE1407IPS	48	17	24	17	171	LTL
		09	ISFFTE1409IPS	"	"	"	"	144	"
		11	ISFFTE1411IPS	"	"	"	"	120	"
		17	ISFFTE1417IPS	"	"	"	"	81	"
16	16	07	ISFFTE1607IPS	48	16	24	16	220	LTL
		09	ISFFTE1609IPS	"	"	"	"	185	"
		11	ISFFTE1611IPS	"	"	"	"	155	"
		17	ISFFTE1617IPS	"	"	"	"	104	"
18	18	09	ISFFTE1809IPS	48	15	24	15	230	LTL
		11	ISFFTE1811IPS	"	"	"	"	193	"
		17	ISFFTE1817IPS	"	"	"	"	129	"
20	20	09	ISFFTE2009IPS	48	14	24	14	279	LTL
		11	ISFFTE2011IPS	"	"	"	"	234	"
		17	ISFFTE2017IPS	"	"	"	"	157	"
22	22	09	ISFFTE2209IPS	48	13	24	13	332	LTL
		11	ISFFTE2211IPS	"	"	"	"	279	"
		17	ISFFTE2217IPS	"	"	"	"	187	"
24	24	09	ISFFTE2409IPS	48	12	24	12	389	LTL
		11	ISFFTE2411IPS	"	"	"	"	326	"
		17	ISFFTE2417IPS	"	"	"	"	219	"
26	26	11	ISFFTE2611IPS	54	14	27	14	577	LTL
		17	ISFFTE2617IPS	"	"	"	"	390	"
28	28	11	ISFFTE2811IPS	56	14	28	14	689	LTL
		17	ISFFTE2817IPS	"	"	"	"	457	"
30	30	11	ISFFTE3011IPS	58	14	29	14	816	LTL
		17	ISFFTE3017IPS	"	"	"	"	552	"
36	36	17	ISFFTE3617IPS	76	20	51	33	1128	LTL
42	42	17	ISFFTE4217IPS	82	20	54	33	1331	LTL
48	48	26	ISFFTE4826IPS	88	20	57	33	1413	LTL
54	54	26	ISFFTE5426IPS	94	20	60	33	2026	LTL

IPS HDPE Fittings

Pressure Rating of Fab Tee is based pipe DR (Wall thickness) and resin properties.

Tees from 3608 resin:	
DR	Pressure Rating
7	200 psi
9	150 psi
11	120 psi
13.5	83 psi
15.5	72 psi
17	65 psi
21	52 psi
26	42 psi
32.5	33 psi

Tees from 4710 resin:	
DR	Pressure Rating
7	252 psi
9	189 psi
11	152 psi
13.5	105 psi
15.5	90 psi
17	82 psi
21	66 psi
26	53 psi
32.5	42 psi

Note: Size/DR listings shown are commonly requested. Many DR options not listed are available. Please consult an ISCO representative for availability.

1-800-345-ISCO

www.isco-pipe.com