PRODUCT CATALOG





Table of contents

Ecoflo® Biofilters	2
PTE Septic Tanks and Accessories	3
PTE Pumping Stations and Accessories	5
PTE Dosing and Control Units	6
TE Timed Dosing Unit and Accessories	6
PTE Flow Dividers	7
TE Low-Pressure Distribution Systems	8
Bio Diffuser™ Leaching Chambers	8
Snaro Darts	o











ST-500



Fiberglass Ecoflo® Biofilter (without bottom) 1 to 2 bedrooms

ST-650



Fiberglass Ecoflo® Biofilter (without bottom) 3 to 4 bedrooms

STB-500



Fiberglass Ecoflo® Biofilter (with submersible collecting bottom) 1 to 2 bedrooms

STB-650



Fiberglass Ecoflo® Biofilter (with submersible collecting bottom) 3 to 4 bedrooms

STB-650B



Components for concrete Ecoflo® Biofilter - without pump (parts for casting, internal parts, lid and media filter)
3 to 4 bedrooms

STB-650BR



Components for concrete Ecoflo® Biofilter - with pump (parts for casting, internal parts, lid and media filter)
3 to 4 bedrooms

PFB-500



Filtering Media Replacement (20 bags) (including annual maintenance)

PFB-650



Filtering Media Replacement (27 bags) (including annual maintenance)

STR-080F



Riser Kit for Ecoflo® Biofilter STB-500/650 (riser, joint, bolting and polystyrene foam)

STR-080



Riser Kit for Ecoflo® Biofilter STB-650B/BR (riser, joint and bolting)

STR-080SP



Secondary access 8" (200 mm) riser for the Ecoflo® Biofilters STB-650BR (plastic riser joint and bolting)

PTE Septic Tanks and Accessories

Primary treatment and components



PST-280



Septic tank with effluent filter*
744 US gal - 620 UK gal (2,800 l)
1 to 2 bedrooms



PST-390



Septic tank with effluent filter*
1,020 US gal - 850 UK gal (3,900 I)
4 bedrooms



PST-500



Septic tank with effluent filter*
1,320 US gal - 1,100 UK gal (5,000 I)
5 to 6 bedrooms



APF-080M



Plastic brackets for EFT-080 Effluent Filter

- APF-080C for concrete wall of 2¹/₂" (64 mm)
- APF-080M for concrete wall of 23/4" (70 mm)
- APF-080L for concrete wall of 3" (76 mm)

PST-340



Septic tank with effluent filter*
900 US gal - 750 UK gal (3,400 l)
3 bedrooms



PST-420



Septic tank with effluent filter*
1,140 US gal - 950 UK gal (4,300 I)
4 bedrooms



PST-660



Septic tank with effluent filter*
1,728 US gal - 1,440 UK gal (6,550 I)



IMB-080



Rubber gauge for concrete septic tank mold

TLF-240



Double wall lid and 24" (610 mm) tank for effluent filter (tank adapter included, effluent filter non-included)

TLF-240F



Double wall lid and 24" (610 mm) tank with Effluent Filter EFT-080 included

TLF-240P



Double wall lid and 24" (610 mm) tank with Effluent Filter PL-122 included

TLX-240



Double wall lid and 24" (610 mm) non pierced tank (tank adapter included)

TLV-240



Lid and 24" (610 mm) ventilation tank (fan included)

TAD-240



Adapter and single wall lid for existing septic tank

LID-240S



24" (610 mm) lid, single wall

LID-240D



24" (610 mm) lid, double wall

PSR-060



6" (150 mm) riser (bolting and seal included) (40/pallet)

PSR-140



14" (355 mm) riser (bolting and seal included) (20/pallet)

PL-122 (POLYLOK)



Effluent filter Filtration capacity: 1,500 US gal/d (5,675 l/d) Filtering cartridge with $^1/_{16}{}^{\rm H}$ (2 mm) filtration slots

PL-525 (POLYLOK)



Effluent filter
Filtration capacity: 10,000 US gal/d (37,850 l/d)
Filtering cartridge with ¹/16" (2 mm) filtration slots

PL-625 (POLYLOK)



Effluent filter Filtration capacity: 10,000 US gal/d (37,850 l/d) Filtering cartridge with 1 /32" (1 mm) filtration slots

EFT-080



Effluent filter (36/pallet)
Filtration capacity: 2 200 US gal/d (10,000 l/d)
Filtering cartridge with 1/16" (2 mm) Filtration
Slots

EFC-080



Filtering cartridge (without casing)

EFT-080H



Effluent filter extension handle 20" (510 mm)

PTE Pumping Stations and Accessories

Peripheral components



PSA-240



24" (610 mm) Pumping Station (with pump) Water inlet height: 25" (635 mm)

PSA-240L



24" (610 mm) Pumping Station (for Ecoflo® with submersible collecting bottom) with pump Water inlet height: 9" (230 mm)

PSA-240H



24" (610 mm) Pumping Station (for low-pressure distribution system) with pump Water inlet height: 41 ³/₄" (1,060 mm)

PSX-240



24" (610 mm) Pumping Station Tank with lid (without pump)
Water inlet height: 25" (635 mm)

PTE Dosing and Control Units

Peripheral components



DCU-200E



Dosing Unit Control (outdoor)
Plastic casing

DCU-200I



Dosing Unit Control (indoor) Metallic casing

Other models available on request.

PTE Timed Dosing Unit and Accessories

Peripheral components



TPA-300



PTE Timed Dosing Unit (indoor/outdoor)

TPA-300T1



TPA-300 with override pumping time totalizer (not timed mode)

TPA-300T2



TPA-300 with overall pumping time totalizer (all conditions)

TPA-300T1-T2



TPA-300 with override pumping time totalizer (including both totalizer T1-T2)

TPA-300T



Pumping time totalizer (wiring not installed)

TPA-300A



PTE Timed Dosing Unit accessories (pipes and floats)

PTE Flow Dividers

Peripheral components



GFD-200



Gravity flow divider (2 outlets)

GFD-200A



Gravity flow divider (adjustable) (2 outlets)

PFS-200R



Residential pressurized flow divider (2 outlets)

PFS-300R



Residential pressurized flow divider (3 outlets)

PFS-300C



Commercial pressurized flow divider (3 outlets)* 24" (610 mm) tank

PFS-400C



Commercial pressurized flow divider (4 outlets)* 24" (610 mm) tank

PFS-500C



Commercial pressurized flow divider (5 outlets)* 24" (610 mm) tank

PFS-600C



Commercial pressurized flow divider (6 outlets)* 24" (610 mm) tank

PFS-700C



Commercial pressurized flow divider (7 outlets)* 24" (610 mm) tank

PFS-800C



Commercial pressurized flow divider (8 outlets)* 24" (610 mm) tank

PFS-900C



Commercial pressurized flow divider (9 outlets)* 24" (610 mm) tank


PFS-1000C



Commercial pressurized flow divider (10 outlets)* 24" (610 mm) tank

PTE Low-Pressure Distribution Systems

Conventional System Components



LPD-200



Kit for 2 bedrooms (including PSA-240H + 2 RDM-100)

LPD-300



Kit for 3 bedrooms (including PSA-240H + 3 RDM-100)

LPD-400



Kit for 4 bedrooms (including PSA-240H + 4 RDM-100)

RMD-100



Low-pressure distribution pipe kit Total length: 35.8' (10.88 m) Number of holes: 10

Bio Diffuser™ Leaching Chambers

Conventional System Components



BLW-110



Bio Diffuser™ (low profile model) Height: 11" (280 mm)

BLW-110EC



End plate for Bio Diffuser™ (low profile model)

BHI-140



Bio Diffuser™ (standard model) Height: 14" (355 mm)

BHI-140EC



End plate for Bio Diffuser™ (standard model)

154325



Alarm box for PSA (without float)

125526



Electric box with connectors for PSA

142797



Bag with tipping bucket brackets and "Premier Tech" ty-raps

148598



Coal air filter 3" (76 mm) diameter

105799



Coal air filter for plastic lid

125443



Plastic central support (2005 and before model)

149409



Plastic central support (Qc 2006 and after model)

149410



Short central support frame

128269



Distribution plate (ST-500)

103040



Distribution plate (ST-650)

100049



Drop shape air duct for fiberglass lid

172116



Drop shape air duct for plastic lid

103039



Ecoflo® Biofilter plastic lid

131879



Submersible collecting bottom for STB-500

100009



Submersible collecting bottom for STB-650

143561



Alarm float for PSA (float only)

142548



Floats pipe for PSA-240 and PSA-240L

102306



Double float

102244



Single float

102306



Vertical float

100003



Kit for bottom assembly

131880



Plastic sampling device

134910



Polystyrene foam 8" x 48" x 60" (200 mm x 1 219 mm x 1 524 mm)

100004



Security panel for Ecoflo® Biofilter

143198



ABS EFF-04W Pump

154137



STB-650BR ¹/₄ HP Pump

103199



Splash-plate for RDM-100

100115



Tipping bucket (2005 and before model)

149504



Tipping bucket with BNQ base (2006 and after model)

145169



Concrete kit for main access insulating board



FOR THE RIGHT WASTEWATER TREATMENT

1, avenue Premier Rivière-du-Loup (Québec) G5R 6C1 CANADA

- **2** 1 800 632-6356
- 418 862-6642
- www.premiertechenv.com