

UNITED BRASS WORKS, INC.



LIST PRICE SHEET



FIRE PROTECTION VALVES

Effective Date: June 18th 2007

Freight allowed on shipments of 750 lbs. or more



HOME OFFICE & FACTORY

714 South Main Street
Randleman, NC 27317
Phone : (336) 498-2661
Watts No.: (800) 334-3035
Fax: (800) 498-4696
e-mail: sales @ ubw.com
web: www.ubw.com

REGIONAL SERVICE CENTER

212 Mercury Circle
Pomona, CA 91768
Phone: (909) 595-5959
Watts No.: (800) 423-7353
Fax: (909) 595-5671

DESCRIPTION

18 1 O.S.Y. GATE VALVE	157.40
18 1-1/4 O.S.Y. GATE VALVE	183.14
18 1-1/2 O.S.Y. GATE VALVE	234.26
18 2 O.S.Y. GATE VALVE	308.24
50 1/4 MSS SPR. CHK VALVE	33.84
50 3/8 MSS SPR. CHK VALVE	48.60
50 1/2 MSS SPR. CHK VALVE	48.60
50 3/4 MSS SPR CHK VALVE	58.88
50 1 MSS SPR. CHK VALVE	75.94
50 1 1/4 MSS SPR. CHK VALVE	114.14
50 1 1/2 MSS SPR CHK VALVE	175.20
50 2 MSS SPRING CHECK VALVE	262.80
67 4" GROOVED CHECK VAL.ASM.	175.60
68 4" MXF CHECK VALVE ASSEMB	180.24
68TXG 4" NPTMXGROOVE CK.VAL.	180.24
70HRP 1 SURE SITE IND W/HP/R	71.76
70HRP 1 1/4 SURE ST IND W/HP	88.36
70P 3/4 SS IND W/POLY WINDOW	80.96
70P 1 S.S. IND. W/POLY. WIN	75.44
70P 1 1/4 S.S.IND.W/POLY. WI	91.96
70P 1 1/2 S.S.IND.W/POLY WIN	177.06
70P 2 S.S. IND. W/POLY WINDO	207.82
70P 2 1/2 SS IND.W/POLY.WIND	389.54
76 1/4 3 WAY VALVE	13.54
80 1/4 BALL VALVE	24.02
80 3/8 BALL VALVE	24.02
80 1/2 BALL VALVE	24.02
80 3/4 BALL VALVE	36.02
80 1 BALL VALVE	46.18
80 1 1/4 BALL VALVE	75.16
80 1 1/2 BALL VALVE	95.24
80 2 BALL VALVE	124.94
80MXF 1/4 BALL VAL MALE X F	25.78
80 MXF 3/8 BALL VAL MALE X F	25.78
80MXF 1/2 BALL VAL MALE X F	25.78
80 MXF 3/4 BALL VAL MALE X F	39.62
80MXF 1 BALL VAL MALE X FEM	50.66
80 MXF 1 1/4 BALL VAL MALE X	82.56
80MXF 1 1/2 BALL VAL MALE X	106.78
80MXF 2 BALL VAL MALE X FEM	137.50
80SW 3/8 BALL VALVE SOLDERED	24.02
80SW 1/2 BALL VALVE SOLDERED	24.02
80SW 3/4 BALL VALVE SOLDERED	36.02
80SW 1 BALL VALVE SOLDERED	46.18
80SW 1 1/4 BALL VALVE SOLDERE	75.16
80SW 1 1/2 BALL VALVE SOLDERE	95.24
80SW 2 BALL VALVE SOLDERED	124.94
90 4" WAFER CHECK VALVE	192.36
90 6" WAFER CHECK VALVE	302.98
90 8" WAFER CHECK VALVE	481.18
90WBD 4" WAFER CHECK W/BALL	216.82
97S 1" INLINE CHECK VALVE	28.98
97SSJ 1" INLINE CHECK VALVE	28.98
99 1/4 SWING CHECK VALVE	25.58
99 3/8 SWING CHECK VALVE	25.58

DESCRIPTION

99 1/2 SWING CHECK VALVE	25.58
99 3/4 SWING CHECK VALVE	29.42
99 1 SWING CHECK VALVE	40.26
99 1 1/4 SWING CHECK VALV	57.06
99 1 1/2 SWING CHECK VALV	75.52
99 2 SWING CHECK VALVE	97.90
99S 1/4 SWING CHECK W/99SD	22.32
99S 3/8 SWING CHECK W/99SD	22.32
99S 1/2 SWING CHECK W/99SD	22.32
99S 3/4 SWING CHECK W/62V 3/	25.60
99S 1 SWING CHECK W/99SD	35.60
99S 1 1/4 SWING CHECK/99SD	51.26
99S 1 1/2 SWING CHECK/99SD	73.38
99S 2 SWING CHECK W/99SD	86.52
101 1/2" SPRINKLER EXTENSION	3.66
102 3/4 SPRINKLER EXTENSION	3.96
103 1" SPRINKLER EXTENSION	6.22
104 1 1/2 SPRINKLER EXTENSIO	7.86
105 2" SPRINKLER EXTENSION	9.76
125S 1/4 GLOBE VALVE W/125S	15.76
125S 3/8 GLOBE VALVE W/125S	20.10
125SUL 1/2" GLOBE VALVE	20.22
125SUL 3/4" GLOBE VALVE	24.96
125SUL 1" GLOBE VALVE	33.56
125SUL 1 1/4" GLOBE VALVE	55.30
125SUL 1 1/2" GLOBE VALVE	78.00
125SUL 2" GLOBE VALVE	113.24
126S 1/4 ANGLE VALVE W/125S	15.98
126S 3/8 ANGLE VALVE W/125S	20.84
126SUL 1/2" ANGLE VALVE	20.88
126SUL 3/4" ANGLE VALVE	24.12
126SUL 1" ANGLE VALVE	36.00
126SUL 1 1/4" ANGLE VALVE	58.64
126SUL 1 1/2 ANGLE VALVE	78.84
126SUL 2" ANGLE VALVE	95.54
132 1" TEST & RELIEF VALVE	111.08
175S 1/2" GLOBE VALVE	18.54
175S 3/4 GLOBE VALVE	21.76
175S 1" GLOBE VALVE	28.46
176PA 2" ANG.VAL. W/PLASTIC	73.36
200 1/4 24 MESH STNR STL P	24.36
200 1/4 50 MESH STNR STL P	24.36
200 1/4 100 MESH STR STL P	24.36
200 3/8 24 MESH STNR STL P	24.72
200 3/8 50 MESH STNR STL P	24.72
200 3/8 100 MESH STR STL P	24.72
200 1/2 24 MESH STNR STL P	24.94
200 1/2 50 MESH STNR STL P	24.94
200 1/2 100 MESH STNR ST P	24.94
200 3/4 24 MESH STNR STL P	38.06
200 3/4 50 MESH STNR STL P	38.06
200 3/4 100 MESH STR STL P	38.06
200 1 24 MESH STNR STL PLU	63.46
200 1 50 MESH STNR STL P	63.46
200 1 100 MESH STR STL PG	63.46

200 1 1/4 24 MESH STR ST P	106.30	210S 1" SW.CK.VAL.W/1/32 ORI	46.50
200 1 1/4 50 MESH STNR STL P	106.30	210 1 1/4 SW CK VAL W/ 3/32	68.10
200 1 1/4 100 STR STL PLUG	106.30	210S 1 1/4 SW.CK.VAL.W/1/32	68.10
200 1 1/2 24 MESH STR ST P	144.54	210 1 1/2 SW CK VAL W/ 3/32	85.56
200 1 1/2 50 MESH STNR STL P	144.54	210S 1 1/2 SWG CK VAL W/1/32	85.92
200 1 1/2 100 MESH STR STL P	144.54	210 2 SW CK VAL W/3/32 ORIFI	106.96
200 2 24 MESH STNR STL PLG	238.90	210A 2" SWING CHECK W/1/8 OR	106.96
200 2 50 MESH STNR STL P	238.90	210S 2"SWG CK VAL W/1/32 ORI	106.96
200 2 100 MESH STR STL PG	238.90	235 1/2 BALL CHECK ASSEM	20.64
200WBP 1/4 24 MESH STNR BR P	26.40	235 3/4 BALL CHECK VAL ASSEM	23.58
200WBP1/4 50 MESH STNR BR PL	26.40	236 1/2 GALV MALLEBLE STREE	10.54
200WBP1/4 100 MESH STNR BR P	26.40		
200WBP 3/8 24 MESH STR BR P	26.74		
200WBP3/8 50 MESH STR BRS P	26.74		
200 WBP 3/8 100 MESH STR BRS	26.74		
200WBP 1/2 24 MESH STNR BRS	27.30		
200WBP1/2 50 MESH STNR BRS P	27.30		
200WBP1/2 100 MESH STNR BR P	27.30		
200WBP3/4 24 MESH STNR BR PL	41.00		
200 WBP 3/4 50 MESH ST BR PG	41.00		
200WBP3/4 100 MESH STR BR PL	41.00		
200WBP 1 24 MESH STNR W/BP	67.98		
200WBP 1 50 MESH ST BR PG	67.98		
200WBP 1 100 MESH ST BR PG	67.98		
200WBP 1 1/4 24 STRAINER W/B	110.70		
200WBP 1 1/4 50 MESH STR BR	110.70		
200WBP 1 1/4 100 MSH STNR/BR	110.70		
200WBP 1 1/2 24 MESH STNR/BP	148.26		
200WBP 1 1/2 50 MESH STR BR	148.26		
200WBP 1 1/2 100 STR BR PLUG	148.26		
200WBP 2 24 MESH STNR/BP	243.88		
200WBP 2 50 MESH STR BR PG	243.88		
200 WBP 2 100 MESH STR BR PG	243.88		
200WSC1/4 24 MESH STNR SLD C	23.84		
200WSC1/4 50 MESH STNR SLD C	23.84		
200WSC1/4 100 MESH STR SLD C	23.84		
200WSC 3/8 24 MESH ST SLD CA	24.00		
200WSC 3/8 50 MESH ST SLD CA	24.00		
200WSC3/8 100 MESH STR SLD C	24.00		
200WSC1/2 24 MESH STNR SLD C	24.38		
200WSC1/2 50 MESH STNR SLD C	24.38		
200WSC1/2 100 MESH STR SLD C	24.38		
200WSC3/4 24 MESH STNR SLD C	38.06		
200WSC 3/4 50 MESH ST SLD CA	38.06		
200WSC3/4 100 MESH STR SLD C	38.06		
210 1/4 SW CK VAL W/3/32 ORI	27.66		
210 3/8 SW CK VAL W/3/32 ORI	28.18		
210 1/2 SW CK VAL W/3/32 ORI	28.18		
210A 1/2 SW.CK.VAL.W/1/8 ORI	28.18		
210S 1/2 SW CK VAL W/ 1/32 O	28.18		
210 3/4 SW CK VAL W/ 3/32 OR	30.28		
210A 3/4 SWING CK W/ 1/8 ORF	30.28		
210S 3/4 SW.CK.VAL.W/1/32 OR	30.28		
210 1 SW CK VAL W/ 3/32 ORIF	46.50		
210A 1" SW.CK.VAL. W/1/8 ORI	50.18		

TERMS AND CONDITIONS OF SALE

1. United Brass Works, Inc. agrees to sell products pursuant to its standard terms and conditions, unless it agrees to other terms in writing signed by both parties. The printed provisions on the reverse of any customer Purchase Order or on any other form supplied unilaterally by any customer shall be deemed rejected by United Brass Works, Inc. and shall be void and of no effect.
2. Where shown, valves will be shipped in multiples of packaged quantities. Order quantities will be changed to coincide with multiples of packaged quantities.
3. All prices are listed net, FOB, Randleman, North Carolina with freight allowed in Bronze and/or Iron Valves of 750 lbs. or more to all points in the U.S. (excluding Alaska and Hawaii) and to the nearest port of embarkation for foreign shipments (including Alaska and Hawaii), on all orders and back orders United Brass' responsibility terminates upon receipt of a bill of lading by the carrier.
4. Minimum merchandise invoice amount shall be \$25.00 per order. All orders received for merchandise that totals to less than \$25.00 shall be invoiced at the minimum charge.
5. Prices are subject to change without notice and orders will be invoiced at price in effect at time of shipment.
6. Terms are thirty days net, provided credit is approved. Where no credit information is available, shipments will be made COD or sight draft Charge accounts are extended to businesses, institutions, and organizations only, not to individuals. To qualify for open account privileges, an account must be rated satisfactory in Dun & Bradstreet or supply names of three commercial vendors who have extended credit. Allow four weeks to establish account when references other than a satisfactory Dun & Bradstreet rating are furnished.
7. No material shall be accepted for credit or replacement without prior return authorization being obtained and an RMA number being issued for the material. All materials must be returned prepaid.
8. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. During the first ninety (90) days after date of delivery of this product to the original purchaser. United Brass Works, Inc., will remedy any defect or malfunction found therein. However, the original purchaser shall be responsible for all labor costs. United Brass Works, Inc., extends this limited 90-Day Warranty to the original purchaser of this product only, and not to any subsequent transferees.

This warranty does not apply to conditions resulting from improper installation, inadequate maintenance, misuse, abuse, accident or alteration. This is the only warranty applicable to products manufactured by United Brass Works, Inc., and the Company neither assumes nor authorizes anyone to assume for it any other obligation or liability in connection with such products.

ANY IMPLIED WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL BE LIMITED INDURATION TO THE PERIOD OF THE ABOVE 90-DAY WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

UNITED BRASS WORKS, INC., SHALL NOT BE LIABLE FOR COMMERCIAL CONSEQUENTIAL DAMAGES SUCH AS PROPERTY DAMAGES AND INCIDENTAL EXPENSES RESULTING FROM BREACH OF THIS WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

9. All United Brass merchandise may be returned for credit if unused and in new condition after receipt of prior authorization within 60 days of purchase. Merchandise will not be accepted for return beyond 60 days after purchase. (This does not apply to defective merchandise.) A 15% restocking charge will be levied unless United Brass Works was in error. **Please call for Return Material Authorization number before returning merchandise.**
10. There will be a 15% surcharge on all merchandise drop shipped unless the invoice amount exceeds \$50.00.
11. All claims for short shipments must be made within 10 days of receipt of material. Claims made after 10 days of receipt will not be honored.
12. United Brass Works, Inc., reserves the right to ship orders by means we deem most expedient and least expensive unless your order contains specific instructions and provided these instructions do not entail additional expense for the company.
13. All cancellations must be in writing and any expense incurred processing your order prior to the cancellation shall be invoiced to you.
14. All telephone and telegraph orders must be confirmed in writing.
15. All orders taken by salesmen are subject to approval by home office.
16. United Brass Works, Inc., reserves the right to make partial shipment if such is necessary, unless order has specific instruction to the contrary.
17. All delivery dates are approximate and United Brass Works, Inc., is not responsible for failure to meet dates specified.