

PRINT

E-100



If elevators help move you around, the E-100 will give your efficiency a lift.

Compact design allows the E-100 to fit in tight corners. A traveling speed of 7 mph lets it transport you and your stock twice as fast as by foot! Save four hours over every eight hours of walking work, and increase your time for value-added service!

The E-100 features durable steel construction and a large cargo area for a range of applications.

Benefits

RANGE OF APPLICATIONS:


- Mail delivery.
- Maintenance.
- Order picking.
- Supervision.
- Plant security.
- First aid.

MOTREC
Industry driven
www.motrec.com



E-100

Dimensions



Technical specs	
Type	24-volt personnel carrier
Capacity	*500 lb. (227 kg)
Speed (Max)	7 mph (11 km/h)
Motor	1.5 hp
Controller	Electronic speed controller
Battery	Two 12V-105AH batteries
Charger	15 amp, portable automatic
Transmission	V-Belt drive, chain reduction
Drive axle	Left-wheel drive
Brakes	Dual drum brakes on rear, brake pedal.
Steering	Handlebar
Suspensions	Rigid axles on front and rear
Seats	Bucket seat on slide adjusters
Indicators	Battery status indicator
Safeties	Optional reverse alarm, deadman seat switch
Lights	Headlight, tail/brake light
Accessories	Horn
Wheels	4.1x6 LRB pneumatic tires
Unit Weight	400 lb. (182 kg)
Options	Reverse alarm. Digital battery status indicator. Hour meter. Maintenance meter. Strobe light.
Standard	Conforms to requirements for type E as stated in UL 583 and ANSI B56.8
Notes	*includes 200 lb. per passenger. Specifications and standard equipment are subject to change without notice.



MOTREC
Industry driven
www.motrec.com