

CertainTeed

Quality made <u>certain</u>. Satisfaction guaran<u>teed</u>.™



FIRSTS

MONOGRAM™ 46
SETS THE
STANDARD FOR
THE INDUSTRY

Monogram 46, and now Monogram 46 Long, is a comprehensive system of value-added features with unique benefits that combine to create a truly extraordinary siding. Monogram continues to lead the way in innovation through many important industry firsts.

FIRST IN STYLE

Monogram was the first siding produced utilizing a direct transfer system from real cedar boards for a natural **TrueTexture™** woodgrain finish. Combined with CertainTeed's unique Vinyl Carpentry™ concept, the look of true wood craftsmanship can be created with Monogram and decorative trim products.



Monogram was the first siding designed to perform under high wind conditions through proprietary **RigidForm™** technology. The concept is based on a rolled-over nail hem design that creates a reinforcing spine.



FIRST IN INSTALLATION INNOVATION

Monogram was the first siding engineered to include an integral installation guide on each panel. From the first nail to the last, the patented **STUDfinder** system is designed to help ensure a precise installation for optimum siding performance.



FIRST IN BRAND USE

Year after year, CertainTeed Siding has been Rated #1 in Brand Use by remodelers builders, architects and consumers.



Monogram[™] 46L has the same great benefits as traditional length Monogram[™] 46, plus it reduces seams.

- ◆ Two Classic Styles Two Length Choices: Double 4" Rough Cedar Clapboard, 16' 8" or 20'. Double 5" Rough Cedar Dutchlap, 16' or 20'.
- Heavy-Duty .046" Thickness.
- TrueTexture™ rough cedar finish molded from real cedar boards.
- Patented STUDfinder™ is designed for accurate and secure installation.
- ◆ RigidForm™ 220 technology has been tested* to withstand wind load pressures up to 220 mph.
- ◆ CertiLock™ self-aligning, post-formed positive lock.
- 12 solid colors with a wide variety of coordinating trim.
- Virtually maintenance free, never needs painting.

Class 1(A) fire rating.

Lifetime limited warranty.

Works with traditional length Monogram 46 panels.

The Difference is Seamlessly Clear


Long on Looks

With traditional 12'

siding panels, seams appear every two to three

feet. Monogram's longer length panels can significantly reduce seams.

Two Story Wall, 20' Wide





Long - 16 Feet 8 Inches

The STUDfinder[™] **Installation System**

STUDfinder combines precisely spaced nail slots with indicator letters, designed for accurate and secure installation.

STUDfinder for Accuracy

- Nail slots align with 16" on-center standards for stud spacing
- Indicator letters help:
 - Determine location of studs
 - Ensure nails are positioned correctly
 - Ensure correct number of nails are used











STUDfinder for **Security and Performance**

- Nailing to studs provides a strong and secure connection
- Protects against blow offs from under nailing
- Protects against buckling from over nailing
- Helps avoid nailing into hazardous items between studs like plumbing or wiring

STUDfinder ...

because beauty and performance start with a quality installation



Permacolor™ LIFETIME FADE PROTECTION Color performance, impact resistance and durability are assured through our exclusive PermaColor™ System, a blend of our own Certavin™ resin, superior micro-ingredients and state-of-the-art pigment chemistry.	Double 4" Clapboard	Double 5" Dutchlap
Colonial White	•	•
Sandstone Beige	•	•
Heritage Cream	•	•
Silver Ash	•	•
Desert Tan	•	•
Light Maple	•	•
Sterling Gray	•	•
Savannah Wicker	•	•
Natural Clay	•	•
Cypress	•	•
Oxford Blue	•	•
Granite Gray	•	•

Colors throughout this brochure are simulated. Consult product samples before final selection.

A Comprehensive System of Value-Added Features

RigidForm[™] 220

Monogram's RigidForm 220 technology provides strength and exceptional wind resistance.

This double thick .092" rolled-over nail hem design increases wind resistance and stiffens the panel. This design has been tested* to withstand wind load pressures up to 220 mph.

* Wind load rating per VSI wind speed calculation guidelines.

CertiLock[™]


The exclusive CertiLock™ locking system features self-aligning multiple bends that snap together with an audible "click" to ensure a secure fit and more consistent installation.

Heavy-Duty .046" Thickness

Monogram 46L panels feature a true .046" thickness for outstanding strength and durability.

3/4" Panel Projection

A 3/4" panel projection provides excellent rigidity for straighter-on-the-wall performance.





Finishing Touches Start with Decorative Trim Two great choices for one authentic, real wood look.

Vinyl Carpentry^{*}

Vinyl Carpentry™ trim offers you a wide array of decorative design possibilities to accent your home's exterior. Replicate the look of real wood with a wonderful assortment of styles and colors - and they never need painting.

Soffits & Gables



Beaded Triple 2" Panel with Soffit Cove Molding



Cornice Molding with Cedar **Impressions** Half-Round accents and Vinyl Carpentry Triple 2" **Beaded Soffit**



5" Lineal with Crown Molding



3-1/2" Lineal with Crown Molding, Corner Block and Rosette



Traditional SuperCorner™



Beaded SuperCorner™

Restoration Millworkⁿ

Restoration Millwork™ solid-core trim makes an authentic statement on your home. Available in smooth and realistic woodgrain TrueTexture™ finish in a wide variety of traditional and specialty profiles - you can also mill it or paint it to create custom designs.



Trimboards, Sheets, Corners, Beadboard, Brickmould, Drip Cap and more...



Window & Door Casings, Panels, Detailed Millwork and Special J-Pocket Accessories for Vinyl Siding



Column enclosures, Soffit, Fascia or Custom Milled Designs

ASK ABOUT OUR OTHER CERTAINTEED PRODUCTS AND SYSTEMS:

EXTERIOR: ROOFING • SIDING • WINDOWS • FENCE • DECKING • RAILING • MILLWORK • FOUNDATIONS • PIPE INTERIOR: INSULATION . WALLS . CEILINGS

CertainTeed Corporation P.O. Box 860 Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777 www.certainteed.com





