



# ODP & TEFC 200/400 VOLT MOTORS

## 3-PHASE FOOT MOUNT & C-FACE 1/3 TO 125 HP

### Features:

- Perfect choice for 208 V systems
- Premium Insulation Systems  
56 frames: Class B  
143T-445T frames: Class F
- Continuous Duty
- Y-delta start capability frames 284T and larger
- Warranty:  
(sine-wave power & inverter power) –  
48 & 56 frames: 18 months from date of manufacture and 12 months from date of installation which ever period expires first.  
143T-256T frames: 30 months from date of manufacture and 24 months from date of installation which ever period expires first.  
(sine-wave power) –  
284T-449T frames: 42 months from date of manufacture and 36 months from date of installation which ever period expires first.
- Made in U.S.A.



### Applications:

ODP: Ideally suited for use where water and dust exposure is minimal.  
TEFC: Ideally suited for use where exposure to water, dust and corrosives exists.  
Both for use on pumps, compressors, fans, blowers, conveyors, direct-coupled or belt driven applications.

### Supporting Information:

Dimensions and Performance: contact your local sales office.

### ODP • FOOT MOUNT

| HP    | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|-------|---------|-------|----------------|------|---------|--------------|----------------|----------------------|------------------------|------------|----------|
| 1/3   | 1800    | 56    | 67.0           | 1.35 | 200/400 | SRD4S0.33T62 | TBD            |                      | -                      | \$270      | LT-1A    |
| 1/2   | 1800    | 56    | 70.0           | 1.25 | 200/400 | SRD4S0.5T62  | LM24156        |                      | 17                     | 311        | LT-1A    |
|       | 1200    | 56    | 74.0           | 1.25 | 200/400 | SRD6S0.5T62  | LM25599        |                      | -                      | 445        | LT-1A    |
| 3/4   | 3600    | 56    | 72.0           | 1.25 | 200/400 | RD2S0.75T62  | LM05332        |                      | 26                     | 298        | LT-1A    |
|       | 1800    | 56    | 75.5           | 1.25 | 200/400 | SRD4S0.75T62 | LM24163        |                      | 23                     | 332        | LT-1A    |
|       | 1200    | 56    | 72.0           | 1.15 | 200/400 | RD6S0.75T62  | LM05345        |                      | 26                     | 452        | LT-1A    |
| 1     | 3600    | 56    | 75.5           | 1.25 | 200/400 | RD2S1T62     | LM05342        |                      | 26                     | 344        | LT-1A    |
|       | 1800    | 143T  | 77.0           | 1.15 | 200/400 | SD4S1T62     | LM05378        |                      | 28                     | 376        | LT-1A    |
|       | 1200    | 145T  | 72.0           | 1.15 | 200/400 | SD6S1T62     | LM05388        |                      | 34                     | 453        | LT-1A    |
| 1 1/2 | 3600    | 143T  | 77.0           | 1.15 | 200/400 | SD2S1.5T62   | LM05383        |                      | 28                     | 394        | LT-1A    |
|       | 1800    | 145T  | 80.0           | 1.15 | 200/400 | SD4S1.5T62   | LM05393        |                      | 35                     | 394        | LT-1A    |
|       | 1200    | 182T  | 81.5           | 1.15 | 200/400 | SSD6S1.5T62  | TBD            |                      | -                      | 553        | LT-1A    |
| 2     | 3600    | 145T  | 80.0           | 1.15 | 200/400 | SSD2S2T62    | TBD            |                      | -                      | 458        | LT-1A    |
|       | 1800    | 145T  | 84.0           | 1.15 | 200/400 | SSD4S2T62    | LM24147        |                      | 44                     | 403        | LT-1A    |
|       | 1200    | 184T  | 85.5           | 1.15 | 200/400 | SSD6S2T62    | TBD            |                      | -                      | 535        | LT-1A    |
| 3     | 3600    | 145T  | 77.0           | 1.15 | 200/400 | SD2S3T62     | LM05409        |                      | 36                     | 486        | LT-1A    |
|       | 1800    | 182T  | 84.0           | 1.15 | 200/400 | SSD4S3T62    | LM24212        |                      | -                      | 459        | LT-1A    |
|       | 1200    | 213T  | 78.5           | 1.15 | 200/400 | SD6S3T62     | LM05463        |                      | 99                     | 729        | LT-1A    |
| 5     | 3600    | 182T  | 80.0           | 1.15 | 200/400 | SD2S5T62     | LM05427        |                      | 58                     | 585        | LT-1A    |
|       | 1800    | 184T  | 85.5           | 1.15 | 200/400 | SSD4S5T62    | LM24218        |                      | -                      | 530        | LT-1A    |
|       | 1200    | 215T  | 82.5           | 1.15 | 200/400 | SD6S5T62     | LM05488        |                      | 115                    | 890        | LT-1A    |
| 7 1/2 | 3600    | 184T  | 84.5           | 1.15 | 200/400 | SSD2S7.5T62  | LM25470        |                      | -                      | 671        | LT-1A    |
|       | 1800    | 213T  | 84.0           | 1.15 | 200/400 | SSD4S7.5T62  | LM24220        |                      | 103                    | 755        | LT-1A    |
|       | 1200    | 254T  | 88.5           | 1.15 | 200/400 | SSD6S7.5T62  | TBD            |                      | -                      | 1275       | LT-1A    |
| 10    | 3600    | 213T  | 85.5           | 1.15 | 200/400 | SSD2S10T62   | TBD            |                      | -                      | 899        | LT-1A    |
|       | 1800    | 215T  | 87.5           | 1.15 | 200/400 | SSD4S10T62   | LM24215        |                      | 118                    | 890        | LT-1A    |
|       | 1200    | 256T  | 90.2           | 1.15 | 200/400 | SSD6S10T62   | TBD            |                      | -                      | 1517       | LT-1A    |

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

# ODP & TEFC 200/400 VOLT MOTORS



**3-PHASE  
FOOT MOUNT & C-FACE  
1/3 TO 125 HP**

## ODP • FOOT MOUNT (cont'd)

| HP  | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|-----|---------|-------|----------------|------|---------|--------------|----------------|----------------------|------------------------|------------|----------|
| 15  | 3600    | 215T  | 86.5           | 1.15 | 200/400 | SSD2S15T62   | TBD            |                      | -                      | \$1033     | LT-1A    |
|     | 1800    | 254T  | 87.5           | 1.15 | 200/400 | SSD4S15T62   | LM24216        |                      | 164                    | 1267       | LT-1A    |
| 20  | 3600    | 254T  | 88.5           | 1.15 | 200/400 | SSD2S20T62   | LM05525        |                      | -                      | 1548       | LT-1A    |
|     | 1800    | 256T  | 88.5           | 1.15 | 200/400 | SSD4S20T62   | LM24217        |                      | 197                    | 1512       | LT-1A    |
| 25  | 3600    | 256T  | 89.5           | 1.15 | 200/400 | SSD2S25T62   | LM26181        |                      | -                      | 1747       | LT-1A    |
|     | 1800    | 284T  | 87.5           | 1.15 | 200/400 | SD4S25T62    | LM04125        |                      | 278                    | 1941       | LT-1A    |
| 30  | 3600    | 284TS | 82.5           | 1.15 | 200/400 | SD2S30TS62   | LM04136        |                      | 282                    | 2475       | LT-1A    |
|     | 1800    | 286T  | 87.5           | 1.15 | 200/400 | SD4S30T62    | LM04142        |                      | 319                    | 2442       | LT-1A    |
| 40  | 3600    | 286TS | 82.5           | 1.15 | 200/400 | SD2S40TS62   | LM04152        |                      | 325                    | 2828       | LT-1A    |
|     | 1800    | 324T  | 90.2           | 1.15 | 200/400 | SD4S40T62    | LM04278        |                      | 378                    | 2730       | LT-1A    |
| 50  | 3600    | 324TS | 85.5           | 1.15 | 200/400 | SD2S50TS62   | LM04288        |                      | 410                    | 3824       | LT-1A    |
|     | 1800    | 326T  | 91.7           | 1.15 | 200/400 | SD4S50T62    | LM04292        |                      | 444                    | 3142       | LT-1A    |
| 60  | 3600    | 326TS | 89.5           | 1.15 | 200/400 | SD2S60TS62   | LM04299        |                      | 462                    | 4153       | LT-1A    |
|     | 1800    | 364T  | 91.7           | 1.15 | 200/400 | SD4S60T62    | LM04416        |                      | 575                    | 4287       | LT-1A    |
| 75  | 3600    | 364TS | 88.5           | 1.15 | 200/400 | SD2S75TS62   | LM04421        |                      | 618                    | 5468       | LT-1A    |
|     | 1800    | 365T  | 93.0           | 1.15 | 200/400 | SD4S75T62    | LM04425        |                      | 660                    | 4483       | LT-1A    |
| 100 | 3600    | 365TS | 88.5           | 1.15 | 200/400 | SD2S100TS62  | LM04431        |                      | 680                    | 6222       | LT-1A    |
|     | 1800    | 404T  | 93.6           | 1.15 | 200/400 | SD4S100T62   | LM04604        |                      | 767                    | 5959       | LT-1A    |
| 125 | 1800    | 405T  | 93.6           | 1.15 | 200/400 | SD4S125T62   | LM04705        |                      | 910                    | 6626       | LT-1A    |

## ODP • C-FACE WITH FEET

| HP    | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|-------|---------|-------|----------------|------|---------|--------------|----------------|----------------------|------------------------|------------|----------|
| 1/2   | 1800    | 56C   | 74.0           | 1.25 | 200/400 | RD4S0.5TC62  | LM05329        |                      | 31                     | \$352      | LT-1A    |
| 3/4   | 1800    | G56C  | 77.0           | 1.25 | 200/400 | RD4S0.75TC62 | LM05339        |                      | 31                     | 376        | LT-1A    |
| 1     | 1800    | 143TC | -              | 1.15 | 200/400 | SSD4S1TC62   | TBD            |                      | -                      | 417        | LT-1A    |
|       | 1200    | 56HC  | 72.0           | 1.15 | 200/400 | RD6S1TC62    | LM05356        |                      | 39                     | 525        | LT-1A    |
| 1 1/2 | 3600    | 143TC | 77.0           | 1.15 | 200/400 | SD2S1.5TC62  | LM05384        |                      | 33                     | 435        | LT-1A    |
|       | 1800    | 145TC | 78.5           | 1.15 | 200/400 | SD4S1.5TC62  | LM05394        |                      | 40                     | 435        | LT-1A    |
| 2     | 3600    | 145TC | 77.0           | 1.15 | 200/400 | SD2S2TC62    | LM05405        |                      | 40                     | 499        | LT-1A    |
|       | 1800    | 145TC | -              | 1.15 | 200/400 | SSD4S2TC62   | TBD            |                      | -                      | 444        | LT-1A    |
|       | 1200    | 184TC | 80.0           | 1.15 | 200/400 | SD6S2TC62    | LM05440        |                      | 73                     | 596        | LT-1A    |
| 3     | 3600    | 145TC | -              | 1.15 | 200/400 | SSD2S3TC62   | TBD            |                      | -                      | 529        | LT-1A    |
|       | 1800    | 182TC | 84.0           | 1.15 | 200/400 | SD4S3TC62    | LM05422        |                      | 67                     | 522        | LT-1A    |
| 5     | 3600    | 182TC | -              | 1.15 | 200/400 | SSD2S5TC62   | TBD            |                      | -                      | 647        | LT-1A    |
|       | 1800    | 184TC | -              | 1.15 | 200/400 | SSD4S5TC62   | TBD            |                      | -                      | 591        | LT-1A    |
| 7 1/2 | 3600    | 184TC | 81.5           | 1.15 | 200/400 | SD2S7.5TC62  | LM05454        |                      | 76                     | 734        | LT-1A    |
|       | 1800    | 213TC | 85.5           | 1.15 | 200/400 | SD4S7.5TC62  | LM05471        |                      | 126                    | 827        | LT-1A    |
| 10    | 3600    | 213TC | -              | 1.15 | 200/400 | SSD2S10TC62  | TBD            |                      | -                      | 970        | LT-1A    |
|       | 1800    | 215TC | 86.5           | 1.15 | 200/400 | SD4S10TC62   | LM05496        |                      | 134                    | 962        | LT-1A    |
| 15    | 3600    | 215TC | -              | 1.15 | 200/400 | SSD2S15TC62  | TBD            |                      | -                      | 1106       | LT-1A    |
|       | 1800    | 254TC | -              | 1.15 | 200/400 | SSD4S15TC62  | LM26039        |                      | -                      | 1360       | LT-1A    |
| 20    | 3600    | 254TC | -              | 1.15 | 200/400 | SSD2S20TC62  | TBD            |                      | -                      | 1643       | LT-1A    |
|       | 1800    | 256TC | 89.5           | 1.15 | 200/400 | SD4S20TC62   | LM05546        |                      | 216                    | 1607       | LT-1A    |

Prices and data subject to change without notice.

Product numbers in red are STOCK items.



# ODP & TEFC 200/400 VOLT MOTORS

3-PHASE  
FOOT MOUNT & C-FACE  
1/3 TO 125 HP

## TEFC • FOOT MOUNT

| HP   | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|------|---------|-------|----------------|------|---------|--------------|----------------|----------------------|------------------------|------------|----------|
| 0.33 | 1800    | 56    | 72.0           | 1.15 | 200/400 | RF4S0.33T62  | LM02676        |                      | 28                     | \$308      | LT-1A    |
| 0.5  | 3600    | 56    | -              | 1.15 | 200/400 | SRF2S0.5T62  | TBD            |                      | TBD                    | 291        | LT-1A    |
|      | 1800    | 56    | 74.0           | 1.15 | 200/400 | RF4S0.5T62   | LM02682        |                      | 28                     | 377        | LT-1A    |
|      | 1200    | 56    | 70.0           | 1.15 | 200/400 | RF6S0.5T62   | LM02679        |                      | 28                     | 477        | LT-1A    |
| 0.75 | 3600    | 56    | 74.0           | 1.15 | 200/400 | RF2S0.75T62  | LM02694        |                      | 28                     | 319        | LT-1A    |
|      | 3600    | 56    | 74.0           | 1.15 | 200/400 | RF4S0.75T62  | LM02691        |                      | TBD                    | 386        | LT-1A    |
|      | 1200    | G56   | 74.0           | 1.15 | 200/400 | RF6S0.75T62  | LM02688        |                      | 28                     | 486        | LT-1A    |
| 1    | 3600    | 56    | 75.5           | 1.15 | 200/400 | RF2S1T62     | LM02703        |                      | 28                     | 386        | LT-1A    |
|      | 1800    | G56   | 78.5           | 1.15 | 200/400 | RF4S1T62     | LM02700        |                      | 28                     | 403        | LT-1A    |
|      | 1800    | 143T  | 82.5           | 1.15 | 200/400 | SS4S1T62     | LM24358        |                      | TBD                    | 423        | LT-1A    |
|      | 1200    | 56H   | 72.0           | 1.15 | 200/400 | RF6S1T62     | LM02697        |                      | 36                     | 493        | LT-1A    |
|      | 1200    | 145T  | 80.0           | 1.15 | 200/400 | SSF6S1T62    | LM24357        |                      | TBD                    | 516        | LT-1A    |
|      | 900     | 182T  | 70.0           | 1.15 | 200/400 | AF8S1T62     | LM01365        |                      | 64                     | 861        | LT-1A    |
| 1.5  | 3600    | 143T  | 80.0           | 1.15 | 200/400 | SSF2S1.5T62  | LM25221        |                      | TBD                    | 445        | LT-1A    |
|      | 1800    | 56H   | 80.0           | 1.15 | 200/400 | RF4S1.5T62   | LM02706        |                      | 36                     | 423        | LT-1A    |
|      | 1800    | 145T  | 80.0           | 1.15 | 200/400 | SF4S1.5T62   | LM02834        |                      | 40                     | 459        | LT-1A    |
|      | 1200    | 182T  | 77.0           | 1.15 | 200/400 | AF6S1.5T62   | LM01272        |                      | 68                     | 576        | LT-1A    |
|      | 900     | 184T  | 72.0           | 1.15 | 200/400 | AF8S1.5T62   | LM01386        |                      | 71                     | 1020       | LT-1A    |
| 2    | 3600    | 56H   | 78.5           | 1.15 | 200/400 | RF2S2T62     | LM02715        |                      | 36                     | 468        | LT-1A    |
|      | 3600    | 145T  | -              | 1.15 | 200/400 | SSF2S2T62    | TBD            |                      | TBD                    | 468        | LT-1A    |
|      | 1800    | 56H   | 80.0           | 1.15 | 200/400 | RF4S2T62     | LM02712        |                      | 36                     | 500        | LT-1A    |
|      | 1800    | 145T  | 84.0           | 1.15 | 200/400 | SSF4S2T62    | LM24359        | A                    | TBD                    | 441        | LT-1A    |
|      | 1200    | 184T  | 78.5           | 1.15 | 200/400 | AF6S2T62     | LM01349        |                      | 72                     | 798        | LT-1A    |
| 3    | 900     | 213T  | 75.5           | 1.15 | 200/400 | AF8S2T62     | LM01875        |                      | 101                    | 1210       | LT-1A    |
|      | 3600    | 182T  | 80.0           | 1.15 | 200/400 | AF2S3T62     | LM01346        |                      | 68                     | 604        | LT-1A    |
|      | 1800    | 182T  | 82.5           | 1.15 | 200/400 | AF4S3T62     | LM01285        |                      | 72                     | 552        | LT-1A    |
|      | 1200    | 213T  | 77.0           | 1.15 | 200/400 | AF6S3T62     | LM01516        |                      | 95                     | 853        | LT-1A    |
|      | 900     | 215T  | 77.0           | 1.15 | 200/400 | AF8S3T62     | LM01924        |                      | 119                    | 1282       | LT-1A    |
| 5    | 3600    | 184T  | 84.0           | 1.15 | 200/400 | AF2S5T62     | LM01352        |                      | 74                     | 730        | LT-1A    |
|      | 1800    | 184T  | 82.5           | 1.15 | 200/400 | AF4S5T62     | LM01324        |                      | 72                     | 628        | LT-1A    |
|      | 1200    | 215T  | 81.5           | 1.15 | 200/400 | AF6S5T62     | LM01546        |                      | 116                    | 995        | LT-1A    |
|      | 900     | 254T  | 81.5           | 1.15 | 200/400 | AF8S5T62     | LM01562        |                      | 161                    | 1800       | LT-1A    |
| 7.5  | 3600    | 213T  | 80.0           | 1.15 | 200/400 | AF2S7.5T62   | LM01523        |                      | 106                    | 980        | LT-1A    |
|      | 1800    | 213T  | 81.5           | 1.15 | 200/400 | AF4S7.5T62   | LM01451        |                      | 104                    | 885        | LT-1A    |
|      | 1200    | 254T  | 82.5           | 1.15 | 200/400 | AF6S7.5T62   | LM01663        |                      | 157                    | 1531       | LT-1A    |
|      | 900     | 256T  | 82.5           | 1.15 | 200/400 | AF8S7.5T62   | LM01699        |                      | 195                    | 2130       | LT-1A    |
| 10   | 3600    | 215T  | 81.5           | 1.15 | 200/400 | AF2S10T62    | LM01543        |                      | 118                    | 1190       | LT-1A    |
|      | 1800    | 215T  | 84.0           | 1.15 | 200/400 | AF4S10T62    | LM01486        |                      | 119                    | 970        | LT-1A    |
|      | 1200    | 256T  | 84.0           | 1.15 | 200/400 | AF6S10T62    | LM01666        |                      | 198                    | 1738       | LT-1A    |
| 15   | 3600    | 254T  | 82.5           | 1.15 | 200/400 | AF2S15T62    | LM01608        |                      | 162                    | 1653       | LT-1A    |
|      | 1800    | 254T  | 85.5           | 1.15 | 200/400 | AF4S15T62    | LM01577        |                      | 148                    | 1560       | LT-1A    |
| 20   | 3600    | 256T  | 85.5           | 1.15 | 200/400 | AF2S20T62    | LM01732        |                      | 197                    | 1921       | LT-1A    |
|      | 1800    | 256T  | 86.5           | 1.15 | 200/400 | AF4S20T62    | LM01626        |                      | 194                    | 1772       | LT-1A    |
| 25   | 1200    | 324T  | 90.2           | 1.15 | 200/400 | SF6H25T62    | LM08447        |                      | 504                    | 4083       | LT-1A    |

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

# ODP & TEFC 200/400 VOLT MOTORS



## 3-PHASE FOOT MOUNT & C-FACE 1/3 TO 125 HP

### TEFC • FOOT MOUNT (cont'd)

| HP  | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|-----|---------|-------|----------------|------|---------|--------------|----------------|----------------------|------------------------|------------|----------|
| 30  | 1200    | 326T  | 91.0           | 1.15 | 200/400 | SF6H30T62    | LM02157        |                      | 542                    | \$4440     | LT-1A    |
| 40  | 3600    | 324TS | 90.2           | 1.15 | 200/400 | SF2H40TS62   | LM02323        |                      | 508                    | 3737       | LT-1A    |
|     | 1800    | 324T  | 91.7           | 1.15 | 200/400 | SF4H40T62    | LM02005        |                      | 496                    | 3523       | LT-1A    |
|     | 1200    | 364T  | 91.7           | 1.15 | 200/400 | SF6H40T62    | LM02578        |                      | 682                    | 5400       | LT-1A    |
| 50  | 3600    | 326TS | 91.0           | 1.15 | 200/400 | SF2H50TS62   | LM02159        |                      | 556                    | 4631       | LT-1A    |
|     | 1800    | 326T  | 92.4           | 1.15 | 200/400 | SF4H50T62    | LM02010        |                      | 552                    | 3997       | LT-1A    |
|     | 1200    | 365T  | 91.7           | 1.15 | 200/400 | SF6H50T62    | LM02460        |                      | 764                    | 6044       | LT-1A    |
| 60  | 3600    | 364TS | 91.7           | 1.15 | 200/400 | SF2H60TS62   | LM02579        |                      | 698                    | 6711       | LT-1A    |
|     | 1800    | 364T  | 93.0           | 1.15 | 200/400 | SF4H60T62    | LM02386        |                      | 682                    | 5545       | LT-1A    |
| 75  | 3600    | 365TS | 92.4           | 1.15 | 200/400 | SF2H75TS62   | LM02921        |                      | 768                    | 7298       | LT-1A    |
|     | 1800    | 365T  | 93.0           | 1.15 | 200/400 | SF4H75T62    | LM02394        |                      | 755                    | 6138       | LT-1A    |
| 100 | 1800    | 405T  | 93.6           | 1.15 | 200/400 | SF4H100T62   | LM02444        |                      | 986                    | 8306       | LT-1A    |

### TEFC • C-FACE WITH FEET

| HP    | SYN RPM | Frame | FL Nom Eff (%) | SF   | Volts   | Model Number  | Product Number | Notes (see page 306) | Approx Shpg Wght (lbs) | List Price | Mult Sym |
|-------|---------|-------|----------------|------|---------|---------------|----------------|----------------------|------------------------|------------|----------|
| 1/3   | 1800    | 56C   | -              | 1.15 | 200/400 | SRF4S0.33TC62 | TBD            |                      | -                      | \$365      | LT-1A    |
| 1/2   | 3600    | 56C   | 70.0           | 1.15 | 200/400 | RF2S0.5TC62   | LM02686        |                      | 33                     | 332        | LT-1A    |
|       | 1800    | 56C   | 74.0           | 1.15 | 200/400 | RF4S0.5TC62   | LM02683        |                      | 33                     | 418        | LT-1A    |
|       | 1200    | 56C   | -              | 1.15 | 200/400 | SRF6S0.5TC62  | TBD            |                      | -                      | 519        | LT-1A    |
| 3/4   | 3600    | 56C   | -              | 1.15 | 200/400 | SRF2S0.75TC62 | TBD            |                      | -                      | 361        | LT-1A    |
|       | 1800    | 56C   | 75.5           | 1.15 | 200/400 | SRF4S0.75TC62 | LM25927        |                      | -                      | 427        | LT-1A    |
|       | 1200    | 56C   | -              | 1.15 | 200/400 | SRF6S0.75TC62 | TBD            |                      | -                      | 529        | LT-1A    |
| 1     | 3600    | 56C   | 74.0           | 1.15 | 200/400 | SRF2S1TC62    | LM25539        |                      | -                      | 427        | LT-1A    |
|       | 1800    | 56C   | 77.0           | 1.15 | 200/400 | SRF4S1TC62    | LM26028        |                      | -                      | 444        | LT-1A    |
|       | 1800    | 143TC | -              | 1.15 | 200/400 | SSF4S1TC62    | TBD            |                      | -                      | 444        | LT-1A    |
| 1 1/2 | 1800    | 56HC  | 80.0           | 1.15 | 200/400 | RF4S1.5TC62   | LM02707        |                      | 41                     | 500        | LT-1A    |
|       | 1800    | 145TC | -              | 1.15 | 200/400 | SSF4S1.5TC62  | TBD            |                      | -                      | 464        | LT-1A    |
| 2     | 1800    | 56HC  | 80.0           | 1.15 | 200/400 | RF4S2TC62     | LM02713        |                      | 41                     | 543        | LT-1A    |
|       | 1800    | 145TC | -              | 1.15 | 200/400 | SSF4S2TC62    | LM24294        | A                    | 50                     | 546        | LT-1A    |
| 3     | 1800    | 182TC | 82.5           | 1.15 | 200/400 | AF4S3TC62     | LM01288        |                      | 72                     | 614        | LT-1A    |
| 5     | 1800    | 184TC | 84.0           | 1.15 | 200/400 | AF4S5TC62     | LM01327        |                      | 76                     | 690        | LT-1A    |
| 7 1/2 | 1800    | 213TC | 81.5           | 1.15 | 200/400 | AF4S7.5TC62   | LM01454        |                      | 110                    | 950        | LT-1A    |
| 10    | 1800    | 215TC | 84.0           | 1.15 | 200/400 | AF4S10TC62    | LM01489        |                      | 125                    | 1044       | LT-1A    |
| 15    | 1800    | 254TC | 85.5           | 1.15 | 200/400 | AF4S15TC62    | LM01579        |                      | 156                    | 1600       | LT-1A    |
| 20    | 1800    | 256TC | 86.5           | 1.15 | 200/400 | AF4S20TC62    | LM01628        |                      | 202                    | 1869       | LT-1A    |
| 40    | 1800    | 324TC | 91.7           | 1.15 | 200/400 | SF4H40TC62    | LM02009        |                      | 506                    | 3800       | LT-1A    |
| 50    | 1800    | 326TC | 92.4           | 1.15 | 200/400 | SF4H50TC62    | LM02013        |                      | 562                    | 4217       | LT-1A    |

Prices and data subject to change without notice.

Product numbers in red are STOCK items.