DOUBLE THROW TRANSFER SWITCHES



Wire Ranges (Line, Load and Neutral) Per NEC Requirements:

Switch Ampere Rating	Wire Range (Cu / Al) New VBII Design Line, Load and Neutral			
30 - 200 A - 2, 3 & 4 Pole				
30	(1) #14-6			
60	(1) #14-2			
100	(1) #14-1/0 AWG			
100	(1) #14-1/0 AWG			
200	(1) #6-250 kcmil			
400 - 1200 A - 2 & 3 Pole	Switches			
400	(1) 1/0 AWG - 750 kcmil or			
400	(2) 1/0 AWG - 250 kcmil			
600	(2) 1/0 AWG - 500 kcmil			
800	(2) 1/0 AWG - 750 kcmil or			
	(3) 1/0 AWG - 500 kcmil			
1200	(3) 1/0 AWG - 600 kcmil or			
	(4) 1/0 AWG - 500 kcmil			
400 - 800 A - 4 Pole Switc	hes			
400	(1) 1/0 AWG - 300 kcmil or			
	(2) 1/0 AWG - 750 kcmil			
600	(2) 250 - 500 kcmil			
800	(3) 250 - 500 kcmil			

Description:

Double Throw Switches Are Intended To Transfer Loads From One Power Source To Another. All 2 and 3 Pole Double Throw Switches Are Suitable For Use As Service Equipment. All Are UL Listed. Switches Are Rated For Use On Systems Up To 10,000 A When Protected With Class H Fuses Or 100,000 A When Protected With Class R Or Class T Fuses (2). They Can Also Be Used To Connect A Single Source Of Power To Either Of Two Loads. In This Application It Is Necessary To Field Modify Fusible Switches So That The Fuses Are On The Load Side Of The Switching Mechanism. A Cover Interlock Is Provided On All Ampere Ratings. The Operating Handle May Be Padlocked In The Off Position.

Fuse Capabilities Of Fusible Switches:

Amp	Fuse Type						
Rating	H	R	Т	J			
30 & 60 A, 240 V	Std.	Yes (Kit)	No	No			
30 & 60 A, 600 V	Std.	Yes (Kit)	No	Yes (3)			
100 & 200 A	Std.	Yes (Kit)	Yes (Kit)	Yes (3)			

Maximum Horsepower Ratings:

Ampere	1 Phase AC		3 Phase AC		250V
Rating	240 V	240 V	480 V	600 V	DC
Fused					
30	3	7.5	15	20	5
60	10	15	30	50	10
100	15	30	60	75	20
200	15	60	125	150	40
400		125	125	125	50
600		125			50
Non-Fused					
30	5	10	20	30	5
60	10	20	50	60	10
100	15	40	75	100	20
200	15	60	125	150	40
400 - 800		125	250	350	50

				t - Outdoor Neutral	NEMA 3R - Outdoor With Neutral					
	Number		Model	List	Model	List				
Voltage	Of Poles	Amps	Number	Price	Number	Price				
General Duty Non-Fusibl	General Duty Non-Fusible									
	2	100	DTGNF223R	\$1,261.21	DTGNF223NR	\$1,487.61				
240 Volt AC		200	DTGNF224R	\$1,940.50	DTGNF224NR	\$2,310.03				
240 VOIT AC	3	100	DTGNF323R	\$1,759.82	DTGNF323NR	\$1,982.71				
	5	200	DTGNF324R	\$2,199.77	DTGNF324NR	\$2,551.73				

Safety Switches & Transfer Switches

PAGE 5-5



WorldWide Electric Corporation Phone: 1-800-808-2131 Ext. 4 Fax: 1-800-808-2131

DOUBLE THROW TRANSFER SWITCHES

			NEM	IA 1	NEMA 3R		NEMA 12 / 3R		NEMA 4X	
			Indoor		Outdoor		Industrial		Stainless Steel	
	Number		Model	List	Model	List	Model	List	Model	List
Voltage	Of Poles	Amps	Number	Price	Number	Price	Number	Price	Number	Price
Heavy Duty F	usible (30-200	A) With Cla	ss H Fuse Spac	cings (2)						
	2	200	DTF224	\$4,241.15	DTF224R	\$6,234.40				
		30	DTF321	\$1,237.73	DTF321R ▲	\$1,918.17				
240 Volt AC		60	DTF322	\$2,223.21	DTF322R ▲	\$2,984.65				
Or	3	100	DTF323 ▲	\$3,726.07	DTF323R	\$4,217.66				
250 Volt DC	5	200	DTF324	\$5,490.61	DTF324R	\$7,203.47				
		400	DTF325	\$13,100.00						
		600	DTF326 ▲	\$14,166.44						
		30	DTF361	\$2,375.73						
600 Volt AC		60	DTF362 ▲	\$2,493.07						
Or	3	100	DTF363	\$4,381.92	DTF363R	\$6,011.51			F353SSDTK 🔺	\$15,214.10
250 Volt DC		200	DTF364	\$6,809.29	DTF364R	\$8,876.47			F354SSDTK ▲	\$18,751.32
		400	DTF365	\$13,405.04					F355SSDTK (4) 🔺	\$30,489.2
Heavy Duty N	on-Fusible (2)									
		30	DTNF221	\$705.09						
		60	DTNF222	\$1,113.36						
	2	100	DTNF223	\$1,558.02						
		200	DTNF224	\$2,166.90	DTNF224R	\$2,765.23				
		400	DTNF225	\$5,874.25	DTNF225R	\$9,041.89				
240 Volt AC Or		30	DTNF321	\$834.17						
250 Volt DC		60	DTNF322	\$1,332.78						
200 100 200		100	DTNF323	\$2,017.89	DTNF323R	\$2,452.01				
	3	200	DTNF324	\$3,110.17	DTNF324R	\$3,730.79				
		400	DTNF325	\$8,488.12						
		600	DTNF326	\$11,039.85						
		800	DTNF327	\$18,141.24						
		30	DTNF361	\$989.00	DTNF361R	\$1,695.28	DTNF361J	\$1,940.50	DTNF361S	\$4,851.18
	3	60	DTNF362	\$1,296.39	DTNF362R	\$2,141.10	DTNF362J	\$2,640.87	DTNF362S	\$6,500.74
		100	DTNF363	\$2,277.21	DTNF363R	\$3,742.53	DTNF363J	\$3,458.62	DTNF363S	\$9,708.28
		200	DTNF364	\$3,179.38	DTNF364R	\$5,152.70	DTNF364J 🔺	\$7,475.64	DTNF364S	\$11,771.94
		400	DTNF365	\$8,877.62	DTNF365R	\$13,781.65	NF355HDTK	\$13,935.32	NF355SSDTK	\$24,456.59
		600	DTNF366	\$12,647.16	DTNF366R	\$17,404.48				
600 Volt AC		800	DTNF367	\$19,822.47	DTNF367R	\$20,120.43				
Or		1200	DTNF368	\$25,977.07	DTNF368R	\$27,908.18				
250 Volt DC		30			NFR451DTK 🔺	\$4,566.11				
		60			NFR452DTK 🔺	\$4,862.92				
		100			NFR453DTK 🔺	\$7,191.72				
	4 (5)	200	NF454DTK	\$5,447.20	NFR454DTK 🔺	\$9,188.53			NF454SSDTK 🔺	\$20,833.75
		400	NF455DTK ▲	\$14,035.04	NFR455DTK ▲	\$19,014.10				
		600	NF456DTK ▲	\$19,512.71	NFR456DTK 🔺	\$23,385.48				
		800	NF457DTK	\$46,776.79	NFR457DTK 🔺	\$60,821.22				

▲ Built To Order - Please Allow 3-4 Weeks For Delivery.

(1) Use HS Type Hubs For 30-200A Switches - 400 A and Larger Switches Do Not Have Hub Provisions.

(2) All Heavy Duty Double Throw Switches With A Catalog Number Starting With "DT" Are Rated 200,000 AIC Max.

When Protected By Class R, J Or T Fuses. Fuse Ampere Rating Must Not Exceed Switch Ampere Rating.

(3) Move Load Base.

(4) Model Number F355SSDTK Will Accept Class T Fuses Only.

(5) 4 Pole Switches Are Not Approved For Service Entrance.



PAGE 5-6

DOUBLE THROW TRANSFER SWITCHES

			Model	List
Description			Number	Price
ccessories - 2 & 3 Pole Switches Only (1))			
	30 A		HNC612	\$151.09
	60 & 100 A		HN263	\$353.12
Neutral Kits	200 A		HNC264	\$553.40
	400 & 600 A		HN678	\$1,315.86
	800 & 1200 A		HND678	\$964.36
	30 - 200 A	(2) # 14-4 AWG	HG61234	\$37.77
Equipment Ground Kit	400 & 600 A	(4) # 14-2/0	HG656	\$193.25
Ground Pit	800 - 1200 A	(8) # 6-350 Kcmil	HG678	\$375.96
	30 - 200 A	With (1) NO & (1) NC Contacts	HA161234	\$375.96
Auxiliary Contacts (HD Only)	30 - 200 A	With (2) NO & (2) NC Contacts	HA261234	\$418.12
(2 Required Per Switch) (4)	400 - 1200 A	With (1) NO & (1) NC Contacts	HA165678	\$922.33
	400 - 1200 A	With (2) NO & (2) NC Contacts	HA265678	\$964.49
	30 A, 240 V Kit		HR21	\$130.00
	30 A, 600 V Kit / 6	0 A, 240 V Kit	HR612	\$130.00
Class R Fuse Clip Kits (2 Required Per Switch)	60 A, 600 V Kit		HR62	\$130.00
(2 Required Fer Switch)	100 A Kit		HR63	\$84.33
	200 A Kit		HR64	\$84.33
	100 A, 240 V Kit		HT23	\$119.46
Class T Fuse Adapter Kits	100 A, 600 V Kit		HT63	\$187.98
(2 Required Per Pole)	200 A, 240 V Kit		HT24	\$159.87
	200 A, 600 V Kit		HT64	\$224.87
	For 3/4" Conduit		HS075	\$68.28
	For 1" Conduit		ECHS100	\$68.28
T 2D H L (20, 200 A)	For 1-1/4" Conduit		ECHS125	\$68.28
Type 3R Hubs (30 - 200 A)	For 1-1/2" Conduit		ECHS150	\$68.28
	For 2" Conduit		ECHS200	\$120.94
	For 2-1/2" Conduit		ECHS250	\$191.22
ccessories - 4 Pole Switches Only (2)	-			
Auxiliary Switch	30 - 800 A	(1) NO, (1) NC (4)	DS200EK1	\$390.66
(2 Required Per Switch)	30 - 800 A	(2) NO, (2) NC (4)	DS200EK2	\$780.17
	30 - 60 - 100 A		DS100GK	\$12.58
Ground Lug Kit (3)	200 A		DS200GK	\$212.34
	400 - 600 - 800 A		DS468GK	\$306.20
	30 - 60 - 100 A	Use Type HR Hubs		
Hubs	200 - 400 A	Use Type SSH 4, 4X Hubs		
	600 - 800 A	Use Type SSH 4, 4X Hubs		
Neutrals	30 - 60 - 100 A		DT100NK	\$205.32
(For Fusible Stainless and	200 A		DT200NK	\$409.43
400 A Type 12 & 4X Only)	400 A Fusible		DS800NK	\$512.67
eplacement Parts - 2 & 3 Pole Switches	Only (1)		•	
ype 1, 3R & 12 Replacement Handle	30 - 200 A		HHD61234	\$152.84

(1) Not For Fusible Stainless Or 400 A NEMA 12 Or 4X Switches.

(2) Also For Fusible Stainless & 400 A NEMA 12 Or 4X Switches.

(3) The Following Ground Lugs Are Provided As Standard In:

200 A and Larger Switches 200 - (1) #14-4 Cu/Al

400-800 A - (3) #6-250MCM Cu/Al

(4) One Auxiliary Required For Normal and One Required For Emergency Switch Line Base.

PAGE 5-7

