

# 5060LF

Faucets and Valves



## FEATURES & BENEFITS

### Quality

Bubbler is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

### Bubbler Head

Polished chrome-plated brass bubbler head is equipped with a shielded, anti-squirt orifice that provides a steady sanitary source of water.

### Valve

Polished chrome-plated, lead-free brass, lever handle self-closing valve features screwdriver adjustment stream control.



## OPTIONS

- ❑ Repair Kit: Model 5800VRKT valve repair kit contains a bearing set, gland packing, spring washer, spring, renew seat, seat washer, seat o-ring, bonnet washers and bottom cap washer. For repair of many lever handle valves. Used on models from 2005 and newer.

## SPECIFICATIONS

Model 5060LF bubbler valve shall include a polished chrome-plated brass lever handle valve with adjustable stream capabilities, polished chrome-plated brass bubbler head, and 1/2" IPS inlet.

## APPLICATIONS

Perfect for either public or private indoor settings, the 5060LF is a great fit in areas where a countertop is in close proximity to a sink/bowl. Specifically, this type of deck mounted drinking faucet may be placed in settings such as: schools, classrooms, laboratories, and other facilities where the need for a deck mounted sink/faucet is present.



# 5452LF

Faucets and Valves



## FEATURES & BENEFITS

### Valve

Polished chrome-plated, lead-free brass, lever handle self-closing valve features automatic pressure compensation stream control.

### Quality

Gooseneck valve is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

## OPTIONS

- Repair Kit: Model 5800VRKT valve repair kit contains a bearing set, gland packing, spring washer, spring, renew seat, seat washer, seat o-ring, bonnet washers and bottom cap washer. For repair of many lever handle valves. Used on models from 2005 and newer.



## SPECIFICATIONS

Model 5452LF is a polished chrome-plated brass lever handle, self-closing gooseneck faucet with a vandal-resistant aerator and integral 2.2 gpm flow control, vandal-resistant lock pin, and 1/2" O.D. slip-joint inlet.

## APPLICATIONS

Perfect for either public or private indoor settings, the 5452LF is a great fit in areas where a sink is present. Specifically, this type of deck mounted glassfiller faucet may be placed in settings such as: schools, classrooms, laboratories, restaurants, and other facilities where the need for a deck mounted source of water is present.



# 5510LF

Faucets and Valves



## FEATURES & BENEFITS

### Quality

Gooseneck valve is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

### Valve

Polished chrome-plated, lead-free brass, lever handle stay-open valve features automatic pressure compensation stream control.

## OPTIONS

No options available for this model.



## SPECIFICATIONS

Model 5510LF is a polished chrome-plated brass stay-open lever handle, compression gooseneck faucet with a vandal-resistant aerator and integral 2.2 gpm flow control, vandal-resistant lock pin, and 1/2" O.D. slip-joint inlet.

## APPLICATIONS

Perfect for either public or private indoor settings, the 5510LF is a great fit in areas where a sink is present. Specifically, this type of deck mounted glassfiller faucet may be placed in settings such as: schools, classrooms, laboratories, restaurants, and other facilities where the need for a deck mounted source of water is present.



# 5530LF

Faucets and Valves



## FEATURES & BENEFITS

### Quality

Gooseneck valve is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

### Valve

Polished chrome-plated, lead-free brass, lever handle stay-open valve features automatic pressure compensation stream control.

## OPTIONS

No options available for this model.



## SPECIFICATIONS

Model 5530LF is a polished chrome-plated brass stay-open lever handle, hot and cold compression type gooseneck faucet, with a vandal-resistant aerator and integral 2.2 gpm flow control, vandal-resistant lock pin, mounting hardware, and 1/2" O.D. slip-joint inlets.

## APPLICATIONS

Perfect for either public or private indoor settings, the 5530LF is a great fit in areas where a sink is present. Specifically, this type of deck mounted glassfiller faucet may be placed in settings such as: schools, classrooms, laboratories, restaurants, and other facilities where the need for a deck mounted source of water is present.



# 6252EHLF

Faucets and Valves



## FEATURES & BENEFITS

### Valve

Solid lead-free brass construction combined with an extended lever handle makes this valve the perfect bib faucet for most outdoor applications.

## OPTIONS

- Repair Kit: Model 5800VRKT valve repair kit contains a bearing set, gland packing, spring washer, spring, renew seat, seat washer, seat o-ring, bonnet washers and bottom cap washer. For repair of many lever handle valves. Used on models from 2005 and newer.



## SPECIFICATIONS

Model 6252EHLF is a brass self-closing plain end lead-free faucet with an extended lever handle which operates with less than 3.5 push pounds, and has a 1/2" IPS inlet.

## APPLICATIONS

Perfect for either public or private indoor/outdoor settings, the 6252EHLF is a great fit in areas where a more powerful water source is needed. Specifically, this type of horizontally mounted bib faucet may be placed in settings such as: schools, campgrounds, restaurants, pool or beach areas, and other facilities where the need for a source of water is present.



# 6275

Faucets and Valves



## FEATURES & BENEFITS

### Valve

Compression style hose bib valve is a great way to make most Haws outdoor pedestal fountains functional for many other uses.

## OPTIONS

No options available for this model.



## SPECIFICATIONS

Model 6275 hose bib faucet shall include a rough chrome-plated brass compression vacuum breaker faucet, check valve, satin stainless steel mounting plate, necessary plumbing fittings, 3/4" male hose thread, and 1/2" IPS inlet.

## APPLICATIONS

Perfect for either public or private indoor/outdoor settings, the 6275 is a great fit in areas where a hose may need to be hooked up for a more powerful water source. Specifically, this type of horizontally mounted bib faucet may be placed in settings such as: schools, campgrounds, laboratories, classrooms, restaurants, pool or beach areas, and other facilities where the need for a source of water is present.

