4110ADA

Deck Mounted Drinking Fountain



FEATURES & BENEFITS

Construction

Heavy duty cast iron basin with a glossy white acid-resisting enamel finish is designed for the toughest of applications.

OPTIONS

- □ Gooseneck Faucet: Model 5452LF, self-closing lever handle, polished chrome-plated brass gooseneck faucet.
- Gooseneck Faucet: Model 5510LF, stay-open lever handle, polished chrome-plated gooseneck faucet.
- □ Gooseneck Faucet: Model 5530LF, stay-open hot-and-cold lever handled chrome-plated brass gooseneck faucet.
- □ Bubbler Valve: Model 5054EG EnviroGard™ is a polished, chromeplated lever handle bubbler valve with shielded bubbler, self-contained with integral stream flow regulation designed for deck or sink mounting.
- Waste Strainer: Model 6455, polished chrome-plated brass flat waste strainer.

To see all options for this model, visit www.hawsco.com



Model 4110ADA shown with 5452LF Pantry Faucet and 5054LF Bubbler

SPECIFICATIONS

Model 4110ADA barrier-free deck mounted sink shall include a white acid-resistant enameled iron $24" \times 16" \times 5"$ deep basin, barrier-free capabilities when installation guidelines are followed, two cross-slotted holes to accept faucets, and a stainless steel mounting rim.

APPLICATIONS

Perfect for either public or private indoor settings, the 4110ADA is a great fit in areas where a countertop is the best fit for a drinking faucet/sink mount. Specifically, this type of deck mounted sink may be placed in settings such as: schools classrooms, laboratories, and other facilities where the need for a deck mounted sink/fountain is present. Dual purpose abilities allow the unit to provide multiple functions in one area and not take up excess space.





4130ADA

Deck Mounted Drinking Fountain



FEATURES & BENEFITS

Construction

Heavy duty cast iron basin with a glossy white acid-resisting enamel finish is designed for the toughest of applications.

OPTIONS

- ☐ Gooseneck Faucet: Model 5452LF, self-closing lever handle, polished chrome-plated brass gooseneck faucet.
- Gooseneck Faucet: Model 5510LF, stay-open lever handle, polished chrome-plated gooseneck faucet.
- ☐ Gooseneck Faucet: Model 5530LF, stay-open hot-and-cold lever handled chrome-plated brass gooseneck faucet.
- □ Bubbler Valve: Model 5054EG EnviroGard™ is a polished, chromeplated lever handle bubbler valve with shielded bubbler, self-contained with integral stream flow regulation designed for deck or sink mounting.
- Waste Strainer: Model 6455, polished chrome-plated brass flat waste strainer.

To see all options for this model, visit www.hawsco.com



Model 4130ADA shown with 5530LF Pantry Faucet and 5054LF Bubbler

SPECIFICATIONS

Model 4130ADA barrier-free deck mounted sink shall include a white acid-resistant enameled iron 30" x 18" x 6-1/2" deep basin, barrier-free capabilities when installation guidelines are followed, two cross-slotted holes to accept faucets, and a stainless steel mounting rim.

APPLICATIONS

Perfect for either public or private indoor settings, the 4130ADA is a great fit in areas where a countertop is the best fit for a drinking faucet/sink mount. Specifically, this type of deck mounted sink may be placed in settings such as: schools classrooms, laboratories, and other facilities where the need for a deck mounted sink/fountain is present. Dual purpose abilities allow the unit to provide multiple functions in one area and not take up excess space.





Deck Mounted Drinking Fountain



FEATURES & BENEFITS

Finish

Beautiful #4 satin stainless-steel finish basin can be easily cleaned and maintained while also resisting corrosion.

OPTIONS

- Gooseneck Faucet: Model 5452LF, self-closing lever handle, polished chrome-plated brass gooseneck faucet.
- Gooseneck Faucet: Model 5510LF, stay-open lever handle, polished chrome-plated gooseneck faucet.
- ☐ Gooseneck Faucet: Model 5530LF, stay-open hot-and-cold lever handled chrome-plated brass gooseneck faucet.
- □ Bubbler Valve: Model 5054EG EnviroGard™ is a polished, chromeplated lever handle bubbler valve with shielded bubbler, self-contained with integral stream flow regulation designed for deck or sink mounting.
- Waste Strainer: Model 6455, polished chrome-plated brass flat waste strainer.

To see all options for this model, visit www.hawsco.com



Model 4210 shown with 5530LF Pantry Faucet and 5054LF Bubbler

SPECIFICATIONS

Model 4210 deck mounted sink shall include a Type 304 Stainless Steel satin finish,18 gauge stainless steel basin with integral rim and 27" X 17" X 5" deep dimensions, barrier-free capabilities when installation guidelines are followed, and two cross-slotted holes to accept faucets.

APPLICATIONS

Perfect for either public or private indoor settings, the 4210 is a great fit in areas where a countertop is the best fit for a drinking faucet/sink mount. Specifically, this type of deck mounted sink may be placed in settings such as: schools classrooms, laboratories, and other facilities where the need for a deck mounted sink/fountain is present. Dual purpose abilities allow the unit to provide multiple functions in one area and not take up excess space.





Deck Mounted Drinking Fountain



FEATURES & BENEFITS

Finish

Beautiful #4 satin stainless-steel finish basin can be easily cleaned and maintained while also resisting corrosion.

OPTIONS

- Gooseneck Faucet: Model 5452LF, self-closing lever handle, polished chrome-plated brass gooseneck faucet.
- Gooseneck Faucet: Model 5510LF, stay-open lever handle, polished chrome-plated gooseneck faucet.
- Gooseneck Faucet: Model 5530LF, stay-open hot-and-cold lever handled chrome-plated brass gooseneck faucet.
- □ Bubbler Valve: Model 5054EG EnviroGard™ is a polished, chromeplated lever handle bubbler valve with shielded bubbler, self-contained with integral stream flow regulation designed for deck or sink mounting.
- Waste Strainer: Model 6455, polished chrome-plated brass flat waste strainer

To see all options for this model, visit www.hawsco.com



Model 4230 shown with 5452LF Pantry Faucet and 5054LF Bubbler

SPECIFICATIONS

Model 4230 deck mounted sink shall include a Type 304 Stainless Steel satin finish,18 gauge stainless steel basin with integral rim and 31" x 19" x 5" deep dimensions, barrier-free capabilities when installation guidelines are followed, and two cross-slotted holes to accept faucets.

APPLICATIONS

Perfect for either public or private indoor settings, the 4230 is a great fit in areas where a countertop is the best fit for a drinking faucet/sink mount. Specifically, this type of deck mounted sink may be placed in settings such as: schools classrooms, laboratories, and other facilities where the need for a deck mounted sink/fountain is present. Dual purpose abilities allow the unit to provide multiple functions in one area and not take up excess space.



