

# Ultra Dewatering Bag, Reusable Model



## Reusable Dewatering Bag For Large Jobs And Big Savings

- Use for dewatering operations with large quantities of silt, sediment or dirt. Bags can be emptied and reused repeatedly.
- Large 3'–5' opening allows easy access and removal of trapped sediment.
- Galvanized steel Locking Rods (Part# 9735) are quickly and easily installed to secure bag opening during dewatering.
- **Helps comply with NPDES, 40 CFR 122.26 (1999).**



Use on truck beds to quickly and easily transport filled Dewatering Bag to site for emptying.

U.S. Patent Pending



### ULTRA-DEWATERING BAG, REUSABLE MODEL

Part# 9730	3' x 5' (915 mm x 1,524 mm) Bag with Locking Rods
Part# 9732	5' x 7' (1,524 mm x 2,134 mm) Bag with Locking Rods
Part# 9735	Locking Rods only
Part# 9736	Replacement Bag, 3' x 5' (915 mm x 1,524 mm)
Part# 9738	Replacement Bag, 5' x 7' (1,524 mm x 2,134 mm)

# Ultra Passive Skimmer



## Remove Oil Permanently From Catch Basins And Storm Drains

- Unique polymer absorbent actually bonds the oil to the polymer matrix and prevents leaching.
- Will not create ponding or clog due to sediment.
- One 22" x 14" x 2" unit can hold up to 2 gallons of oil.
- Floats on water surface — continuously absorbs oil.
- **Helps comply with NPDES, 40 CFR 122.26 (1999) and TMDL requirements.**



### ULTRA-PASSIVE SKIMMER

Part# 9260	Ultra-Passive Skimmer (2 per box)	Weight: 7 lbs. (4 kg)	Absorbs up to 2.0 gallons (8 L) of oil per unit
Part# 9261	Ultra-Passive Skimmer (5 per box)	Weight: 19 lbs. (9 kg)	Absorbs up to 2.0 gallons (8 L) of oil per unit