

FineFiber Mat Grips Floor



Sturdy 3-ply construction gives FineFiber Mat durability and absorbing power for longer wear and fewer changeouts.

Sorbency for Where You Walk to Keep Your Floors Dry

Grips Floor for Safety

Top and bottom layers of FineFiber are built of densely-woven, small-diameter strands of fiber to increase surface area — enabling the Mat to grip the floor and secure it for safer walking. Universal application for oil, coolants, solvents and water.

High Sorbency Means It Stays on the Job Longer

Large-diameter MeltBlown polypropylene fibers create a high-loft inner layer that absorbs up to 33.7 ounces per 15" x 19" Pad and 49.8 gallons per 150' Roll.

Multi-Perforations Save You Money

Rolls are perfed every 7.5" vertically and every 17" horizontally. Pads are perfed vertically at 7.5". Tear off only what you need — save money!

Virtually Indestructible

FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers. 3-ply construction resists heavy foot traffic.

Mat Index

You are here

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

For more help choosing the right sorbent Mat, see our **Mat Selection Guide** on page 3.


Building Technology Into Every Product

The Technology Inside...

FineFiber Mat

Primary Use:
Foot Traffic Areas

Primary Benefit:
Grips Floor for Safer Walking



Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.

Mats



FineFiber Mat/Universal

Green Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GNPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
GNPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
GNRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
GNRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.

Gray Universal Pads (for oils, coolants, solvents & water)


Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
NEW GPF1113H	HeavyWeight Pads	11"x13"	100	18.1 gal.
GPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
GPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
GPF100M	MediumWeight Pads	15"x19"	100	20.8 gal.
GPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
NEW GRF24150H	HeavyWeight Roll	24"x150'	1	39.8 gal.
GRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.
GRSF150H	HeavyWeight Split Rolls	15"x150'	2	49.8 gal.
GRFF50H	HeavyWeight Folded Roll in Dispenser Box	5"x50'	1	8.4 gal.
NEW GRF150M	MediumWeight Roll	30"x150'	1	39.5 gal.
NEW GRSF150M	MediumWeight Split Rolls	15"x150'	2	39.5 gal.
GRF300S	SingleWeight Roll	30"x300'	1	53.4 gal.
GRSF300S	SingleWeight Split Rolls	15"x300'	2	53.4 gal.

*Oil-Only version also available.
See pages 6-7.*

FineFiber Mat Oil-Only, Repels Water



FineFiber Mat can be used wherever a low-profile sorbent product is needed for catching oil leaks and overspray.

FineFiber Oil-Only Mat Quickly Absorbs Oily Spills and Overspray

High Sorbency Keeps it on the Job Longer

FineFiber Oil-Only Mat is naturally water-resistant (hydrophobic). A random assembly of large-diameter MeltBlown poly fibers creates a lofty inner layer that absorbs up to 33.7 oz. of oil — but not water — per 15" x 19" Pad and 49.8 gallons per 150' Roll.

Grips Surfaces Tightly

Top and bottom layers of FineFiber are built of densely-woven, small-diameter strands of fiber to increase

surface area, enabling the mat to grip surfaces securely.

Virtually Indestructible

FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers, so you can use it almost anywhere.

Multi-Perforations Save You Money

Rolls are perforated every 7.5" vertically and every 17" horizontally. Pads are perforated at 7.5" vertically — saves you money!

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...


FineFiber Mat

Primary Use:

Absorbing Oily Spills and Leaks but not Water

Primary Benefit:

Speeds Cleanup



Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.

Mats



FineFiber Mat/Oil-Only

White Oil-Only Pads (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
NEW WPF1113H	HeavyWeight Pads	11"x13"	100	18.1 gal.
WPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
WPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
NEW WPF100M	MediumWeight Pads	15"x19"	100	20.8 gal.
WPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.

White Oil-Only Rolls (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
NEW WRF24150H	HeavyWeight Roll	24"x150'	1	39.8 gal.
WRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.
WRSF150H	HeavyWeight Split Rolls	15"x150'	2	49.8 gal.
NEW WRF150M	MediumWeight Roll	30"x150'	1	39.5 gal.
NEW WRSF150M	MediumWeight Split Rolls	15"x150'	2	39.5 gal.

Blue Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
BPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
BPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
BPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.
BRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
BRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.

*Universal version also available.
See pages 4-5.*

SurvivorSeries™ Mat Strong for the Toughest Jobs

**SpillTech
Exclusive**



All-In-One SurvivorSeries™ Mat is ready for your toughest jobs. Choose Universal Gray or Oil-Only White versions.

Rugged Mat Survives the Punishment of Everyday Wear and Tear

Built-in Layers for Long Lasting Reliability

This innovative Mat features a SpunBond top layer that wicks liquids away into the MeltBlown core where it is trapped to keep the Mat and floors safe and dry. The bottom layer is built of densely-woven strands of FineFiber to increase surface area, enabling the Mat to grip the floor and securing it for safer walking. All layers are ultrasonically bonded together for durability and resistance to wear in high traffic areas.

Strong and long-wearing, SurvivorSeries™ Mat stays on the job so you use less and save money!

Three Mat Versions for Any Application

Camouflage SurvivorSeries™ Mat hides leaks and drips of oils, water and solvents; All-In-One SurvivorSeries™ Mat comes in grunge-hiding Gray for universal jobs or bright White for oil-only applications.

See the next page for more information on each version of SurvivorSeries™ Mat.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	<i>Our toughest Mat</i>	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

SurvivorSeries™ Mat

Primary Use:
For High-Traffic Areas

Primary Benefit:
Withstands Abuse from Rugged Applications



Mats



Use All-In-One SurvivorSeries™ Mat as a Roll...



... fold along the scores to shape a Sock ...



... or tear it along the perfs to create a Pad.

Camouflage SurvivorSeries™ Mat

Camouflage Design Makes Leaks and Drips Disappear

SpillTech's innovative StealthTechnology makes leaks and drips disappear by drawing and trapping liquids in the inner MeltBlown layer. The top camouflage layer stays clean and dry, so you don't have to replace the Mat as often — and that saves you money!

High Sorbency and Multi-Perforations

Absorbs up to 23.6 ounces per 15" x 19" Pad and up to 49.8 gallons per 150' Roll.

Pads are perfed vertically every 7.5"; Rolls are perfed every 7.5" vertically and every 17" horizontally.



SurvivorSeries™ Mat / Universal

Camouflage (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
SVP100H	HeavyWeight Pads	15"x19"	100	17.9 gal.
SVR150H	HeavyWeight Roll	30"x150'	1	35.8 gal.
SVRS150H-1	HeavyWeight Split Roll	15"x150'	1	17.9 gal.
SVRS150H-2	HeavyWeight Split Rolls	15"x150'	2	35.8 gal.

All-In-One SurvivorSeries™ Mat

Versatile All-In-One Mat is a Roll, Pad and Sock

One product is all you need! Use conveniently-packaged All-in-One SurvivorSeries™ Mat Roll as a Roll, Pad or a Sock. Handy dispenser box keeps Mat clean and can be stored anywhere for easy access.

High Sorbency and Multi-Perforations

Absorbs up to 18.1 gallons per Roll — choose Universal or Oil-Only absorbency. Perfed every 3.75" vertically and every 17" horizontally for increased versatility.

GRSMF100H-BX



NEW

WRSMF100H-BX



NEW

SurvivorSeries™ Mat / Universal

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW GRSMF100H-BX	HeavyWeight Roll in Box	15"x100'	1	18.9 gal.

SurvivorSeries™ Mat / Oil-Only

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW WRSMF100H-BX	HeavyWeight Roll in Box	15"x100'	1	18.9 gal.

MultiLaminate Mat Lasts Longer



Use MultiLaminate Mat in places where long life and durability are important; ideal as a liner for oily parts and tools or for use in rugged applications near machinery.

Long-Lasting and Durable for Rugged Applications

Tear-Resistant — Outlasts Standard Mats

Outer layers of tough-skinned, HeavyWeight SpunBond material resist abrasions and tears — can withstand rough handling and won't tear apart when pulled or positioned under equipment.

Low Lint for Sensitive Jobs

Outer SpunBond layers are constructed of continuous strands of polypropylene fibers — interwoven to virtually eliminate fibers from becoming detached and contaminating equipment, tools or parts.

Absorbent Inner Layer

MeltBlown inner layer draws and holds liquids from outer layers. Absorbs up to 37 oz. per 15" x 19" Pad and 54.9 gallons per 150' Roll. Use Gray for universal applications; use White or Blue for oil-only jobs.

Multi-Perforations Save You Money

Rolls are perforated every 7.5" vertically and every 17" horizontally. Pads are perforated vertically at 7.5". Tear off only what you need — save money!

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

MultiLaminate Mat

Primary Use:
Rugged Applications

Primary Benefit:
Lasts Longer to Reduce Replacement Cost



High-loft MeltBlown sorbent is ultrasonically bonded between two (2) layers of lint-free SpunBond fabric.



MultiLaminate Mat

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
GPL100M	MediumWeight Pads	15"x19"	100	23.4 gal.
GRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.
GRSL150H	HeavyWeight Split Rolls	15"x150'	2	54.9 gal.
GRL150M	MediumWeight Roll	30"x150'	1	44.4 gal.
GRSL150M	MediumWeight Split Rolls	15"x150'	2	44.4 gal.

White Oil-Only / Blue Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
WPL100M	MediumWeight Pads	15"x19"	100	23.4 gal.
WRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.
WRL150M	MediumWeight Roll	30"x150'	1	44.4 gal.
WRSL150M	MediumWeight Split Rolls	15"x150'	2	44.4 gal.
BPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
BRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.