

AirLaid Mat For Tight Spaces & Wiping

**SpillTech
Exclusive**



AirLaid Mat crumples and conforms to better suit your tight sorbent or wiping application.

Conforms to Your Application — Unlimited Flexibility

Crumples, Fits or Wraps to Any Job

Resilient, bounce-back polypropylene fibers are “AirLaid” between two layers of tough SpunBond; ideal for tight spots and wrapping pipes and other equipment

High Sorbency Stays on the Job Longer

Inner layer of air-filled polypropylene fibers creates uniform pockets of air that attract and hold liquids. Absorbs up to 39.8 ounces per 15" x 19" Pad and 60 gallons per 150' Roll.

Durable for Everyday Use

Ultrasonic bonding of two abrasion-resistant SpunBond layers around loose fibers gives the Mat added strength.

Perforations Save Money

Rolls are perforated vertically at 7.5" and horizontally every 17". Tear off only what you need — save money! AirLaid Pads are not perforated.

Color-Coded

Use Gray for universal applications; use White for oil-only jobs.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	<i>Our most flexible Mat</i>	<i>12</i>
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC **Helps you comply** with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

AirLaid Mat

Primary Use:
Absorbing in Tight Spaces
and Wiping Applications

Primary Benefit:
Cleans a Variety of Surfaces



Two (2) layers of laminate SpunBond polypropylene are ultrasonically bonded around a high-loft AirLaid polypropylene core.

Mats



AirLaid Mat

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPA100H	HeavyWeight Pads	15"x19"	100	31.1 gal.
GPKA50H	HeavyWeight King Pads	30"x30"	50	49.3 gal.
GRA150H	HeavyWeight Roll	30"x150'	1	60.0 gal.
GRSA150H	HeavyWeight Split Rolls	15"x150'	2	60.0 gal.

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPA100H	HeavyWeight Pads	15"x19"	100	31.1 gal.
WPKA50H	HeavyWeight King Pads	30"x30"	50	49.3 gal.
WRA150H	HeavyWeight Roll	30"x150'	1	60.0 gal.
WRSA150H	HeavyWeight Split Rolls	15"x150'	2	60.0 gal.

SonicBonded Mat Controls Spills and Overspray



Fast-acting SonicBonded Mat starts absorbing on contact. It's the best choice for overspray and soaking up spills.

Absorbs Overspray and Spills — Helps Keep Floors Dry and Safe

Fast-Acting for Quick Response

A layer of MeltBlown polypropylene creates high surface area that enables SonicBonded Mat to quickly soak up liquids.

High Absorbency Keeps It on the Job Longer

A random assembly of large-diameter MeltBlown poly fibers creates a lofty layer. Mat absorbs up to 37.3 oz. per 15" x 19" Pad and 55.2 gallons per 150' Roll. Choose Universal Gray or Oil-Only White versions.

Ultrasonic Bond Points Keep Mat Intact

Ultrasonic bond points fuse layers of fibers together — Mat keeps its shape even when completely saturated. Top layer of SpunBond fabric provides added strength.

Perforations Save Money

SpunBond top layer allows for better-defined perforations and cleaner, easier tear-offs. Rolls are perfered every 7.5" vertically and 17" horizontally. Pads are perfered vertically at 7.5".

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

SonicBonded Mat

Primary Use:
Controls Spills and Overspray

Primary Benefit:
Helps Keep Floors Safe and Dry



One (1) layer of lint-free SpunBond fabric is ultrasonically bonded to one (1) layer of MeltBlown sorbent.

Mats

**50-Count Bale
Now Available!**



SonicBonded Mat

Gray Universal (for oils, coolants, solvents & water)

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPB100H	HeavyWeight Pads	15"x19"	100	29.1 gal.
NEW GPB50H	HeavyWeight Pads	15"x19"	50	14.6 gal.
GPKB50H	HeavyWeight King Pads	30"x30"	50	45.3 gal.
GPB100M	MediumWeight Pads	15"x19"	100	24.7 gal.
NEW GPB50M	MediumWeight Pads	15"x19"	50	12.4 gal.
GPB200S	SingleWeight Pads	15"x19"	200	31.1 gal.
NEW GPB100S	SingleWeight Pads	15"x19"	100	15.6 gal.
GRB150H	HeavyWeight Roll	30"x150'	1	55.2 gal.
GRSB150H	HeavyWeight Split Rolls	15"x150'	2	55.2 gal.
GRB150M	MediumWeight Roll	30"x150'	1	46.1 gal.
GRB300S	SingleWeight Roll	30"x300'	1	59.1 gal.

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPB100H	HeavyWeight Pads	15"x19"	100	29.1 gal.
NEW WPB50H	HeavyWeight Pads	15"x19"	50	14.6 gal.
WPKB50H	HeavyWeight King Pads	30"x30"	50	45.3 gal.
WPB100M	MediumWeight Pads	15"x19"	100	24.7 gal.
NEW WPB50M	MediumWeight Pads	15"x19"	50	12.4 gal.
WPB200S	SingleWeight Pads	15"x19"	200	31.1 gal.
NEW WPB100S	SingleWeight Pads	15"x19"	100	15.6 gal.
WRB150H	HeavyWeight Roll	30"x150'	1	55.2 gal.
WRSB150H	HeavyWeight Split Rolls	15"x150'	2	55.2 gal.
WRB150M	MediumWeight Roll	30"x150'	1	46.1 gal.
WRSB150M	MediumWeight Split Rolls	15"x150'	2	46.1 gal.
WRB300S	SingleWeight Roll	30"x300'	1	59.1 gal.

MeltBlown Mat Quickly Absorbs Oil



Ideal for outdoor use — MeltBlown Mat provides quick, efficient cleanup to help protect the environment from contamination.

Quick, Effective Cleanup of Oil Spills on Land or Water

Fast-Wicking

Loose stacked-weave design increases surface area on spill. Mat starts wicking on contact to save time in critical situations. Works equally well on land or water — it even floats when fully saturated.

Absorbs Oily Liquids — Repels Water

MeltBlown polypropylene fibers are left in their natural hydrophobic state. These hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons.

High Sorbency Keeps Mat on the Job Longer

Large-diameter MeltBlown polypropylene fibers are randomly assembled to create a lofty Mat — allowing it to absorb up to 42.8 oz. per 15" x 19" Pad and 63.4 gallons per HeavyWeight Roll.

Bright White Color Makes it Easy to See When Mat is Completely Saturated

Oily grunge can't hide on bright White MeltBlown Mat. Makes it easy to see when it's fully saturated — you save money by not throwing it away too soon.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here

For more help choosing the right sorbent Mat, see our **Mat Selection Guide** on page 3.



Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a) and 40 CFR 263.31. See page 48 for details.

The Technology Inside...

MeltBlown Mat

Primary Use:
Oil Spills on Land or Water

Primary Benefit:
Quick, Effective Oil-Only Cleanup

MeltBlown

Single layer of hydrophobic (oil-only) polypropylene.



Static-Dissipative Mat Also Available

Specially-treated Mat in easy-to-identify packaging

Ideal for absorbing volatile fuels in cold applications, dry, low-humidity areas or anywhere that the potential for sparking exists. Static-Dissipative Mat comes in a blue wrapper for quick identification when you need Mat where static electricity poses a risk.



Static-Dissipative Mats

White Static-Dissipative (for oils, not water; deters static charges)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPX25H	HeavyWeight Pads	15"x19"	25	8.4 gal.
WPX50S	SingleWeight Pads	15"x19"	50	8.9 gal.
WRX150H	HeavyWeight Roll	30"x150'	1	63.4 gal.
WRSX150H	HeavyWeight Split Rolls	15"x150'	2	63.4 gal.

MeltBlown Mats

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WP100H	HeavyWeight Pads	15"x19"	100	33.4 gal.
WPK50H	HeavyWeight King Pads	30"x30"	50	52.8 gal.
WP100M	MediumWeight Pads	15"x19"	100	26.7 gal.
NEW WP100S	SingleWeight Pads	15"x19"	100	17.9 gal.
WP200S	SingleWeight Pads	15"x19"	200	35.7 gal.
WR150H	HeavyWeight Roll	30"x150'	1	63.4 gal.
WRS150H	HeavyWeight Split Rolls	15"x150'	2	63.4 gal.
WR150M	MediumWeight Roll	30"x150'	1	50.7 gal.
WRS150M	MediumWeight Split Rolls	15"x150'	2	50.7 gal.
WR300S	SingleWeight Roll	30"x300'	1	67.9 gal.
WRS300S	SingleWeight Split Rolls	15"x300'	2	67.9 gal.