

HWBFA8.VRC

StreetSmart™ Electric Water Cooler



FEATURES & BENEFITS

Front Access

With its patented (Pat.# 6,981,692) push-button valve assembly which allows for front access stream adjustment as well as cartridge and strainer access, this fountain offers the ultimate in ease of maintenance.

Bubbler Head

Polished chrome-plated brass bubbler head features an integral basin shank for added strength, and is equipped with a shielded, anti-squirt orifice that provides a steady sanitary source of water.

Quality Control

Fountain is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

Finish

Beautiful #4 satin stainless steel finish basin can be easily cleaned and maintained while also resisting corrosion.

Vandal Resistant

Made for vandal-prone areas, this 14 gauge stainless steel unit comes with vandal-resistant bubbler, button, and front access panel.



OPTIONS

- Filter: Model 6426, 12" x 2", in-line lead removal element that reduces lead from incoming water supply.

SPECIFICATIONS

Model HWBFA8.VRC barrier-free vandal-resistant wall mounted electric water cooler shall include a 14 gauge satin-finish stainless steel cabinet with integral basin, a push-button operated valve with front-accessible cartridge and flow adjustment, and a polished chrome-plated, vandal-resistant bubbler head. The self-contained R-13a refrigeration system is hermetically sealed and delivers a minimum of 8 gph (30.3 lph) of water at 50°F (10°C) cooled from 80°F (26.7°C) inlet water at 90°F (32.2°C) ambient. 115 Volts, 60Hz, rated watts: 460, full load amps: 4.6.

APPLICATIONS

Perfect for either public or private settings, our water coolers are a great fit in indoor environments. This series is precisely mounted, making it a nice addition to any surrounding. Specifically, this type fountain may be placed in settings such as: commercial buildings, institutional facilities, shopping malls, and other indoor environments where there is a demand for a chilled water source supported with vandal resistance capabilities.

Model meets all current Federal Regulations for the disabled including those in the Americans with Disabilities Act. Haws manufactures drinking fountains, electric water coolers and electric drinking fountains to be lead-free by all known definitions including ANSI/NSF Standard 61, Section 9, California Proposition 65, and the Federal Safe Drinking Water Act. Haws electric water coolers comply with ARI Standard 1010 and ANSI A117.1, and be listed by Underwriter Laboratories to U.S. and Canadian standards.



HWBFA8L.VRC

StreetSmart™ Electric Water Cooler



FEATURES & BENEFITS

Front Access

With its patented (Pat.# 6,981,692) push-button valve assembly which allows for front access stream adjustment as well as cartridge and strainer access, this fountain offers the ultimate in ease of maintenance.

Bubbler Head

Polished chrome-plated brass bubbler head features an integral basin shank for added strength, and is equipped with a shielded, anti-squirt orifice that provides a steady sanitary source of water.

Barrier-Free

Barrier-free capabilities combined with its ease of use allows for a number of installation location possibilities.

Quality Control

Fountain is pre-built and fully water and pressure tested to ensure no leaks and proper function for reduced installation time and added peace of mind.

Finish

Beautiful #4 satin stainless steel finish basin can be easily cleaned and maintained while also resisting corrosion.

Vandal Resistant

Made for vandal-prone areas, this 14 gauge stainless steel unit comes with vandal-resistant bubbler, button, and front access panel.



OPTIONS

- ❑ Filter: Model 6426, 12" x 2", in-line lead removal element that reduces lead from incoming water supply.

SPECIFICATIONS

Model HWBFA8L.VRC "Hi-Lo" barrier-free vandal-resistant wall mounted electric water cooler shall include 14 gauge satin-finish stainless steel cabinets with integral basins, a push-button operated valve with front-accessible cartridge and flow adjustments, and polished chrome-plated vandal-resistant bubbler heads. The self-contained R-13a refrigeration system is hermetically sealed and delivers a minimum of 8 gph (30.3 lph) of water at 50°F (10°C) cooled from 80°F (26.7°C) inlet water at 90°F (32.2°C) ambient. 115 Volts, 60Hz, rated watts: 460, full load amps: 4.6.

APPLICATIONS

Perfect for either public or private settings, our water coolers are a great fit in indoor environments. This series is precisely mounted, making it a nice addition to any surrounding. Specifically, this type fountain may be placed in settings such as: commercial buildings, institutional facilities, shopping malls, and other indoor environments where there is a demand for a chilled water source supported with vandal resistance capabilities.

Model meets all current Federal Regulations for the disabled including those in the Americans with Disabilities Act. Haws manufactures drinking fountains, electric water coolers and electric drinking fountains to be lead-free by all known definitions including ANSI/NSF Standard 61, Section 9, California Proposition 65, and the Federal Safe Drinking Water Act. Haws electric water coolers comply with ARI Standard 1010 and ANSI A117.1, and be listed by Underwriter Laboratories to U.S. and Canadian standards.

