## **VITON® GLOVEBOX GLOVES**



North glovebox gloves can be customized to individual customer requirements. Please contact North customer service.

## Excellent resistance to permeation by chlorinated, aliphatic and aromatic solvents.

#### **FEATURES AND BENEFITS**

- Viton provides the highest permeation resistance to chlorinated, aliphatic and aromatic solvents and most oils and acids.
- · Soft and flexible feel reduces hand fatigue and enhances worker comfort.
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove within a glove) which results in a glove of superior quality.
- Ambidextrous and hand specific styles available.
- Port sizes of 7" and 8".
- Complies with USDA and FDA regulations, 21 CFR, for use in food processing.

### **APPLICATIONS:**

Glovebox operations in the nuclear, defense, pharmaceutical, biotech, semi-conductor and manufacturing industries.

Viton<sup>®</sup> is a registered trademark of the Dupont company.

PART NO.	DESCRIPTION	SIZES	CUFF/PORT DIA.	LENGTH/GAUGE	INNER PACK	CASE PACK		
8F2032	Viton, hand specific	8H (8 <sup>1</sup> / <sub>2</sub> ), 9Q (9 <sup>3</sup> / <sub>4</sub> ), 10H (10 <sup>1</sup> / <sub>2</sub> )	8"	32"/20 mil	1 pair	1 pair		
8F2032A	Viton, ambidextrous	9Q (9 <sup>3</sup> / <sub>4</sub> ), 10H (10 <sup>1</sup> / <sub>2</sub> )	8"	32"/20 mil	1 pair	1 pair		
7F2032	Viton, hand specific	9Q (9 <sup>3</sup> / <sub>4</sub> )	7"	32"/20 mil	1 pair	1 pair		

## LEAD-LOADED NEOPRENE GLOVEBOX GLOVES



North glovebox gloves can be customized to individual customer requirements. Please contact North customer service.

# The mechanical performance of neoprene with the added protection of radiation attenuation.

### FEATURES AND BENEFITS

- 0.1 mm lead equivalency for attenuation of soft gamma radiation.
- High tensile strength provides resistance to accidental tears.
- Manufactured from premium quality milled neoprene which provides high permeation resistance to vapors & gases.
- · Resistant to a broad range of chemicals, including oils, greases, fuels and acetone.
- Different colored neoprene and lead-loaded (orange) layers provide a visual indication of glove damage or excessive wear.
- · Good abrasion resistance helps provide a long service life.
- Solvent based, multi-dip manufacturing process provides multiple layers of polymer (like a glove within a glove) which results in a glove of superior quality.
- · Ambidextrous and hand specific styles available.
- Port sizes of 5", 7" and 8"

#### **APPLICATIONS:**

Glovebox operations in the nuclear and defense industries.

PART NO.	DESCRIPTION	SIZES	CUFF/PORT DIA.	LENGTH/GAUGE	INNER PACK	CASE PACK
8NLL3032	Lead-loaded neoprene, 8 hand specific	H (8 <sup>1</sup> / <sub>2</sub> ), 9Q (9 <sup>3</sup> / <sub>4</sub> ), 10H (10 <sup>1</sup> / <sub>2</sub> )	8"	32"/30 mil	1 pair	16 pair
8NLL3032A	Lead-loaded neoprene, ambidextrous	9Q (9 <sup>3</sup> / <sub>4</sub> ), 10H (10 <sup>1</sup> / <sub>2</sub> )	8"	32"/30 mil	1 pair	16 pair
7NLL3032	Lead-loaded neoprene, hand specific	9Q (9 <sup>3</sup> / <sub>4</sub> )	7"	32"/30 mil	1 pair	16 pair
5NLL3032	Lead-loaded neoprene ambidextrous	9Q (9 <sup>3</sup> / <sub>4</sub> )	5"	32"/30 mil	1 pair	16 pair
5NLL3032A	Lead-loaded neoprene ambidextrous	9Q (9 <sup>3</sup> / <sub>4</sub> )	5"	32"/30 mil	1 pair	16 pair



ADE IN THE

50