

NORTHFLEX NITRI TASK C5™ FOAMED NITRILE PALM COATED ARAMID/STEEL GLOVES



NFF13C

Provides heavy duty mechanical protection without the bulk and restriction of movement that you might expect from a cut level 5™ glove.

FEATURES AND BENEFITS

- 10 gage seamless shell contains aramid and steel for high resistance to cuts and other mechanical hazards.
- ANSI cut level 4 and EN388 cut level 5 performance.
- The shell is form-fitting and comfortable and provides surprisingly little resistance to hand movement.
- The foamed nitrile coating provides impressive grip on wet or oily surfaces.
- The coating extends to the knuckles to provide additional wearer protection.
- Nitrile has excellent abrasion, tear and heat performance and is resistant to solvents, oils and fats.
- The back of the glove is un-coated, for ventilation.
- Contains no reaction causing natural rubber proteins.
- Cuff over-stitching is color-coded by size to aid sorting after laundering.

APPLICATIONS:

- Ideally suited to applications where cut and abrasion hazards are prevalent, such as handling sheet metal, blades, glass, metal shavings or any sharp objects.
- Sheet metal fabrication, machine shops, glass industry, automotive and other assembly work.

**Tested in accordance with EN 388.*

PART NO.	DESCRIPTION	SIZES	INNER PACK	CASE PACK
NFF13C	Aramid/Steel shell, coated with dark blue foamed nitrile.	7S, 8M, 9L, 10XL	12 Pairs	72 Pairs

NORTHFLEX DURO TASK PLUS™ – NATURAL RUBBER COATED KEVLAR® GLOVES*



NFK14

Tough Kevlar® glove with great grip.

FEATURES AND BENEFITS

- 100% rubber coating is an economical alternative to nitrile coated gloves.
- ANSI cut level 2 and EN388 cut level 4 performance.
- Seamless liner is more comfortable and lessens hand fatigue. Does not irritate hands.
- Unique texture finish provides sure grip on oily, wet or dry objects. Gloves are coated on the fingertips and thumb crotch which minimizes wear on high stress areas.
- Uncoated back design allows gloves to breathe for more comfort.
- Cuff over-stitching is color-coded by size to aid sorting after laundering.

APPLICATIONS:

- Automotive assembly, electronics, general maintenance work, light assembly, manufacturing, small part handling

Kevlar® is a registered trademark of the Dupont company.

**Caution: This product contains natural rubber latex proteins which may cause allergic reactions in some individuals.*

PART NO.	DESCRIPTION	SIZES	INNER PACK	CASE PACK
NFK14	100% Kevlar, natural rubber coated	7S, 8M, 9L, 10XL, 11XXL	12 pair	72 pair

CAUTION: Cut resistance data in this catalog is given in good faith and is intended to provide users with a means of comparing and selecting gloves. It does not provide a definitive statement on the likely performance of gloves in actual applications. It is the responsibility of the end user to select appropriate personal protective equipment (including hand protection) and to exercise caution and common sense when exposing workers to potential hazards in the work place. Cut resistance testing of gloves is carried out under laboratory conditions, but minor variations between individual gloves and test blades means that a scatter of results is generally obtained. The average of these results is accepted to represent the performance level of the glove, but it is only an average. Results obtained for individual gloves of the same type can be lower or higher than the average.

WARNING: Cut resistant gloves are designed to offer protection from potential cut hazards, but they are not cut-proof. Each glove has performance limits. Do not expose to moving blades or machinery.