

SPECIALTY PRODUCTS

WDPL Series

Drip Pan Elbow

Watson McDaniel reserves the right to change the designs and/or materials of its products without notice.
©2006 Watson McDaniel Company

Model	WDPL
Sizes	3/4" through 8"
Connections	NPT, Flanged
Body Material	Cast Iron
PMO Max. Operating Pressure	250 PSIG



TYPICAL APPLICATION

The **WDPL** Drip Pan Elbow is used to collect and remove condensate. Typically used with steam boilers, pressure relief valves, safety valves and steam pressure vessels and lines.

FEATURES

- Collects discharge condensate from steam systems
- Returns condensate to safe areas
- Increases life of safety valves
- Reduces discharge piping strain
- Female NPT or Flange connections available

SAMPLE SPECIFICATION


Drip Pan Elbow shall be made of cast iron and conform to the Power Piping Code. It shall have a pan to collect condensate in the steam riser pipe and a drain to pipe away the condensate.

HOW TO ORDER

Specify pipe size needed for application.

MATERIALS

Body	Cast Iron
------	-----------



DIMENSIONS – inches / pounds

Size	Connection	A	B	C	D	E	F	G	Weight (lbs)
3/4"	NPT	1 1/2	3 3/4	1 3/4	2 3/4	1 1/32	1/4	1 1/2	2
1"	NPT	1 1/2	3 3/4	1 3/4	2 3/4	1 1/32	1/4	1 1/2	2
1 1/4"	NPT	2	5 1/2	2 15/32	4 1/8	1 7/16	3/8	2 1/8	5
1 1/2"	NPT	2	5 1/2	2 15/32	4 1/8	1 7/16	3/8	2 1/8	5
2"	NPT	3	6 1/4	2 3/8	3 5/8	1 5/8	1/2	2 1/4	6.5
2 1/2"	NPT	4	7 3/8	3	4 5/16	1 15/16	3/4	2 11/16	11
3"	NPT	4	8	3 1/2	4 7/8	2 5/16	3/4	3 1/8	14
4"	NPT	6	9 5/8	4 1/2	5-3/4	2 7/8	3/4	3 3/4	27
6"	125# FLG	8	12 3/4	6 5/8	7 9/16	4 3/16	3/4	8	75
8"	125# FLG	10	16 1/2	7 1/2	8 9/16	5 3/8	1	10 3/4	102