Control4® User Interfaces



Control4's Navigator allows you to interact with your Control4® system. Control your lights, temperature, movies and music from any of our intuitive interfaces.

You can interact with Control4® Navigators in a variety of ways:

- On Screen Using your Control4[®] System Remote Control, enjoy total home control from any television in your home.
- Touch Screen Control4 offers a variety of Touch Screens that give you total home control from convenient locations throughout your home.
- **Mobile** Using the My House application from the Apple App Store, you can enjoy total home control from your iPhone or iPod Touch
- System Remote Control The System Remote Control SR-250 has a convenient OLED backlit display that converts the Control4[®] Navigator into a text format.
- **Keypads** Unlock the power of customizable, preset, one-touch control functionality with our elegant Keypads.

It is all part of the Control4 vision. We bring the benefits of a truly automated home to more people with solutions that are affordable, easy to install and designed to adapt to any home or lifestyle.

Features & Benefits

- Intelligent Design Enjoy intuitive home control with any of our easy-to-use interfaces.
- Incredible Value Get the elegance of high-quality, total home control at an affordable price.
- **Modular Solution** Expand your system to include in-wall, portable, tabletop or mobile user interfaces to create the perfect control experience.
- **Retrofittable** Choose a wired or wireless user-interface solution that fits your needs, whether you have a new or existing home.
- **Remote Management** Enjoy total home control from anywhere in the world with an Internet connection and an optional connection to 4Sight.*

*Remote Access Requires Subscription to 4Sight



Touch Screens



Control4[®] Portable Touch Screen (7", 10.5")

Control4[®] Portable Touch Screens are the most flexible way to enjoy total home control. Browse your music and videos anywhere from your porch to your couch.



Control4[®] In-Wall Touch Screen (3.8", 7", 10.5")

Control4[®] In-Wall Touch Screens are a stylish way to add total-home control that's always there when you need it. These Ethernet/WiFi Touch Screens are ideal for areas of your home, such as the kitchen or living room, where convenient system monitoring and control are important.





Control4[®] Table Top Touch Screen (3.8", 7")

Control4® Table Top Touch Screens provide the convenience of total home control when in-wall installation isn't practical. These Ethernet/WiFi Touch Screens are ideal for counters, nightstands and tables.



Control4® Mobile Navigator

The Control4[®] Mobile Navigator allows you to experience the convenience of using your iPhone or iPod Touch to control your home with the same, familiar Control4 navigation.




Touch Screens

	In-Wall		Portable		Table	е Тор	
	Control4® Mini Touch Screen	Control4® 7" Wall Mount Touch Screen	Control4® 10.5" Wall Mount Touch Screen	Control4® 7" WiFi Portable Touch Screen	Control4® 10.5" WiFi Portable Touch Screen	Control4® Mini Touch Screen with Table Top Kit	Control4® 7" Table Top Touch Screen
Model Number	TSE-3.8C2-X (Ethernet) TSG-3.8C2-X (WiFi)	C4-TSWM7-E-B	C4-TSWM10-E-X	C4-TSM7-G-B	C4-TSM10-G-B	TSE-3.8C2-X (Ethernet) or TSG-3.8C2-X (WiFi) and KPM-TTK1-X	C4-TSTR7-EG-B
			Displa	y			
Diagonal Display Area	3.8"	7.0"	10.5"	7.0"	10.5"	3.8"	7.0"
Pixel Resolution	320 x 240	800 x 480	800 x 600	800 x 480	1024 x 768	320 x 240	800 x 480
Color Depth	16-bit	24-bit	18-bit	24-bit		16-bit	24-bit
			Communica	ations			
WiFi	802.11 b/g	802.11 b/g	802.11 b/g	802.11 b/g	802.11 b/g	802.11 b/g	802.11 b/g
Security	WEP	WPA/WPA2 (PSK) WEP-64 WEP-128	WEP	WPA/WPA2 (PSK) WEP-64 WEP-128	WEP	WEP	WPA/WPA2 (PSK) WEP-64 WEP-128
Ethernet	10/100	10/100	10/100	N/A	N/A	10/100	10/100
			Power Requir	rements			
Power Supply	100-240 VAC, 50- 60 Hz	100-240 VAC, 50- 60 Hz	10-18 VDC, 3 Amps	100-240 VAC, 50- 60 Hz	DC 16 VAC, 3.3A	100-240 VAC, 50- 60 Hz	100-240 VAC, 50 60 Hz
Power over Ethernet (PoE) Support	Yes	Yes	N/A	N/A	N/A	Yes	Yes
Battery Life	N/A	N/A	N/A	6 hours	3 hours	N/A	N/A
Standby Battery Life	N/A	N/A	N/A	24 hours	96 hours	N/A	N/A
			Inputs/Out	tputs			
Audio Output	1 (RCA)	1 (RCA)	N/A	1 (3.5 mm)	N/A	1 (RCA)	1 (RCA)
		*****	Sensor	s	******		
Wake On Motion Sensor	N/A	N/A	N/A	Yes	N/A	N/A	N/A
Ambient Light Sensor	N/A	Yes	N/A	N/A	N/A	N/A	Yes
Proximity Sensor	N/A	Yes	N/A	N/A	N/A	N/A	Yes
			Environme	ental	······		
Operational	32° F - 104° F (0° C - 40° C)	32° F - 104° F (0° C - 40° C)	32° F - 122° F (0° C - 50° C)	32° F - 104° F (0° C - 40° C)	32° F - 104° F (0° C - 40° C)	32° F - 104° F (0° C - 40° C)	32 F - 104F (0 C - 40 C)
Humidity	5% - 95% Non-Condensing	5% - 90% Non-Condensing	5% - 90% Non-Condensing	5% - 90% Non-Condensing	5% - 90% Non-Condensing	5% - 95% Non-Condensing	5% - 90% Non-Condensin
Storage	-4 F - 158 F (-20 C to 70 C)	-4 F - 140 F (-20 C to 60 C)	-4 F - 140 F (-20 C to 60 C)	-4 F - 140 F (-20 C to 60 C)	-4 F - 140 F (-20 C to 60 C)	-4 F - 158 F (-20 C to 70 C)	-4 F - 140 F (-20 C to 60 C)
			Dimensio	ons			
WxHxD	4.3" x 6.5" x 1.9" (109 mm x 165 mm x 48 mm)	8.1″ x 6.0″ x 3.4″ (207 mm x 153 mm x 87 mm)	9.6″ x 12.6″ x 2″ (245 mm x 321 mm x 51 mm)	5" x 9.5" x 1.4" (127 mm x 241mm x 36 mm)	8.6" x 11.4" x 1.6" (220 mm x 290 mm x 41 mm)	4.3″ x 6.5″ x 1.9″ (109 mm x 165 mm x 48 mm)	10.5″ x 9.4″ x 5.6 (267 mm x 238 m x 143 mm
Weight	0.6 lbs (0.27 kg)	1.6 lbs (0.73 kg)	4.5 lbs (2.04 kg)	3.4 lbs (1.54 kg)	3.2 lbs (1.4 kg)	0.6 lbs (0.27 kg)	3.45 lbs (1.56 kg



120V Keypads



Control4[®] Keypads


The Control4® Keypads, available in 2, 3, and 6-button configurations, unlock the power of onetouch automation. From lighting and entertainment scenes to complex events involving multiple commands, these Keypads enable effortless control. Custom button labeling helps personalize your Control4® system. Control4 Keypads are also available in a 10-button configuration with an LCD screen for easy list navigation.

Model Number	Control4® Wireless 2-Button Keypad	Control4® Wireless 3-Button Keypad	Control4® Wireless 6-Button
	LSZ-3W1	KPZ-3B1	Keypad KPZ-6B1
Programmable Buttons	2	3	6
Button LED Feedback	2 RGB	3 RGB	6 RGB
Power Requirements	120 VAC +/- 10%	120 VAC +/- 10%	120 VAC +/- 10%
	60/50 Hz	60/50 Hz	60/50 Hz
Power Consumption	1.4 W - LEDs Off	1.4 W - LEDs Off	1.4 W - LEDs Off
	1.7 W - LEDs On	1.7 W - LEDs On	1.7 W - LEDs On
Supports Low-Voltage Installation	Yes	Yes	Yes
Option	(using 36 V power supply)	(using 36 V power supply)	(using 36 V power supply)
Multi-Gang Derating	N/A	N/A	N/A
Control Communications	ZigBee (802.15.4)	ZigBee (802.15.4)	ZigBee (802.15.4)
	Mesh Networking	Mesh Networking	Mesh Networking
	Environ	nmental	
Operational Temperature	32° F - 104° F	32° F - 104° F	32° F - 104° F
	(0° C - 40° C)	(0° C - 40 °C)	(0° C - 40° C)
Humidity	5% - 95%	5% - 95%	5% - 95%
	Non-Condensing	Non-Condensing	Non-Condensing
Storage	-4° F - 158° F	-4° F - 158° F	-4° F - 158° F
	(-20° C - 70° C)	(-20° C - 70° C)	(-20° C - 70° C)
Dimensions (H x W x D)	4.6" x 2.75" x 1.6"	4.6" x 2.75" x 1.6"	4.6" x 2.75" x 1.6"
	(117 mm x 70 mm x 41 mm)	(117 mm x 70 mm x 41 mm)	(117 mm x 70 mm x 41 mm)
Weight	4.2 oz (139 g)	4.2 oz (139 g)	4.2 oz (139 g)
Available Colors	WH, LA, AL, IV, BR, BL	WH, LA, AL, IV, BR, BL	WH, LA, AL, IV, BR, BL

WH = White, LA = Light Almond , AL = Almond, , IV = Ivory , BR = Brown , BL = Black



240V Keypads



Control4[®] Keypads

The Control4® Keypads, available in 2, 3, and 6-button configurations, unlock the power of onetouch automation. From lighting and entertainment scenes to complex events involving multiple commands, these Keypads enable effortless control. Custom button labeling helps personalize your Control4® system. Control4 Keypads are also available in a 10-button configuration with an LCD screen for easy list navigation.

Model Number Control4° Wireless 2-Button Keypad		Control4® Wireless 3-Button	Control4° Wireless 6-Button	
LSZ-3W1-240		Keypad KPZ-3B1-240	Keypad KPZ-6B1-240	
Programmable Buttons	2	3	6	
Button LED Feedback	2 RGB	3 RGB	6 RGB	
Power Requirements	220-240 VAC +/- 10%	220-240 VAC +/- 10%	220-240 VAC +/- 10%	
	50/60 Hz	50/60 Hz	50/60 Hz	
Power Consumption	1.4 W - LEDs Off	1.4 W - LEDs Off	1.4 W - LEDs Off	
	1.7 W - LEDs On	1.7 W - LEDs On	1.7 W - LEDs On	
Supports Low-Voltage Installation	Yes	Yes	Yes	
Option	(uses 36 V power supply)	(uses 36 V power supply)	(uses 36 V power supply)	
Multi-Gang Derating	N/A	N/A	N/A	
Control Communications	ZigBee (802.15.4)	ZigBee (802.15.4)	ZigBee (802.15.4)	
	Mesh Networking	Mesh Networking	Mesh Networking	
	Environr	nental		
Operational Temperature	32° F - 104° F	32° F - 104° F	32° F - 104° F	
	(0° C - 40 °C)	(0° C - 40 °C)	(0° C - 40 °C)	
Humidity	5% - 95%	5% - 95%	5% - 95%	
	Non-Condensing	Non-Condensing	Non-Condensing	
Storage	-4° F - 158° F	-4° F - 158° F	-4° F - 158° F	
	(-20° C - 70° C)	(-20°C - 70°C)	(-20° C - 70° C)	
Dimensions (H x W x D)	(117 mm x 70 mm x 41 mm)	(117 mm x 70 mm x 41 mm)	(117 mm x 70 mm x 41 mm)	
Weight	4.2 oz (119 g)	4.2 oz (119 g)	4.2 oz (119 g)	
Available Colors	WH, LA, AL, IV, BR, BL	WH, LA, AL, IV, BR, BL	WH, LA, AL, IV, BR, BL	

WH = White, LA = Light Almond , AL = Almond, , IV = Ivory , BR = Brown , BL = Black



System Remotes



Control4[®] System Remote Control SR-150

Designed for use with Control4's On-Screen Navigation, the SR-150 puts the power of total home control in your hand.

Control® System Remote Control SR-250

The SR-250 includes an attractive OLED display with a list Navigator to allow total-home control with or without an on-screen interface.

Model Number	Control4® System Remote SR-150 C4-SR150-Z-B	Control4° System Remote SR-250 C4-SR250-Z-B			
	Buttons				
Total Buttons	46	47			
Quick Access Control Buttons	2	2			
Context Sensitive Programmable Buttons	4	4			
Transport Control Buttons	8	8			
	Display				
Display	On-Screen	On-Screen, Backlit OLED			
	Enclosure				
High-Impact Molded Plastic	Yes	Yes			
Textured Finish	Yes	Yes			
	Communications				
ZigBee (802.15.4)	Yes	Yes			
Power Requirements					
Batteries	4 AA	4 AA			
Dimensions					
LxWxD	6.9″ x 2.0″ x 0.9″ (175 mm x 53 mm x 22 mm)	8.3" x 2.1" x 1.1" (190 mm x 55 mm x 27 mm)			
Weight (Including Batteries)	5.6 oz (159 g)	8.8 oz (250 g)			
System Requirements					
Software	Release 1.6 or later	Release 1.6 or later			





One-Touch Home Theater

Simplify the control of everyday audio, video, and home theater components, eliminating the need for multiple remotes.



Multi-Room Music

Enjoy digital music collections—like XM or Sirius, Rhapsody, or your personal iPod library—anywhere in your home.



Smart Lighting

Create Lighting Scenes that offer simple control over lights and outlets. Control4 smart lighting uses timers, Motion Sensors, and Dimmers to enhance security and reduce energy costs.



Advanced Temperature Control

Help conserve energy and ensure comfort with preprogrammed temperature controls.



Safety & Security

Integrate a security system or IP cameras to monitor home security from virtually anywhere.