


CREATION  
LET  
YOUR IMAGINATION  
RUN FREE




### When design speaks the language of realism

The Wood range embodies the diversity of nature with both traditional and exotic species, combined to produce infinite variations and contrasts.

The Mineral range offers the beauty of stunning, natural stone effects and the opportunity for intricate inlaid design work.

The combination of, unexpected associations, original combinations and accessories complete the picture.

For anyone whose imagination is fired by design,  
Gerflor offers Creation, a stunning,  
range of decorative PVC tiles and strips.



- Retail
- Offices
- Hotels



### When flooring speaks the language of performance

#### Durability and resistance

Pure PVC wear layer

- Resists stains and scratches
- Resistant to heavy foot traffic
- Indentation resistant
- Impact resistant
- Dimensionally stable
- Warm underfoot
- Anti-static

#### Ease of maintenance

Polyurethane surface treatment (PUR)

- Low maintenance costs (no initial polishes)
- Long-lasting good looks
- Resistant to scuffing and staining
- Hygienic – inherently bacteriostatic and fungistatic

#### Environmentally friendly

- Made from 65% recycled materials
- Fully recyclable
- Excellent life cycle performance



- Cinemas and theatres
- Reception areas
- Housing

EXOTIC  
WOOD

MALYA  
BAMBOO ▶  
0250



NATURAL  
WOOD

CHESTNUT ▶  
0267




NATURAL  
BAMBOO ▶  
0251



SMOKED  
BAMBOO ◀  
0252

◀ MAPLE  
0268

MAHOGANY ▶  
0253



BIRCH ▶  
0269




◀ WENGE  
0254

TECK ▶  
0255

◀ DOUSSIE  
0256



◀ BEECH  
STEAMED  
0270



◀ MERBAU  
0257

10.1 x 91.4 cm  
15.2 x 91.4 cm

◀ BEECH  
UNSTEAMED  
0271

10.1 x 91.4 cm  
15.2 x 91.4 cm



CLASSIC  
WOOD

MUIR  
OAK ▶  
0258



WALNUT ▶  
0265



NATURAL  
OAK ▶  
0259



PEAR  
TREE ▶  
0266



CLASSIC  
OAK ◀  
0260

SORB ◀  
0272



BLEACHED  
WOOD ▶  
0261



RUSTIC  
WOOD



ELM ▶  
0262



WASHED  
RUSTIC ▶  
0277



ASH ◀  
0263

NATURAL  
RUSTIC ◀  
0278



CHERRY ◀  
0264

10.1 x 91.4 cm  
15.2 x 91.4 cm



SMOKED  
RUSTIC ◀  
0279

15.2 x 91.4 cm



CLASSIC  
MINERAL

GRANIT  
FIRENZE ▶  
0290



TRENDY  
MINERAL

GRANIT  
BOLOGNA ▶  
0291



TERRACOTTA ▶  
0297

LIMESTONE  
NAPOLI ◀  
0292



CONCRETE  
TERAMO ◀  
0298



LIMESTONE  
RIMINI ▶  
0293



CONCRETE  
PARMA ▶  
0299



MARBLE  
MILANO ◀  
0294

MARBLE  
ROMA ▶  
0295



SLATE ▶  
0111



◀ TRAVERTIN  
0305

◀ PEBBLE  
0301



◀ STONE  
0296



45.7 x 45.7 cm  
(23 x 45.7 cm :  
0305 Travertin)



45.7 x 45.7 cm  
(30 x 60 cm :  
0111 Slate)

CONCRETE  
ANCONA ◀  
0300



# DECORATIVE ACCESSORIES




Gerflor offers a range of accessories for highlighting, enhancing, outlining and personalising a space with decorative strips, borders, accessories and key squares.

## Borders and key squares

Borders make every floor truly original, and create a perfect finish with real decorative flair.

Eight borders available:  
Width: 10.1 cm  
Length: 91.4 cm  
Thickness: 2.5 mm  
Supplied as a unit.



## Accessories / Key squares

To create original floors designed you can use the flexibility of the Creation accessories range. The examples below are just some of the limitless possibilities...

### WOOD

2.5 x 91.4 cm

5 x 5 cm


10.1 x 10.1 cm

15.2 x 15.2 cm

### MINERAL

5 x 5 cm


45.7 x 45.7 x 5 cm



## Decorative strips

Coloured decorative strips can be used to create the effect of deck planking.


6 colours:  
Blue, yellow, green, red, black and grey  
Width: 6 mm  
Thickness: 2 mm  
Available in 50-metre rolls




## How to order your borders and key squares

1. Choose your design and state its name and code number, specifying that it is a border
2. Select the colour of each part of the design (A, B and C) and state the colour reference numbers
3. State the total number of borders required
4. Order the key squares in exactly the same way.

# DESCRIPTIVE WORDING



Creation Wood



Creation Mineral



Creation Mineral Slate



## Creation

The selected floorcovering is a synthetic, decorative, flexible, antistatic, abrasion group T floorcovering, available in tile or strip form, with bevelled edges, in the Creation Wood and Creation Mineral ranges.

It consists of a transparent wear layer 0.7 mm thick, a design film and a compact underlayer.

It is compressed and grained at high pressure.

It benefits from polyurethane surface

treatment PUR, making maintenance easier and eliminating the need for initial polishes.

Its overall thickness is 2.5 mm

## Creation Mineral Slate

The selected floorcovering is a synthetic, flexible bonded floorcovering available in slab form, with bevelled edges, in the Creation Mineral Slate range.

It consists of a homogenous wear layer 2.4 mm thick.

The floorcovering is compressed and grained at high pressure.

Its overall thickness is 2.4 mm

TECHNICAL DATA			CREATION WOOD	CREATION WOOD RUSTIC	CREATION MINERAL	CREATION MINERAL SLATE
<b>DESCRIPTION</b>						
Total thickness	EN 428	mm	2.5	2.5	2.5	2.4
Wearlayer thickness	EN 429	mm	0.7	0.7	0.7	-
Weight	EN 430	g/m <sup>2</sup>	3800	4400	4400	3700
Tile size	EN 427	mm	-	-	230 x 457* 457 x 457	300 x 600
Plank size	EN 427	mm	101 x 914 - 152 x 914	152 x 914	-	-
<b>CLASSIFICATION</b>						
Norm/Product specification	-	-	EN 649	EN 649	EN 649	EN 649
European classification	EN 685	-	34 - 43	34 - 43	34 - 43	34 - 43
Fire rating	EN 13 501 - 1	class	B <sub>fl</sub> -s1	B <sub>fl</sub> -s1	B <sub>fl</sub> -s1	B <sub>fl</sub> -s1
Static electric propensity	EN 1815	kV	< 2	< 2	< 2	< 2
<b>PERFORMANCES</b>						
Wear resistance	EN 660.1	mm	≤ 0.08	≤ 0.08	≤ 0.08	≤ 0.15
Wear group	EN 649	-	T	T	T	P
Dimensional stability	EN 434	%	≤ 0.15	≤ 0.15	≤ 0.15	≤ 0.25
Residual indentation	EN 433	mm	≤ 0.1	≤ 0.1	≤ 0.1	≤ 0.1
Thermal conductivity	EN 12 524	W/(m.K)	0.25	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6	≥ 6
Chemical products resistance	EN 423	-	OK	OK	OK	OK
Surface treatment	-	-	PUR	PUR	PUR	-
<b>CE MARKING</b>						
CE	EN 14041	-				

\* Reference 0305 Travertin

TO SPECIAL ORDER		DIMENSIONS IN CM	CODE
<b>Accessories Unit Delivery</b>			
Key square	Wood / Mineral	5 x 5	3094
Key square	Wood / Mineral	10.1 x 10.1	3091
Key square	Wood / Mineral	15.2 x 15.2	3092
Tile key square	Mineral	45.7 x 45.7 x 5	3093
Strip	Wood	2.5 x 91.4	3090
<b>Borders Unit Delivery - Available in Wood design (Mineral available only in incorporated designs)</b>			
Anillo		10.1 x 91.4	3081
Athena		10.1 x 91.4	3082
Check		10.1 x 91.4	3083
Clown		10.1 x 91.4	3084
Idea		10.1 x 91.4	3085
Mosaic		10.1 x 91.4	3086
Pharo		10.1 x 91.4	3087
Stara		10.1 x 91.4	3088
Key square for borders		10.1 x 10.1	3089

PACKAGING On stock	Dimensions in cm	Tiles / box	sqm/box	Gross weigh of box (kg)	Boxes/pallet	Size of pallet (mm)	Gross weight of pallet (kg)
<b>WOOD</b>							
Strip	10.1 x 91.4	48	4.5	17.5	56	1270 x 950	997
Strip	15.2 x 91.4	32	4.5	17.5	56	1270 x 950	997
Strip "Rustic"	15.2 x 91.4	32	4.5	20.1	48	1020 x 940	991
<b>MINERAL</b>							
Tile	45.7 x 45.7	22	4.6	20.5	48	980 x 980	1013
Tile Travertin	23 x 45.7	44	4.6	20.5	48	980 x 980	1013
Tile Slate	30 x 60	20	3.6	13.5	28	1300 x 650 x 530	394
<b>DECORATIVE STRIPS</b>							
Strips	6 mm x 50 lm Unit delivery						

\* 0277 Washed rustic, 0278 Natural rustic, 0279 Smoked rustic

## Maintenance

Creation products with polyurethane surface treatment do not require initial polishing (metallisation).

The life of the surface treatment depends upon observance of the floor cleaning maintenance instructions and the level of traffic. The frequency of maintenance must be adjusted to suit the shine required and the intensity of use to which the floorcovering is subjected.

Use a non rubber barrier mat at the entrance to the premises, to remove abrasive particles from shoes is recommended.

## Machine maintenance

**Initial cleaning:** Deep cleaning by machine, using a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

**Daily maintenance:** Machine cleaning with a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

**Weekly maintenance:** Spray detergent on footmarks.

Leave it to act for five minutes.

Then clean by machine.

## Manual maintenance

**Initial cleaning:** Deep cleaning of the floor by machine, using a scrubbing/buffing machine, a scrubbing/drying machine or a rotary cleaner.

**Daily maintenance:** Remove dust with a broom or damp squeegee. Wash the floor with a swivel brush or squeegee. Spray detergent on footmarks. Leave it to act for five minutes.

Polish with a polishing mop.

**Deep cleaning:** To be carried out every three months, depending upon frequency and intensity of use. Machine cleaning with a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

The manufacturer's instructions for the use of cleaning products must be strictly observed.

Products used must be suitable for PVC flooring.

The maintenance methods described are available on request from our technical assistance department.

**The information given above is intended as an example.**



AMERICA LATINA (BRASIL): Gerflor América Latina Pisos E Revest. Ltda  
Tel.: (55) 11 30 55 2020 - Fax: (55) 11 30 55 2023  
e-mail: gerfloramericatina@gerflor.com

ASIA: Gerflor SA  
Tel.: 03-7803 7438 - Fax: 03-7803 3741  
e-mail: gerflorasiasa@gerflor.com

AUSTRALIA/NEW ZEALAND - Gerflor Australasia Pty Ltd  
Tel.: 1 800 060 785  
e-mail: gerflorpacific@gerflor.com

BENELUX/BELGIQUE/LUXEMBOURG: Gerflor Belgium  
Tel.: (32) 03 766 42 82 - Fax: (32) 03 766 29 14  
e-mail: gerflorbelgium@gerflor.com

CANADA: Gerflor International  
Tel.: (1) 450 538 9828 - Fax: (1) 450 538 9827  
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor (China) Ltd  
Tel.: (852) 2142 3728 - Fax: (852) 2834 4795  
e-mail: gerflorchina@gerflor.com

DEUTSCHLAND  
Gerflor Mipolam GmbH  
Tel : 0 22 41-25 30-0 - e-mail : GerflorMipolam@gerflor.com  
Kundenservice - Tel : 0 22 41-25 30 131 -  
Fax : 0 22 41-25 30 100 - e-mail : Kundenservice@Gerflor.com  
SAT Service & Anwendungstechnik - Tel : 0 22 41-25 30 555 -  
Fax : 0 22 41-25 30 550 - e-mail : Technik@Gerflor.com  
www.gerflor-mipolam.de

ESPAÑA: Gerflor Iberia SA  
Tel.: (34) 91 653 5011 - Fax: (34) 91 653 9525  
e-mail: gerfloriberia@gerflor.com

IRELAND: Gerflor Ltd  
Sample service: +44 870 264 7581  
Tel.: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759  
e-mail: gerflorir@gerflor.com  
www.gerflor.ie

ITALIA: Gerflor S.p.A  
Tel.: (39) 02 90 78 60 12 r.a. - Fax: (39) 02 90 42 74 84  
e-mail: gerfloritalia@gerflor.com

MIDDLE EAST: Gerflor Middle East  
Tel.: (966) 3 847 1779 - Fax: (966) 3 847 1781  
e-mail: gerflorME@gerflor.com

NETHERLANDS: Gerflor BV  
Tel.: (31) 40 266 17 00 - Fax: (31) 40 257 46 89  
e-mail: gerflorNL@gerflor.com

ÖSTERREICH/SCHWEIZ  
Gerflor GmbH  
Tel : (43) 07229 / 70 800-0 - Fax : (43) 07229 / 70 800-218  
e-mail : austria@gerflor.com - e-mail : switzerland@gerflor.com

POLSKA: Gerflor Polska Sp z o.o  
Tel.: (48) 61 823 34 01 - Fax: (48) 61 823 34 33  
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia SA  
Tel.: (351) 21 843 95 49 - Fax: (351) 21 846 55 44  
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor Moscow Office  
Tel.: +7 495 430-86-54 / +7 495 430-86-65 - Fax: +7 495 430-85-46  
e-mail: gerflorus@mospk.east.ru

SCANDINAVIA: Boide Gerflor Scandinavia a.s.  
Tel.: (47) 64 95 60 70 - Fax: (47) 64 95 60 80  
e-mail: gerflorscand@gerflor.no

UNITED KINGDOM: Gerflor Ltd  
Sample service Tel.: +44 (0) 870 264 7581  
Office Tel.: +44 (0) 1926 401 500 - Fax: +44 (0) 1926 401 647  
e-mail: ContractUK@gerflor.com  
www.gerflor.co.uk

USA: Architectural Floor Systems, Inc  
Tel.: (1) 847 394 3944 - Toll free: 8 003 236 792  
e-mail: info@gerflorusa.com

OTHER COUNTRIES: Gerflor International  
Tél. : (33) 04 74 05 40 00 - Fax : (33) 04 74 05 03 13  
e-mail : gerflorcontract@gerflor.com

## Education



## Retail

## Healthcare



## Housing

## Industry



★ EURO RECO COMPAGNIE RC LYON B 726 580 152 - Illustrations J.P.E. - Photos : Iconos - GUTENBERG LINE | EXPRESSION - RCS NANTEBBE 8 943 997 433 - 04 72 84 69 11 - GB - N821/38 - 04/2007

# Creation Wood & Mineral

