

Ramset provides the architect and engineer, the following suggested language and helpful information for the purpose of fastening specifications.

Plywood to Metal Framing or Truss

Part Number PLY138

Fasteners used shall have a 0.100 nominal shank diameter with helical knurl and a length of 1-3/8-inches.



Track or Clip to Steel Beam

Part Number 1503K

Fasteners used shall have a 0.300 head with a 0.145 knurled shank diameter and a length of 1/2-inches.

Part Number SP58TH


Fasteners used shall be designated power point type with a 0.150 nominal shank diameter and a length of 5/8-inches.



Exterior Track to Stud (16, 18, 20 gage)

Part Number TEK034

Fasteners used shall be designated "tekpin" type with a 0.109 helical knurled shank and length of 3/4-inches.



Interior Partition Track to Concrete

Part Number FPP034B

Fasteners used shall be designated "TrakFast" type with a 0.109 nominal shank diameter and 3/4-inch embedment depth.



Exterior Perimeter Track to Concrete

Part Number 1510SD

Fasteners used shall have a 0.145 nominal shank diameter and a length of 1-1/4 inches. The fastener shall have a pre-assembled 7/8-inch washer.



Part Number SP114

Fasteners used shall be designated power point type with a 0.150/.180 stepped shank and a length of 1-1/4 inches.



For assistance with specifications and/or substitutions, contact Technical Service at 800-816-6645.