


IT'S A NEW DIRECTION IN **POLE CLIMBING**

CYNCHLOK™
FALL RESTRICTING POLE STRAP



WHERE BUCKET TRUCKS DARE NOT GO CYNCH-LOK™ GETS YOU THERE FASTER AND SAFER

CYNCH-LOK™

Climbing wood poles is one of the most difficult applications in the realm of fall protection. So we took a new approach and asked linemen to help us make a better strap. The result is our new Cynch-Lok™ Fall Restricting Pole Strap – the most user-friendly device of its kind meeting stringent CSA 259.14 standards.



Cynch-Lok™ features almost effortless adjustment. It allows you to easily hitch-hike poles (reposition, move or jump the strap upwards) with a hand position that's comfortable. It also moves past obstacles without difficulty. Exterior straps can be changed depending on the type and size of pole you're climbing. Interchangeability eliminates the need to purchase multiple devices and adds to Cynch-Lok™'s longevity by allowing you to replace components.

Cynch-Lok™'s unique design "cynches" around a pole in the event of a cut-out or fall. When used correctly, it limits your fall distances in accordance with CSA standards. As the global leader in fall protection, it's our goal to provide you with gear that's lightweight, easy to use and built for your demands.



CYNCH-LOK™ FALL RESTRICTING POLE STRAP

PINCH FREE, ERGONOMIC GRIPS

Strap ends give you a comfortable gripping location, away from potential pinch hazards. You can use a standard hitch-hiking motion without substantial effort.

CYNCH-LOK™ ADJUSTMENT

The exterior strap has simple “slide into place adjustment” that allows you to adjust to the pole’s diameter during a climb. The interior lanyard is built with an easy-to-use rope adjuster, allowing you to position comfortably on the pole.

STOPPING CLEAT AND CARABINER

Specially designed and uniquely cleated plate and carabiner help restrict a fall during a cut-out by gripping the pole when the strap itself “cynches.”

ABRASION RESISTANT SLEEVE

A mobile protective sleeve helps prevent abrasion of the interior rope, prolonging product life.

INDICATING STRAP AND ROPE

A neoprene impregnated nylon strap and adjustable rope lanyard contain an indicating core, letting you know when the product is worn enough to need replacement.

LIGHTWEIGHT DESIGN

At 4.5 lbs, your Cynch-Lok™ becomes a tool, not a burden.

PROTECTED LABELS

Velcro cover with i-Safe™ helps keep labels protected and legible.

FIELD VERSATILITY

The exterior portion of the strap can be exchanged for different lengths, depending on the type and size of pole you’re climbing. Distribution and transmission sized models are available.

CYNCH-LOK™ FALL RESTRICTING DEVICES

1204057 Cynch-Lok™ for Distribution Poles

- Pole Size (Dia/Circ): Min 5.5"/17.5" - Max 16"/50"
- Weight: 4.5 lb (2.0 kg)



1204058 Cynch-Lok™ for Transmission Poles

- Pole Size (Dia/Circ): Min 5.5"/17.5" - Max 37"/116"
- Weight: 5.0 lb (2.3 kg)



CYNCH-LOK™ REPLACEMENT COMPONENTS



1200110 Cynch-Lok™ Replacement Strap for Distribution Poles 1204057

- Pole Size (Dia/Circ): Min 5.5"/17.5" - Max 16"/50"
- Weight: 1.6 lb (0.7 kg)

1200111 Cynch-Lok™ Replacement Strap for Transmission Poles 1204058

- Pole Size (Dia/Circ): Min 5.5"/17.5" - Max 37"/116"
- Weight: 2.1 lb (1.0 kg)

EXCHANGING THE STRAP - IT'S A "CYNCH"



1 Cynch-Lok™ gives you the ability to interchange straps, depending on the diameter of the pole.

2 Remove cleated carabiner from Cynch-Lok™ adjuster on distribution strap.

3 Remove body support carabiner on rope end and thread through D-ring on distribution strap.

4 Reverse steps on transmission strap to complete the exchange. It's a "cynch"!

ADDITIONAL PRODUCTS

1204030

Adjustable Web Positioning Strap



1000663

Leather Utility Belt



2104800 SafLok™ Pole Anchor System
Meets ANSI Standards - USA

2104802 SafLok™ Pole Anchor System
Meets CSA Standards - Canada



EXOFIT XP MULTI-FUNCTION HARNESS

1103080 (Small)

1103081 (Medium), **1103082** (Large), **1103083** (XLarge)

- Versatile Arc Flash Utility harness fits a variety of applications in the utility industry, including pole climbing, bucket truck work and tower climbing
- Meets ASTM F887-05 Arc Flash standard
- Removable Nomex®/Kevlar® shoulder and leg padding
- Lower positioned hip pad for comfort needed in pole climbing applications
- Attachments for seat sling (sold separately)



INNOVATION THAT BRINGS WORKERS AT HEIGHT HOME SAFELY.

Capital Safety is a global company solely dedicated to fall protection and rescue. Our focus is clear. It continually drives us to design and manufacture safer gear that workers want to wear.

Innovation means understanding the industries we serve. We listen to the workers in the field, employ the most engineers, customize solutions, register more new patents and introduce more products. To date, Capital Safety has the best quality and largest breadth of products in the industry. But we're more than a product company.

We take an innovative approach in bringing our products to the field. We have created international partnerships and a vast network of certified installers and service centers. We offer on-site and in-house training. And we're ISO 9001-2000 certified for customer service, as well as manufacturing and engineering.

Capital Safety is one of the world's leading manufacturers in fall protection and rescue equipment, with decades of experience and a legacy of innovation. Look for complete solutions in our extensive line of DBI-SALA® and Protecta® products.

Capital Safety - USA: **800.328.6146**
3833 SALA Way, Red Wing, MN 55066-5005
Ph: 651.338.8282 | Fax: 651.388.5065
Email: info@capitalsafety.com
www.capitalsafety.com

- Canada: 800.387.7484
- Latin America: +1 651.385.4301
- Asia: +65 6558 7758
- Australia: 1800 245 002
- New Zealand: 0800 212 505
- Europe, Middle East, Africa: +33 (0)4 97 10 00 10
- Northern Europe: +44 (0) 1928 571234
- Germany: +49 2634 8052