

EXOFIT NEX

WIND ENERGY HARNESSES & ACCESSORIES



- New ExoFit NEX[™] Wind Energy Harnesses, Lanyards and Accessories meet OSHA/ANSI/ CSA/CE requirements for global compliance.
- ExoFit NEX[™] Wind Energy Harnesses feature built-in radio holsters and replaceable lumbar protectors.
- Protective hip pad prevents wear while climbing and ascending the tower.
- Tech-Lite[™] Aluminum D-rings offer a higher level of security and comfort.
- Force2 Shockwave[™] 100% Tie-Off Lanyards feature elastic webbing, 3,600 lb (1,632 kg) hooks on leg ends and Tech-Lite[™] rescue D-rings.



FEATURES

Covered Labels and i-Safe™

A velcro® cover protects the labels and positions them in an easy-toaccess location.



Revolver™ Vertical Torso Adjusters Simple and fast adjustment that eliminates loose ends and locks into place preventing slippage.



Hybrid Comfort Padding Lightweight, moisture wicking, and breathable padding won't move or slip, keeping the wearer comfort-able at all times.

Duo-Lok™ Quick **Connect Buckles** Lightweight one-handed use with memory-fit web-lock ensures fast, non-slipping connections.





Molded Lanyard Keepers Easy holstered snap hooks break away to avoid a trip hazard.



Radio Holster Conveniently holds and protects a radio, cell phone, or other item like a Lad-Saf™ sleeve.






Tech-Lite™ Aluminum D-rings Extremely lightweight alloy commonly used in military and aerospace offers a higher level of security and comfort.

420 lb. Capacity Large capacity adds to tool carry-ing options and jobsite flexibility.

Ultra-Soft Edging Moves with you - doesn't rub or chafe.





For more information please visit

www.exofitnex.com





ExoFit NEX™ **Wind Energy Construction Style**

Harness with Belt Tech-Lite™ front, back and side D-rings, Duo-Lok™ quick connect buckles and sewn-in hip pad and body belt

Small	1113215
Medium	1113216
Large	1113217
X-Large	1113218

Lad-Saf[™] Flexible Cable

Ladder Safety System The swiveling Lad-Saf™ Safety Sleeve is designed for use on 8.00mm (5/16") to 9.5mm (3/8") cables. Lad-Saf™ sleeves prevent falls by locking onto the cable. They are easily attached or removed anywhere along the cable and automatically follow as you climb or descend. Comes with shock pack. 6116507

Lanyards & Accessories

OSHA/ANSI/CSA Compliant - North America CE Compliant - Europe, Middle East, Africa.

Stainless steel models are also available. Please call for more information.

Replaceable Lumbar Protectors

9505504: For use on SM/M Harnesses **9505515**: For use on LG/XL Harnesses

С

FORCE2[™] Shockwave

Wind Energy Lanyard 100% tie-off lanyard with elastic webbing, 3,600 lb (1,632 kg) hooks on leg ends, Tech-Lite™ rescue D-rings & a nylon shock pack with a PVC resist cover to protect against abrasion while climbing and descending.

1244760

OSHA/ANSI Compliant - North America CE Compliant - Europe, Middle East, Africa.





Radio Holster

Conveniently holds and protects a radio, cell phone, or other item like a

9505494




ExoFit NEX™ Wind Energy 5-Point Climbing Harness

Tech-Lite™ front, back and side D-rings, Duo-Lok™ auick connect buckles

Small	1113210
Medium	1113211
Large	1113212
X-Large	1113213

ExoFit NEX™ Wind Energy Harnesses are OSHA/ANSI/CSA/CE rated for global compliance



ExoFit NEX™ Full Body Harness Sizing Chart

 Capital Safety

 USA: 800.328.6146 • Canada: 800.387.7484 • Latin America: +1 651.385.4301 • Asia: +65 6558 7758 • Australia: 1800 245 002
New Zealand: 0800 212 505 • Europe, Middle East, Africa: +33 (0)4 97 10 00 10 • Northern Europe: +44 (0) 1928 571324 Germany: +49 (0) 30 92 03 83 87 00 www.capitalsafety.com • info@capitalsafety.com

©2010, Capital Safety Form: 9700460 Rev: A