

## Cast Iron Drainage Fittings

| <b>FIGURE 726*</b><br>90° Short Turn<br>Y-Branch Tee Pattern |    | Size |                                | A   |                                | B   |                                | C   |       | Unit Weight |       |       |    |
|--|----|------|--------------------------------|-----|--------------------------------|-----|--------------------------------|-----|-------|-------------|-------|-------|----|
|  |    | NPS  | DN                             | in  | mm                             | in  | mm                             | in  | mm    | Black       |       | Galv. |    |
|  |    |      |                                |     |                                |     |                                |     |       | lbs         | kg    | lbs   | kg |
|  | 1½ | 40   | 4¼                             | 108 | 2½                             | 64  | 2½                             | 64  | 3.09  | 1.40        | 3.09  | 1.40  |    |
|  | 2  | 50   | 5 <sup>3</sup> / <sub>16</sub> | 132 | 3 <sup>1</sup> / <sub>16</sub> | 78  | 3 <sup>1</sup> / <sub>16</sub> | 78  | 5.08  | 2.30        | 5.08  | 2.30  |    |
|  | 3  | 80   | 7¼                             | 184 | 4¼                             | 108 | 4¼                             | 108 | 11.77 | 5.34        | 11.77 | 5.34  |    |
|  | 4  | 100  | 8¾                             | 222 | 5 <sup>3</sup> / <sub>16</sub> | 132 | 5 <sup>3</sup> / <sub>16</sub> | 132 | 21.25 | 9.64        | 21.25 | 9.64  |    |

| <b>FIGURE 727*</b><br>90° Reducing Short Turn<br>Y-Branch Tee Pattern |             | Size         |                               | A   |                                 | B  |                                 | C  |      | Unit Weight |    |
|---|-------------|--------------|-------------------------------|-----|---------------------------------|----|---------------------------------|----|------|-------------|----|
|   |             | NPS          | DN                            | in  | mm                              | in | mm                              | in | mm   | Black       |    |
|   |             |              |                               |     |                                 |    |                                 |    |      | lbs         | kg |
|   | 2 x 2 x 1½  | 50 x 50 x 40 | 4 <sup>5</sup> / <sub>8</sub> | 117 | 2 <sup>15</sup> / <sub>16</sub> | 75 | 2 <sup>11</sup> / <sub>16</sub> | 68 | 4.16 | 1.89        |    |
|   | 2 x 1½ x 1½ | 50 x 40 x 40 | 4 <sup>5</sup> / <sub>8</sub> | 117 | 2 <sup>15</sup> / <sub>16</sub> | 75 | 2 <sup>11</sup> / <sub>16</sub> | 68 | 4.33 | 1.96        |    |

| <b>FIGURE 729*</b><br>Reducing Double Short Turn Tee |        | Size    |                               | A   |                               | B   |                                 | C  |      | Unit Weight |    |
|--|--------|---------|-------------------------------|-----|-------------------------------|-----|---------------------------------|----|------|-------------|----|
|  |        | NPS     | DN                            | in  | mm                            | in  | mm                              | in | mm   | Black       |    |
|  |        |         |                               |     |                               |     |                                 |    |      | lbs         | kg |
|  | 2 x 1½ | 50 x 40 | 4 <sup>5</sup> / <sub>8</sub> | 117 | 5 <sup>7</sup> / <sub>8</sub> | 149 | 2 <sup>11</sup> / <sub>16</sub> | 68 | 5.82 | 2.64        |    |

| <b>FIGURE 730*</b><br>90° Long Turn<br>Y-Branch Tee Pattern |    | Size |                               | A   |                               | B   |    | C  |      | Unit Weight |      |       |    |
|---|----|------|-------------------------------|-----|-------------------------------|-----|----|----|------|-------------|------|-------|----|
|   |    | NPS  | DN                            | in  | mm                            | in  | mm | in | mm   | Black       |      | Galv. |    |
|   |    |      |                               |     |                               |     |    |    |      | lbs         | kg   | lbs   | kg |
|   | 1½ | 40   | 5 <sup>3</sup> / <sub>8</sub> | 137 | 4 <sup>1</sup> / <sub>8</sub> | 105 | 1¼ | 32 | 4.43 | 2.01        | -    | -     |    |
|   | 2  | 50   | 7                             | 178 | 5¼                            | 133 | 1¾ | 44 | 6.69 | 3.03        | 6.69 | 3.03  |    |

\*Inlets tapped, pitched .25" (6mm) to the foot. Inlets of reducing fittings are always the smallest openings.