


Cast Iron Flanged Fittings

Class 125 (Standard)

FIGURE 811 Flanged Tee	Size		A		AA		Flange Diameter		Thickness				Unit Weight			
	NPS	DN	in mm		in mm		in mm		Flange		Wall		Black		Galv.	
			in	mm	in	mm	in	mm	in	mm	in	mm	lbs	kg	lbs	kg
	1½	40	4	102	8	203	5	127	9/16	14	5/16	8	15.00	6.80	–	–
	2	50	4½	114	9	229	6	152	5/8	16	5/16	8	21.00	9.52	21.00	9.52
	2½	65	5	127	10	254	7	178	11/16	17	5/16	8	30.00	13.61	30.00	13.61
	3	80	5½	140	11	279	7½	191	¾	19	3/8	10	37.00	16.78	37.00	16.78
	4	100	6½	165	13	330	9	229	15/16	24	½	13	64.00	29.02	64.00	29.02
	5	125	7½	191	15	381	10	254	15/16	24	½	13	81.00	36.73	–	–
	6	150	8	203	16	406	11	279	1	25	9/16	14	105.00	47.62	105.00	47.62
	8	200	9	229	18	457	13½	343	1⅛	29	5/8	16	165.00	74.83	165.00	74.83
	10	250	11	279	22	559	16	406	1¾	30	¾	19	270.00	122.45	270.00	122.45
	12	300	12	305	24	610	19	483	1¼	32	13/16	22	380.00	172.34	380.00	172.34

Malleable Iron

Cast Iron

Small Steel Fittings

Pipe Nipples & Pipe Couplings

Forged Steel Fittings & Unions

Anvilets

Catawissa

J.B. Smith Products

Carton Information

Note: See page 63 for pressure-temperature ratings.

