

Stainless Steel Transition Fitting

Technical Standards and Specifications

- Meets or exceeds the following applicable standards;
 - DOT Code of Federal Regulations
 - Title 49 Part 192
 - ASTM D2513 CAT. 1 (where applicable)
 - ASTM D638
 - Threads per ANSI B1.20.1
- Stainless Steel Adapter Insert
 - Stainless 304 standard
 - Stainless 316 available
- Compression Ring
 - Stainless 304 standard
 - Stainless 316 available

Required Testing

1. Transition joint integrity meets or exceeds the requirements of ASTM D2513 Category 1 and the Code of Federal Regulations, Title 49 Part 192, where applicable.
2. All threads are produced per ANSI B1.20.1.
3. All PE pipe meets or exceeds ASTM D2513.



STAINLESS TRANSITIONS

| Size | Description | Part Number | Wt. | Box / Pallet |
|-------------------|------------------|-------------|------|--------------|
| ¾" MPT × ¾" IPS | DR 11 BLK PE3408 | 6501229 | 0.48 | 50 / 2400 |
| 1" MPT × 1¼" IPS | DR 11 BLK PE3408 | 6501231 | 0.48 | 30 / 1440 |
| 1¼" MPT × 1¼" IPS | DR 11 BLK PE3408 | 6501232 | 0.75 | 20 / 960 |
| 1½" MPT × 1½" IPS | DR 11 BLK PE3408 | 6501230 | 1.14 | 15 / 720 |
| 2" MPT × 2" IPS | DR 11 BLK PE3408 | 6501233 | 2.00 | 10 / 480 |

Protective sleeves are available on request.

Please call for sizes and prices.

For larger transition fittings call for availability and pricing.