

Brass Transition Fitting

Technical Standards and Specifications

- Meets or exceeds the following applicable standards
 - DOT Code of Federal Regulations
 - Title 49 Part 192
 - ASTM D2513 CAT. 1 (where applicable)
 - ASTM D638
 - Threads per ANSI B1.20.1
- Brass Adapter Insert
Brass 360 Alloy
- Compression Ring
Stainless 304 standard
Stainless 316 available



Required Testing

1. Transition joint integrity meets or exceeds the requirements of ASTM D2513 Category 1 and the Code of Federal Regulations, Title 49 Part 192, where applicable.
2. All threads are produced per ANSI B1.20.1.
3. All PE pipe meets or exceeds ASTM D2513.

BRASS TRANSITIONS

Size	Description	Part Number	Wt.	Box / Pallet
¾" MPT × ¾" IPS	DR 11 BLK PE3408	10003439	0.48	50 / 2400
1" MPT × 1¼" IPS	DR 11 BLK PE3408	10003441	0.55	30 / 1440
1¼" MPT × 1¼" IPS	DR 11 BLK PE3408	10003443	0.95	20 / 960
1½" MPT × 1½" IPS	DR 11 BLK PE3408	10003445	1.47	15 / 720
2" MPT × 2" IPS	DR 11 BLK PE3408	10003447	2.04	10 / 480

Protective sleeves are available on request.
Please call for sizes and prices.
For larger transition fittings call for availability and pricing.