

## SERIES 36 ELECTRIC ACTUATOR



### Features

- Compact size
- Permanently Lubricated and sealed gear train
- Thermal overload protection
- Simple mounting and installation
- Additional output switch
- Solid-State timer option for automatic cycling

### Torque Range

- 150 in-lb and 550 in-lb output torques

### Temperature Range

- 0 deg F to 150 deg F maximum ambient

### Supply Voltage

- 120 VAC 50/60, 240 VAC 50/60

### Standards

- Type 1, 4 and 4X

### Applications

- Industrial quarter-turn ball valves

### OEM installations

- Air Drying Equipment
- Sampling systems
- Compressor installations
- Condensate draining
- Tank draining

Get more information:

Product catalog:  
WCABR1006 or WCABR1007

IOM  
WCAIM2007

See page 2.

## SERIES 75 ELECTRIC ACTUATOR



### Features

- Two Year Warranty
- Baked Epoxy Coated
- Permanently Lubricate Gear Train
- Manual override
- Thermal Overload Protection
- Reversible Rotary Operation

### Optional Features

- Extended Duty Cycle Motors
- Fail Safe Capability
- Positioners and P.I.D. Controllers
- RTU Solar Power Interface

### Torque Range

- 150 - 3000 in-lbs

### Temperature Range

- -40 F to 150 F

### Supply Voltage

- 120 & 240 VAC, 12 & 24 VDC

### Standards

- Type I, 4, 4X
- Class 1, Div 1, Groups C, D

### Applications

- Process control for rotary valves, dampers and multi-turn chokes
- Boiler feed water
- Temperature control (steam, thermal fluid)
- Chemical, Power, Water/Waste Water, Food & Beverage, HVAC

Get more information:

Product catalog:  
WCABR1014

IOM  
WCAIM2013

See page 2.

## SERIES 72 ELECTRO-HYDRAULIC ACTUATOR



### Features

- Fail-safe on power failure
- Fast moving valve closure
- Long operational life
- No hydraulic reservoir- mounts in any position
- No clutches, battery packs or clock springs
- Simple 2-wire control
- Two Year Warranty
- FM Approved
- Cost-effective

### Torque Range

- Up to 900 in-lbs ( end of spring )

### Temperature Range

- 0 F to 150 F

### Supply Voltage

- 120 & 240 VAC, 24 VDC

### Standards

- Type 4, 4X
- Class 1, Div 1, Groups B,C,D

### Applications

- Oil & Gas Safety Shut Off
- Tank Farms
- Water/Waste Water
- Burner Management
- Oil Field Steam Generators
- Dampers

Get more information:

Product catalog:  
WCABR1025

IOM  
WCAIM2049

See page 2.