

Speedi Plumb® PLUS

The World's Most
Advanced Water
Connectors.



- Resists Corrosion
- More Flexible
- Longer Life

Speedi Plumb® PLUS is the world's most advanced flexible water connector.

High-Quality Rubber Cone Washer for Long-Lasting Performance


The cone washer's large pliable sealing surface ensures a long-lasting water-tight connection.

More Flexibility for Speedier Connections

More flexible than stainless steel, Speedi Plumb® PLUS's braided polymer-coated fibers bend freely, without kinking or crimping. Installation is easier, especially in cramped quarters.

Deep Threaded Wing Nuts for Quick & Sure Connections

Hand-tighten wing nuts offer quicker connections to faucets and toilets, while the long nut ensures dependable thread engagement.



Speedi Plumb® Performance, PLUS Advanced Construction & Appeal

Speedi Plumb® PLUS is the world's most advanced flexible water connector. Designed for longer life under demanding conditions, Speedi Plumb® PLUS features tough polymer-coated fibers tightly braided around a strong, reinforced PVC inner hose. The result is a corrosion-resistant, highly flexible, extremely reliable water connector for use with faucets, toilets, dishwashers, washing machines, water heaters, ice makers and humidifiers. Speedi Plumb® PLUS is IAPMO and CSA listed, and meets ASME A112.18.6, the only national standard for flexible water connectors.

Speedi Plumb® PLUS Advanced Corrosion Resistance

The braided polymer-coated fibers in Speedi Plumb® PLUS are specially-engineered to resist corrosion caused by chemicals found in common household cleaners, including:

- Ammonia
- Phosphoric Acid
- Sodium Hypochlorite
- Hydrogen Chloride



Engineered-Polymer Braid & PVC Hose Resist Leaks

The external braiding of the Speedi Plumb® PLUS features an exclusive, patented construction of a high-tenacity, multi-filament core yarn, protected by a special polymer coating. The result is improved corrosion resistance and durability. Inside, our tough PVC tubing resists attack by chlorine.

Speedi Plumb® PLUS for Every Application


Choose from our complete inventory of Speedi Plumb® PLUS connectors for faucet, toilet, dishwasher, washing machine, ice-maker and humidifier hook-ups, and supply kits for dishwashers and "Low Boy" toilets.



Water heater connectors are also available, featuring special coated fibers for continuous exposure to high heat. Choose from a full line of end fitting configurations.

Stop End Provides More Secure Connections

Deep threads in the compression cut assure secure engagement, while the Elastomer (rubber) seal eliminates metal-to-metal connections.



Tough Inner Core

Internally reinforced core resists chlorine and chloramine leaching and deterioration.

Chrome Plated Nuts

Made of brass for increased strength and corrosion resistance.

Advanced Corrosion Resistance

Engineered polymer braid resists corrosion from harsh chemicals.

8-Sided Pneumatic Crimp for Greater Dependability

Precise 8-sided crimp ensures reliable nut-to-hose connections.

PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------

Faucet Connectors – Compression Inlet

B1-12A F	026613966168	3/8" Comp x 1/2" FIP	12"	25	5
B1-16A F	026613966151	3/8" Comp x 1/2" FIP	16"	25	5
B1-20A F	026613966199	3/8" Comp x 1/2" FIP	20"	25	6
B1-30A F	026613966922	3/8" Comp x 1/2" FIP	30"	25	8
B1-36A F	026613966946	3/8" Comp x 1/2" FIP	36"	25	8
B1-48A F	026613104232	3/8" Comp x 1/2" FIP	48"	25	10
B1-60A F	026613104492	3/8" Comp x 1/2" FIP	60"	10	6
B2-12A F	026613965987	7/16" Comp x 1/2" FIP	12"	25	5
B2-20A F	026613966007	7/16" Comp x 1/2" FIP	20"	25	6
B3-12A F	026613965901	1/2" Comp x 1/2" FIP	12"	25	5
B3-16A F	026613965840	1/2" Comp x 1/2" FIP	16"	25	6
B3-20A F	026613965918	1/2" Comp x 1/2" FIP	20"	25	6
B3-30A F	026613966939	1/2" Comp x 1/2" FIP	30"	25	8



Faucet Connectors – FIP Inlet

B8-12A F	026613966052	1/2" FIP x 1/2" FIP	12"	25	5
B8-16A F	026613966069	1/2" FIP x 1/2" FIP	16"	25	6
B8-20A F	026613966076	1/2" FIP x 1/2" FIP	20"	25	7
B8-24A F	026613104317	1/2" FIP x 1/2" FIP	24"	25	8
B8-30A F	026613966697	1/2" FIP x 1/2" FIP	30"	25	9
B8-36A F	026613966984	1/2" FIP x 1/2" FIP	36"	25	9



Faucet Connectors – Flare Inlet

BF1-12A F	026613966649	3/8" Flare x 1/2" FIP	12"	25	4
BF1-16A F	026613966663	3/8" Flare x 1/2" FIP	16"	25	5
BF1-20A F	026613966687	3/8" Flare x 1/2" FIP	20"	25	5
BF3-20A F	026613966724	1/2" Flare x 1/2" FIP	20"	25	7



Faucet Connectors – Compression Inlet x KC Nosepiece Outlet

B1-12KC F	026613966229	3/8" Comp x 3/8" OD Comp	12"	25	4
B1-16KC F	026613105017	3/8" Comp x 3/8" OD Comp	16"	25	5
B1-20KC F	026613966243	3/8" Comp x 3/8" OD Comp	20"	25	6



PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------

A Toilet Connectors – Compression Inlet



B1-6DL F	026613966762	3/8" Comp x 7/8" Ballcock (DRWG. A)	6"	25	3
B1-9DL F	026613966748	3/8" Comp x 7/8" Ballcock (DRWG. A)	9"	25	4
B1-12DL F	026613966311	3/8" Comp x 7/8" Ballcock (DRWG. A)	12"	25	4
B1-12DLM F	026613104201	3/8" Comp x 7/8" Ballcock (Metal Nut) (DRWG. B)	12"	25	6
B1-16DL F	026613966342	3/8" Comp x 7/8" Ballcock (DRWG. A)	16"	25	5

B Toilet Connectors – Compression Inlet



B1-20DL F	026613966373	3/8" Comp x 7/8" Ballcock (DRWG. A)	20"	25	5
B2-12DL F	026613966786	7/16" Comp x 7/8" Ballcock (DRWG. A)	12"	25	4
B2-20DL F	026613966571	7/16" Comp x 7/8" Ballcock (DRWG. A)	20"	25	5
B3-9DL F	026613966809	1/2" Comp x 7/8" Ballcock (DRWG. A)	9"	25	4
B3-12DL F	026613966823	1/2" Comp x 7/8" Ballcock (DRWG. A)	12"	25	5
B3-12DLM F	026613127842	1/2" Comp x 7/8" Ballcock (Metal Nut) (DRWG. B)	12"	25	6
B3-20DL F	026613966847	1/2" Comp x 7/8" Ballcock (DRWG. A)	20"	25	6

Toilet Connectors – FIP Inlet



B8-9DL F	026613966878	1/2" FIP x 7/8" Ballcock	9"	25	4
B8-12DL F	026613966892	1/2" FIP x 7/8" Ballcock	12"	25	5
B8-16DL F	026613966915	1/2" FIP x 7/8" Ballcock	16"	25	5
B8-20DL F	026613966403	1/2" FIP x 7/8" Ballcock	20"	25	6

A Toilet Connectors – Flare Inlet



BF1-12DL F	026613966427	3/8" Flare x 7/8" Ballcock (DRWG. A)	12"	25	4
BF1-12DLM F	026613127828	3/8" Flare x 7/8" Ballcock (Metal Nut) (DRWG. B)	12"	25	6
BF1-16DL F	026613104348	3/8" Flare x 7/8" Ballcock (DRWG. A)	16"	25	4
BF1-20DL F	026613966441	3/8" Flare x 7/8" Ballcock (DRWG. A)	20"	25	5

B Toilet Connectors – Flare Inlet



BF3-12DL F	026613966595	1/2" Flare x 7/8" Ballcock (DRWG. A)	12"	25	5
BF3-12DLM F	026613127835	1/2" Flare x 7/8" Ballcock (Metal Nut) (DRWG. B)	12"	25	6
BF3-16DL F	026613104362	1/2" Flare x 7/8" Ballcock (DRWG. A)	16"	25	5
BF3-20DL F	026613104379	1/2" Flare x 7/8" Ballcock (DRWG. A)	20"	25	6

Toilet Connectors – Compression Inlet – For Low Boy Toilets



BL3-6DL F	026613097596	1/2" Comp x 7/8" Ballcock	6"	10	2
BL3-9DL F	026613097619	1/2" Comp x 7/8" Ballcock	9"	10	2
BL3-12DL F	026613097565	1/2" Comp x 7/8" Ballcock	12"	10	3

Washing Machine Connectors – Female Hose Thread



BL12-48WA	026613966083	3/4" Female Hose Thread x 3/4" Female Hose Thread (sleeve)	48"	10	7
BL12-60WA	026613966090	3/4" Female Hose Thread x 3/4" Female Hose Thread (sleeve)	60"	10	8
BL12-72WA	026613966106	3/4" Female Hose Thread x 3/4" Female Hose Thread (sleeve)	72"	10	9
BL12-72WA F	026613104829	3/4" Female Hose Thread x 3/4" Female Hose Thread (bulk)	72"	25	22

See page 106 for material specifications.

PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------

Dishwasher Connectors – Compression Inlet

B1-12DW F	026613104218	3/8" Comp x 3/8" Comp (DRWG. A)	12"	10	2
B1-16DW F	026613104263	3/8" Comp x 3/8" Comp (DRWG. A)	16"	10	2
B1-20DW F	026613104270	3/8" Comp x 3/8" Comp (DRWG. A)	20"	10	2
B1-36DW F	026613104409	3/8" Comp x 3/8" Comp (DRWG. A)	36"	10	3
B1-48DW F	026613104416	3/8" Comp x 3/8" Comp (DRWG. A)	48"	10	4
B1-60DW F	026613104423	3/8" Comp x 3/8" Comp (DRWG. A)	60"	10	6
B1-72DW F	026613104430	3/8" Comp x 3/8" Comp (DRWG. A)	72"	10	6
B1-120DW F	026613134314	3/8" Comp x 3/8" Comp (DRWG. A)	120"	25	23
B1-48DW6 P	026613141787	3/8" Comp x 3/8" Comp w/3/8" MIP elbow (DRWG. B)	48"	10	6
B1-60DW6 P	026613141794	3/8" Comp x 3/8" Comp w/3/8" MIP elbow (DRWG. B)	60"	10	7
B1-72DW6 P	026613141800	3/8" Comp x 3/8" Comp w/3/8" MIP elbow (DRWG. B)	72"	10	8
B3-48DW F	026613966960	1/2" Comp x 1/2" FIP (DRWG. C)	48"	10	5
BL3-48DW F	026613104461	1/2" Comp x 1/2" Comp (DRWG. A)	48"	10	4
BL3-60DW F	026613104478	1/2" Comp x 1/2" Comp (DRWG. A)	60"	10	6
BL3-72DW F	026613104485	1/2" Comp x 1/2" Comp (DRWG. A)	72"	10	6
B1-48DWS D	026613135632	3/8" Comp x SureConnect® w/3/8" MIP x SureConnect® Fitting (DRWG. D)	48"	10	8
B1-60DWS D	026613135649	3/8" Comp x SureConnect® w/3/8" MIP x SureConnect® Fitting (DRWG. D)	60"	10	9
B1-72DWS D	026613135656	3/8" Comp x SureConnect® w/3/8" MIP x SureConnect® Fitting (DRWG. D)	72"	10	10



Dishwasher Connectors – FIP Inlet

B8-48DW F	026613104447	1/2" FIP x 1/2" FIP (DRWG. A)	48"	10	5
B8-60DW F	026613966953	1/2" FIP x 1/2" FIP (DRWG. A)	60"	10	5
B8-48DW6 P	026613141817	1/2" FIP x 3/8" Comp w/3/8" MIP elbow (DRWG. B)	48"	10	6
B8-60DW6 P	026613141824	1/2" FIP x 3/8" Comp w/3/8" MIP elbow (DRWG. B)	60"	10	7



Dishwasher Connectors – Garden Hose Fitting

B1-48DW1 P	026613141159	3/8" Comp w/3/4" Garden Hose Elbow (DRWG. A)	48"	10	12.9
B1-60DW1 P	026613141166	3/8" Comp w/3/4" Garden Hose Elbow (DRWG. A)	60"	10	14.8
B1-72DW1 P	026613141173	3/8" Comp w/3/4" Garden Hose Elbow (DRWG. A)	72"	10	16.7
B1-48DW12 P	026613141756	3/8" Comp w/3/8" Comp w/3/4" Garden Hose Elbow (DRWG. B)	48"	10	6.4
B1-60DW12 P	026613141763	3/8" Comp w/3/8" Comp w/3/4" Garden Hose Elbow (DRWG. B)	60"	10	7.1
B1-72DW12 P	026613141770	3/8" Comp w/3/8" Comp w/3/4" Garden Hose Elbow (DRWG. B)	72"	10	7.9



Ice Maker/Humidifier/Water Filter Connectors

B0-12IM F	026613104836	1/4" Comp x 1/4" Comp	12"	25	3
B0-60IM	026613098524	1/4" Comp x 1/4" Comp	60"	10	5
B0-72IM	026613098531	1/4" Comp x 1/4" Comp	72"	10	6
B0-84IM	026613098548	1/4" Comp x 1/4" Comp	84"	10	6
B0-96IM	026613098555	1/4" Comp x 1/4" Comp	96"	10	7
B0-120IM	026613098562	1/4" Comp x 1/4" Comp	120"	10	8



Part Numbering System

Speedi Plumb® Vinyl Connectors

Example:



V	F	1	-	1	2	A	M	F
Style	Type	Inlet		Length	Outlet Style	Option	Packaging	
Vinyl	Flared Inlet	3/8" OD		12"	Faucet 1/2" FIP, Plastic Nut	Metal Nut	Individually Flag Labeled	

Style	Type	Inlet	Length	Outlet	Option	Packaging
V Vinyl	F Flared Inlet	1 3/8" OD 3 1/2" OD 8 1/2" FIP	For Faucet: 12", 16", 20", 24", 30", 36" For Toilet: 9", 12", 16", 20" For Dishwasher: 120"	A Faucet - 1/2" FIP, Plastic Nut DL Toilet - 7/8" Ballcock, Plastic Nut DW Dishwasher KC Faucet - 3/8" OD Comp	M Metal Nut	F Individually Flag Labeled

PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------

Faucet Connectors – Compression Inlet




V1-12A F	026613046501	3/8" Comp x 1/2" FIP (DRWG. A)	12"	25	5
V1-12AM F	026613129235	3/8" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	12"	25	4
V1-16A F	026613046518	3/8" Comp x 1/2" FIP (DRWG. A)	16"	25	5
V1-16AM F	026613129242	3/8" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	16"	25	5
V1-20A F	026613046525	3/8" Comp x 1/2" FIP (DRWG. A)	20"	25	6
V1-20AM F	026613129259	3/8" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	20"	25	5
V1-30A F	026613098296	3/8" Comp x 1/2" FIP (DRWG. A)	30"	25	7
V1-30AM F	026613129266	3/8" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	30"	25	8
V1-36A F	026613046532	3/8" Comp x 1/2" FIP (DRWG. A)	36"	25	9
V1-36AM F	026613129273	3/8" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	36"	25	9
V3-12AM F	026613129303	1/2" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	12"	25	5
V3-16A F	026613104546	1/2" Comp x 1/2" FIP (DRWG. A)	16"	25	6
V3-16AM F	026613129280	1/2" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	16"	25	6
V3-20A F	026613052045	1/2" Comp x 1/2" FIP (DRWG. A)	20"	25	7
V3-20AM F	026613129297	1/2" Comp x 1/2" FIP (METAL NUT) (DRWG. B)	20"	25	6
V3-36A F	026613093642	1/2" Comp x 1/2" FIP (DRWG. A)	36"	25	9

See page 107 for material specifications.

PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------


Faucet Connectors – FIP Inlet

V8-16AM F	026613129181	1/2" FIP x 1/2" FIP (METAL NUT) (DRWG. B)	16"	25	5
V8-20A F	026613098302	1/2" FIP x 1/2" FIP (DRWG. A)	20"	25	6
V8-20AM F	026613129198	1/2" FIP x 1/2" FIP (METAL NUT) (DRWG. B)	20"	25	6
V8-36AM F	026613129204	1/2" FIP x 1/2" FIP (METAL NUT) (DRWG. B)	36"	25	9



Faucet Connectors – Flare Inlet (.300 ID Tube)

VF1-12A F	026613100999	3/8" Flare x 1/2" FIP (DRWG. A)	12"	25	4
VF1-12AM F	026613129211	3/8" Flare x 1/2" FIP (METAL NUT) (DRWG. B)	12"	25	4
VF1-20A F	026613047607	3/8" Flare x 1/2" FIP (DRWG. A)	20"	25	5
VF1-20AM F	026613129228	3/8" Flare x 1/2" FIP (METAL NUT) (DRWG. B)	20"	25	5



Faucet Connectors – Compression Inlet x KC Nosepiece Outlet

V1-12KC F	026613051468	3/8" Comp x 3/8" OD Comp	12"	25	4
V1-20KC F	026613051475	3/8" Comp x 3/8" OD Comp	20"	25	5



Toilet Connectors – Compression Inlet

V1-9DL F	026613051451	3/8" Comp x 7/8" Ballcock	9"	25	4
V1-12DL F	026613046549	3/8" Comp x 7/8" Ballcock	12"	25	4
V1-16DL F	026613104515	3/8" Comp x 7/8" Ballcock	16"	25	4
V1-20DL F	026613046556	3/8" Comp x 7/8" Ballcock	20"	25	6
V3-12DL F	026613052052	1/2" Comp x 7/8" Ballcock	12"	25	5



Toilet Connectors – FIP Inlet (.300 ID Tube)

V8-9DL F	026613104805	1/2" FIP x 7/8" Ballcock	9"	25	4
V8-12DL F	026613099941	1/2" FIP x 7/8" Ballcock	12"	25	4
V8-16DL F	026613104553	1/2" FIP x 7/8" Ballcock	16"	25	5



PART NO.	UPC	INLET X OUTLET	LENGTH	QTY.	LBS.
----------	-----	----------------	--------	------	------

Toilet Connectors Flare Inlet



VF1-12DL F	026613100968	3/8" Flare x 7/8" Ballcock	12"	25	4
VF1-20DL F	026613100975	3/8" Flare x 7/8" Ballcock	20"	25	5
VF3-12DL F	026613100982	1/2" Flare x 7/8" Ballcock	12"	25	4

Dishwasher Connector – Compression Inlet



V1-120DW F	026613120089	3/8" Comp x 3/8" Comp	120"	10	8
------------	--------------	-----------------------	------	----	---

Speedi Plumb® PLUS/Speedi Plumb® Display Rack

The wire display rack holds up to 100 Speedi Plumb® PLUS or Speedi Plumb® flexible connectors. Includes header.

Does not include product.

PART NO.	UPC	DIMENSIONS
BC100	026613044378	18" Wide X 12" Deep

