

G-TOUR® RACK CASES

All G-Tour Racks Feature:

- o Thick plywood construction with PVC exterior and tongue and groove extruded Aluminum valance
- o Heavy-duty commercial-grade plated hardware and 3.2mm thick front & rear rack rails

Pop-Up Racks feature 19" console rack with pop-up top-loaded rack. Ratchet top allows adjusting to various angles during use and transporting with top flat

G-Tour Shock Racks feature compressed shock absorbing foam suspension

G-TOUR-GRC12X12 has a fixed 12 space slant top and 12 space bottom. Fits the A&H Mix Wizard & Yamaha O1V




Racks

Reinforced Stackable Protective Ball Corners



Spring Loaded Twist Latches



Rubber-Gripped spring-loaded Comfort Handles



Model	Rack Type	Rack Units	Rackable Depth
G-TOUR SHK8 CA	SHOCK RACK W/CASTERS	8	17"
G-TOUR SHK12 CA	SHOCK RACK W/CASTERS	12	17"
G-TOUR EFX2	SHALLOW FX RACKS	2	13"
G-TOUR EFX4	SHALLOW FX RACKS	4	13"
G-TOUR EFX6	SHALLOW FX RACKS	6	13"
G-TOUR 2U	STANDARD	2	20.25"
G-TOUR 4U	STANDARD	4	20.25"
G-TOUR 6U	STANDARD	6	20.25"
G-TOUR 8U	STANDARD	8	20.25"
G-TOUR 10U	STANDARD	10	20.25"
G-TOUR 12U	STANDARD	12	20.25"
G-TOUR 4UW	STANDARD W/ 2 WHEELS & RETRACTABLE HANDLE	4	20.25"
G-TOUR 10U CAST	STANDARD W/ 4 FIXED 4" CASTERS 2 OF WHICH LOCK	10	20.25"
G-TOUR 12U CAST	STANDARD W/ 4 FIXED 4" CASTERS 2 OF WHICH LOCK	12	20.25"
G-TOUR 14U CAST	STANDARD W/ 4 FIXED 4" CASTERS 2 OF WHICH LOCK	14	20.25"
G-TOUR 16U CAST	STANDARD W/ 4 FIXED 4" CASTERS 2 OF WHICH LOCK	16	20.25"
G-TOUR12UCA-24D	12mm (1/2") CONSTRUCTED DEEP RACKS W/CASTERS	12	24"
G-TOUR16UCA-24D	12mm (1/2") CONSTRUCTED DEEP RACKS W/CASTERS	16	24"
G-TOUR 10X12 PU	POP-UP CONSOLE RACK	10 Top / 12 Front	20.25"
G-TOUR 10X14 PU	POP-UP CONSOLE RACK	10 Top / 14 Front	20.25"
G-TOUR 10X16 PU	POP-UP CONSOLE RACK	10 Top / 16 Front	20.25"
G-TOUR-GRC10X2	FIXED TOP CONSOLE RACK W/ TOP & FRONT LID W/REAR DOORS	10 Top / 2 Front	19.25"
G-TOUR-GRC10X4	FIXED TOP CONSOLE RACK W/ TOP & FRONT LID W/REAR DOORS	10 Top / 4 Front	19.25"
G-TOUR-GRC10X6	FIXED TOP CONSOLE RACK W/ TOP & FRONT LID W/REAR DOORS	10 Top / 6 Front	19.25"
G-TOUR-GRC10X12	FIXED TOP CONSOLE RACK W/ TOP & FRONT LID W/REAR DOORS	10 Top / 12 Front	19.25"
G-TOUR-GRC12X12	FIXED TOP CONSOLE RACK W/ TOP & FRONT LID W/REAR DOORS	12 Top / 12 Front	23.75"

For detailed measurements see www.gatorcases.com

POLYETHYLENE RACKS

Gator's Polyethylene rack cases are the perfect lightweight yet durable rack solution. The comfortable recessed side handles and threaded, field-replaceable commercial-grade plated front & rear rack rails round off the cases.

Comfortable recessed side handles



Locking Lids



Heavy-duty twist latches



Aluminum valance



Model	Type	Rack Units	Rack Depth
GR-2S	Shallow	2	14.75"
GR-3S	Shallow	3	14.75"
GR-4S	Shallow	4	14.75"
GR-6S	Shallow	6	14.75"
GR-2L	Standard w/ Locking lids	2	19.25"
GR-4L	Standard w/ Locking lids	4	19.25"
GR-6L	Standard w/ Locking lids	6	19.25"
GR-8L	Standard w/ Locking lids	8	19.25"
GR-10L	Standard w/ Locking lids	10	19.25"
GR-12L	Standard w/ Locking lids	12	19.25"
GRR-4L	Rolling w/ Locking Lids	4	19.25"
GRR-6L	Rolling w/ Locking Lids	6	19.25"
GRR-8L	Rolling w/ Locking Lids	8	19.25"
GRR-10L	Rolling w/ Locking Lids	10	19.25"
GRR-4PL-US	Rolling/Power w/ Locking Lids	4	19.25"
GRR-6PL-US	Rolling/Power w/ Locking Lids	6	19.25"
GRR-8PL-US	Rolling/Power w/ Locking Lids	8	19.25"
GRR-10PL-US	Rolling/Power w/ Locking Lids	10	19.25"

SHALLOW RACKS

- Compact 14.75" rackable depth
- Front and rear rack rail



STANDARD RACKS

- 19.25" rackable depth
- Front and rear rack rail



Shown stacked on a Gator Caster Board

ROLLING RACKS

- Rugged pull-out handle
- Roller blade-style recessed wheels
- Front and rear rack rail



ROLLING POWERED RACKS

- Master on/off switch with indicator light
- 5 outlets (4 rear, 1 front)
- Push to reset 15 amp circuit breaker
- Rugged pull-out handle and roller blade-style recessed wheels
- Front and rear rack rail





Independent rubber shock absorbers at each corner

7mm threaded field replaceable commercial-grade plated rack rails

POLYETHYLENE SHOCK RACKS

Gator's lightweight Polyethylene shock racks are built for protection and function. The shock rack is specifically designed to allow 360 degree air ventilation around equipment to keep your gear lasting longer. Adjustable interior sliding support on each side of rack adjusts front to back and up and down for rear support of gear to eliminate shifting and jostling. Recessed side handles give your hands a break while the locking lid gives you peace of mind.

Model	Rack Units	Rack Depth
G-SHOCK-4L	4	19.5"
G-SHOCK-8L	8	19.5"
G-SHOCK-12L	12	19.5"
G-SHOCK-16L	16	19.5"

CONSOLE RACKS

- Lightweight Polyethylene construction
- Front, rear & top rack rails with rear wire access
- Recessed side handles
- Compact size for easy transport

GRC-10X11PUP Powered Rack

- Built-in power distribution center
- Gator power distribution center in the bottom with four outlets in rear & one in front
- Master on/off switch
- 15-amp circuit breaker

19" console rack with pop-up top-loaded rack. Ratchet top allows adjusting to various angles during use and transporting with the top flat

GRC-10x11PU & GRC-12x10PU feature 4" heavy-duty industrial casters, 2 of which are locking



7mm Threaded Field Replaceable commercial-grade Plated Rack Rails

GRC-10X8 PU works with Gator's GA-300 caster kit

Check out the video of this product on our website



CONSOLE RACKS

Model	Rack Units	Rack Depth
GRC-6X2	6 Top / 2 Front	15.75"
GRC-6X4	6 Top / 4 Front	15.75"
GRC-8X2	8 Top / 2 Front	19.25"
GRC-10X2	10 Top / 2 Front	22.75"
GRC-10X4	10 Top / 4 Front	22.75"
GRC-10X6	10 Top / 6 Front	22.75"
GRC-10X8	10 Top / 8 Front	22.75"

POP-UP CONSOLE RACKS

Model	Rack Units	Rack Depth
GRC-10X8 PU	10 Top / 8 Front	23.25"
GRC-10X12 PU	10 Top / 12 Front	23.25"
GRC-12X10 PU	12 Top / 10 Front	26.75"
GRC-10X11 PUP	10 Top / 11 Front	23.25"

ROLLING RACK BASE

Rolling rack bases are made of lightweight Polyethylene plastic and conveniently fit under any Gator GRC or standard rack case. The four easy rolling wheels include 2 locking wheels for keeping the rack base in position. The heavy-duty twist latches and recessed side handles make it the ultimate pack and load solution.

Model	Rack Units	Rack Depth
GRC-BASE-10	10	22.75"
GRC-BASE-14	14	22.75"

Stacks beneath any Gator GRC Console or Standard rack



For detailed measurements see www.gatorcases.com

ROTO MOLD RACK CASES

Gator's virtually indestructible rotational molded Polyethylene rack cases are the ultimate in durability. The 19" deep rack cases are available in standard or rolling versions. All cases come with full sized front and rear rack lids for easy access. The rolling version includes a telescoping tow-handle and rugged in-line style wheels. These unique racks are available in several custom colors. The black version is made entirely from recycled materials.

Racks

Molded-in ergonomic side carry handles

Recessed steel twist latches



Built-in tow handle and wheels

State of the art, heavy-duty in-line wheels



Stackable Design

Available in a variety of colors



Made From Recycled Materials

Description	Model	Rack Units	Rack Depth
Standard	G-PRO-2U-19	2	19"
Standard	G-PRO-4U-19	4	19"
Standard	G-PRO-6U-19	6	19"
Standard	G-PRO-8U-19	8	19"
Standard	G-PRO-10U-19	10	19"
Standard	G-PRO-12U-19	12	19"
Rolling	G-PROR-4U-19	4	19"
Rolling	G-PROR-6U-19	6	19"
Rolling	G-PROR-8U-19	8	19"

MOLDED CONSOLE RACKS

- Rotational-molded Polyethylene console rack
- Rugged Nylon dust cover
- Heavy-duty rack rail
- Molded in carry handles

Model	Weight	Rack Units	Rack Depth
GDJ-8X2	12 lbs	8 Top / 2 Front	15.5"
GDJ-8X4	16 lbs	8 Top / 4 Front	15.5"
GDJ-10X6	18.74 lbs	10 Top / 6 Front	15.5"

WOOD CONSOLE RACKS

- Lightweight wood console racks
- Slanted top rack rail is perfect for mixers
- Comfortable side handles
- Removable padded cover with Velcro® over the front, top & rear

Model	Weight	Rack Units	Rack Depth
GRCW-10X4	22 lbs	10 Top / 4 Front	20.25"
GRCW-10X6	26 lbs	10 Top / 6 Front	20.25"

ROTO MOLDED CASTER BOARD

- Virtually indestructible Polyethylene construction
- Four casters, 2 locking / 2 non locking
- Fits both G-PRO Rack Series and GR-L Rack Series



Model	Fits
G-CASTERBOARD	G-PRO and GR-L Racks

RACK BAGS

- Lightweight style rack bag great for effects processors, recording equipment, and sound modules
- Polyethylene-reinforced interior frame
- Internal reinforced aluminum valance
- Rear flap allows access to entire panel of equipment
- Ergo Grip Carry Handle
- 600-Denier nylon exterior
- Exterior pocket for cables and accessories

Model	Weight	Rack Units	Rack Depth	Style
GR-RACKBAG-2U	8 lbs	2	13"	Standard
GR-RACKBAG-3U	11 lbs	3	13"	Standard
GR-RACKBAG-4U	13 lbs	4	13"	Standard
GR-RACKBAG-2UW	8 lbs	2	13"	Rolling
GR-RACKBAG-3UW	11 lbs	3	13"	Rolling
GR-RACKBAG-4UW	13 lbs	4	13"	Rolling

Rolling Bag Features:

- Retractable tow handle & recessed wheels
- Heavy-duty shoulder strap

Standard Bag Features:

- Heavy-duty shoulder strap



CASTER BOARDS

- High density 3/4" industrial plywood
- Held in place by 2 locking straps
- Supports up to 400 pounds
- 4" Industrial grade casters

Model	Fits
GA-100	standard racks
GA-200	shock racks
GA-300	console racks



STUDIO RACK CABINETS

Features:

- 19" EIA standard racks
- 5/8" thick MDF furniture grade black oak laminate
- 3.2mm heavy-duty cold rolled steel rack rails

Slant Rack Series gives you visibility of all racked gear from any angle

Thick MDF furniture grade black oak laminate for durability that lasts



Model	Description	Rack Units	Rackable Depth
GR-STUDIO-4U	Standard Studio Rack	4	18"
GR-STUDIO-8U	Standard Studio Rack	8	18"
GR-STUDIO-12U	Standard Studio Rack	12	18"
GR-STUDIO-16U	Standard Studio Rack	16	18"
GR-STUDIO-20U	Standard Studio Rack	20	18"
GR-STUDIOSL-10U	Angled Studio Rack	10	Top - 12.5" / Bottom - 16.5"
GR-STUDIOSL-18U	Angled Studio Rack with Casters	18	Top - 12.5" / Bottom - 18"
GR-STUDIO-12X8U	Slant-Top Studio Rack	20	Top - 8" / Bottom - 18"
GR-STUDIO-12X16U	Slant-Top Studio Rack with Casters	28	Top - 8" / Bottom - 18"

FLOOR STANDING RACKS

Model	Rear Door	Front Door	Rack U	Overall Depth	Overall Width	Overall Height	Height w/ Casters	Racking Height	Rackable Depth
GR-FS4B1823TDB	Steel	Vented Glass	18	23.6"	23.6"	38.9"	41.7"	31.5"	20"
GR-FS4B1823TBB	Steel	Steel	18	23.6"	23.6"	38.9"	41.7"	31.5"	20"
GR-FS4B2223TDB	Steel	Vented Glass	22	23.6"	23.6"	45.9"	48.7"	38.5"	20"
GR-FS482223TBB	Steel	Steel	22	23.6"	23.6"	45.9"	48.7"	38.5"	20"
GR-FS4B2723TDB	Steel	Vented Glass	27	23.6"	23.6"	54.6"	57.4"	47.25"	20"
GR-FS4B2723TBB	Steel	Steel	27	23.6"	23.6"	54.6"	57.4"	47.25"	20"
GR-FS4B2731MDB	Steel	Vented Glass	27	31.5"	23.6"	54.6"	57.4"	47.25"	28"
GR-FS4B3231MDB	Steel	Vented Glass	32	31.5"	23.6"	63.4"	66.2"	56"	28"
GR-FS4B4223TDB	Steel	Vented Glass	42	23.6"	23.6"	80.9"	83.7"	76.3"	20"
GR-FS4B4223TBB	Steel	Steel	42	23.6"	23.6"	80.9"	83.7"	76.3"	20"
GR-FS4B4235TDB	Steel	Vented Glass	42	35.4"	23.6"	80.9"	83.7"	76.3"	32"
GR-FS4B4235TBB	Steel	Steel	42	35.4"	23.6"	80.9"	83.7"	76.3"	32"
GR-FS4B4739MDB	Steel	Vented Glass	47	39.4"	23.6"	72.2"	75"	64.8"	36"
GR-PST4M4223	Four Post Open Rack		42	23.6"	23.6"	79.5"	82.3"	74.2"	20"

All Floor Racks Feature:

- o 18 gauge black powder coated cold rolled steel
- o 11 gauge adjustable front rack rail with printed rack numbers
- o Cabinets are gangable using optional baying kit
- o Includes leveling kit
- o Meets ANSI/EIA RS-310-D, DIN41491;Part1, IEC297-2, DIN41491;Part7, GB/T3047.2-92 standards
- o Also available with M6 rails

Floor Standing Standard Racks Feature:

- o Removable side panels include spring loaded latch
- o Quick release front and rear doors
- o Spring-loaded, push and turn locking system on glass door only
- o Perforated top
- o 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top and bottom
- o 5/8" knockout designed to be used for VHF / UHF antenna

Floor Standing 4 Post Rack Features:

- o Four post open rack design
- o Four casters included

For detailed measurements and schematics
see www.gatorcases.com

Four Post
Open Rack

Floor Standing
Rack With Vented
Glass Door

See page 47 for a list of available
options and add-ons

See Page 40 for accessories and
hardware




Optional lock
knock-out



Spring-loaded
latches



Heavy-duty
casters



11 gauge
numbered rack rail

OPTIONS

Caster & Level Kits For Floor Standing Racks Only

- 2" caster kit (2 locking, 2 non-locking)
- 2.5" Heavy-duty caster kit (2 locking, 2 non-locking)
- 4 adjustable feet for stabilizing rack

Rear Rack Rails For Floor Standing Racks Only

- Adjustable 11 gauge drilled and tapped rear rack rail

Baying Kit For Floor Standing Racks Only

- Clips for making floor standing racks gangable

Rackable Fan Top For Floor Standing Racks Only

- 110v 2 fan kit for 23" deep racks
- 110v 4 fan kit for 35" deep racks

Back Door Styles For Floor Standing Racks Only (locking back door included with rack):

- 18 Gauge solid steel

Front Door Styles Available For All Rack Styles (locking front door included with rack):

- Toughened glass with vented sides and spring loaded push and turn locking system
- 18 gauge Solid Steel

Side Panel Locks

- Installable barrel lock for side panels

See Page #40 For Model Numbers

REVERSIBLE HEAVY-DUTY WALL HANGING HINGED RACKS

Model	Front Door	Rack U	Overall Depth	Overall Width	Overall Height	Racking Height	Rackable Depth
GR-WH5B0917TB	Steel	9	18"	23.5"	20.5"	16.75"	17"
GR-WH5B0917TD	Glass	9	18"	23.5"	20.5"	16.75"	17"
GR-WH5B0922TB	Steel	9	23"	23.5"	20.5"	16.75"	22"
GR-WH5B0922TD	Glass	9	23"	23.5"	20.5"	16.75"	22"
GR-WH5B1217TB	Steel	12	18"	23.5"	26"	22"	17"
GR-WH5B1217TD	Glass	12	18"	23.5"	26"	22"	17"
GR-WH5B1222TB	Steel	12	23"	23.5"	26"	22"	22"
GR-WH5B1222TD	Glass	12	23"	23.5"	26"	22"	22"
GR-WH5B1817TB	Steel	18	18"	23.5"	38.25"	32.5"	17"
GR-WH5B1817TD	Glass	18	18"	23.5"	38.25"	32.5"	17"
GR-WH5B1822TB	Steel	18	23"	23.5"	38.25"	32.5"	22"
GR-WH5B1822TD	Glass	18	23"	23.5"	38.25"	32.5"	22"

All Reversible Racks Feature:

- Reversible wall mounted hinged rack
- Rear mounting section offers "shelf" design for easier installation
- Hinged back double section welded frame construction
- 16 gauge removable side panels with spring latch
- 16 gauge cold rolled steel top and bottom
- 11 gauge drilled and tapped front and rear rack rails
- Rack U numbers printed on the rack rail
- 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top and bottom
- 5/8" knockout designed to be used for VHF/UHF antenna
- 10"x10" rear access knockout for cable entry
- Also available with M6 rails

For detailed measurements and schematics see www.gatorcases.com

Rear mounting section offers "shelf" for easier installation



Reversible design allows the rack to be mounted so it opens left or right

WALL HANGING RACKS

All Wall Hanging Racks Feature:

- o 18 gauge removable side panels with spring latch
- o 18 gauge cold rolled steel top and bottom
- o Fan ready perforated top
- o 11 gauge drilled and tapped front and rear rack rails
- o Rack U numbers printed on the rack rail
- o 1/2", 5/8", 3/4", 1" and 1 1/2" cable entry knockouts on top and bottom
- o 5/8" knockout designed to be used for VHF/UHF antenna
- o 10"x10" rear access knockout for cable entry
- o Also available with M6 rails

Wall Hanging Hinged Racks Feature:

- o Hinged back double section welded frame construction

Wall Hanging Fixed Racks Feature:

- o Fixed back single section welded frame construction
- o Comes with removable 18 gauge mounting strip for easy wall installation

For detailed measurements and schematics
see www.gatorcases.com

Hinged Wall Hanging Racks

Model	Front Door	Rack U	Overall Depth	Overall Width	Overall Height	Racking Height	Rackable Depth
GR-WH4B0921TB	Steel	9	21.6"	23.6"	19.7"	15.75"	19.25"
GR-WH4B0921TD	Glass	9	21.6"	23.6"	19.7"	15.75"	19.25"
GR-WH4B1221TB	Steel	12	21.6"	23.6"	25"	21"	19.25"
GR-WH4B1221TD	Glass	12	21.6"	23.6"	25"	21"	19.25"
GR-WH4B1821TB	Steel	18	21.6"	23.6"	35.5"	31.5"	19.25"
GR-WH4B1821TD	Glass	18	21.6"	23.6"	35.5"	31.5"	19.25"

Fixed Wall Hanging Racks

Model	Front Door	Rack U	Overall Depth	Overall Width	Overall Height	Racking Height	Rackable Depth
GR-WF4B0917TB	Steel	9	17.7"	23.6"	19.7"	15.75"	16.25"
GR-WF4B0917TD	Glass	9	17.7"	23.6"	19.7"	15.75"	16.25"
GR-WF4B1217TB	Steel	12	17.7"	23.6"	25"	21"	16.25"
GR-WF4B1217TD	Glass	12	17.7"	23.6"	25"	21"	16.25"

