

SL-14RC

12-Button Master Room Controller


NEW



The **SL-14RC** is a highly versatile master room controller that acts as an all-in-one extended remote control panel for controlling AV equipment. Optional 3-button remote control panels remotely duplicate the functionality of its front panel push buttons.

FEATURES

- 12 Configurable Front Panel Pushbuttons.
- 1 General Purpose I/O Port - Configures as an analog input, digital input, or digital output for interfacing with a variety of devices such as sensors, switches, LEDs, and relays.
- 6 Bidirectional RS-232 Ports - Controls AV equipment such as projectors, LCD and PDP displays, power amplifiers, switchers and scalers.
- 2 Relay Contacts - Controls other room items related to the AV system, such as raising and lowering drapes, screen or projector.
- 2 Output IR Control.
- IR Learning Function - Learns commands from any IR remote.
- Kramer Site-CTRL™ Compatibility - Works with Kramer Site-CTRL™ software for network remote control and management over the Ethernet port.
- K-NET™ Control Channel - Connects compatible user interfaces and supplies power and control data over a single cable.
- Flexible Control Options - Via front panel, Ethernet and K-NET™.
- Standard 19" Rack Mount Size - 1U. Rack "ears" included.



TECHNICAL SPECIFICATIONS

INPUTS:	K-NET™ and 6 RS-232 on terminal block connectors; Ethernet on RJ-45 connector; 1 infrared.
OUTPUTS:	2 relays (36V AC or DC, 2A, 60VAC maximum on non-inductive load), 1 GPI/O, and 2 IR ports on terminal block connectors.
POWER SOURCE:	100-240V AC, 22VA.
DIMENSIONS:	48.26cm x 11.5cm x 1U (19" x 4.5" x 1U) W, D, H.
WEIGHT:	0.6kg (1.4lbs) approx.
ACCESSORIES:	Power cord, Windows®-based configuration software, screwdriver, rack "ears".
OPTIONS:	RC-3TB Remote Control Panel, IR emitter cables.

