

CP-GMA/GMA/XL

15-pin HD to 15-pin HD & Audio Plenum Cable with a 45° Side-Angled Connector



The new XL generation of Kramer **CP-GMA/GMA** cables offers the highest possible performance and a new configuration designed to give installers and users a new level of convenience and aesthetics. They are ideal for any application requiring no-compromise quality and performance in a plenum rated VGA + audio cable.

FEATURES

- **Plenum Rating** - CP versions of Kramer VGA cables are constructed from CL2P and CMP rated cables.
- **Newly Updated** - Slim connectors with shallow depth profile are top priority in this new generation. At the same time aesthetics are even nicer than before, using elegant molded connectors at one end where it is typically connected to a projector. At the other end an extra shallow 45° VGA connector with removable metal shells is used to provide all possible options for installation in tight quarters.
- **Cable Specs** - See Kramer BCP-6X2T bulk cable for detailed specs. Full support of DDC & pin 9.
- **Quality Construction** - Hybrid construction using molded and backshell connectors is unique to Kramer. The 3.5mm audio pigtailed are 8in at one end, and 24in at the other.
- **Flexible Applications** - RGBHV signals are all assigned to coaxes so it's easy to cut and convert one end to 5 BNC in the field if needed. The audio travels on an independent shielded pair.
- **Companion Wall Plates** - Don't forget to use Kramer wall plates like a simple modular system consisting of FRAME-1G and WXA-2P.
- **Varied Selection of Lengths** - Available in 3, 6, 10, 15, 25, 35, 50, 75, 100, 125 and 150ft versions (0.9 to 45.7m).

CP-GM

15-pin HD to Bare End Installation Plenum Cable



Kramer's **CP-GM** series are premium quality single-ended cables constructed of plenum rated multi-conductor cable. They have a metal backshell style 15-pin HD connector at one end and no termination at the other for easier pulling through walls, floors, etc.

FEATURES

- **Plenum Rated** - The low smoke and fire-resistant properties of plenum rated cable allow it to reside in air return spaces of ceiling, floors, and walls, often saving the cost of installing conduit.
- **Cable Specs** - See Kramer BCP-6X2T bulk cable for detailed specs.
- **Quality Construction** - Constructed from flexible, high quality plenum rated cable containing 6 mini coaxes and 2 shielded pairs. Designed to pass extra pins for full support of ID bit and other advanced communication functions if desired.
- **Numerous Applications** - Ideal for routing typical computer video signals in professional A/V systems.
- **Varied Selection of Lengths** - Available in lengths of 15, 25, 35, 50, 75, 100, 125 and 150ft (4.6 to 45.7m).

