FC-32

DVI to Computer Graphics/Component/HDTV Video Format Converter








The FC-32 is a high-performance format converter for DVI-D signals. The unit converts (without scaling) a DVI-D input to a computer graphics or component video output on a 15-pin HD connector.

FEATURES

- HDTV Compatible.
- Max. Resolution WUXGA & 1080p.
- Input DVI-D (on a DVI-I connector).
- Output 15-pin HD.
- Computer Graphics Video or Component (HDTV) Selector Switch.
- Compact DigiTOOLS® 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.





TECHNICAL SPECIFICATIONS

OUTPUTS:	
RESOLUTION: CONTROL: POWER SOURCE: DIMENSIONS: WEIGHT: ACCESSORIES: OPTIONS:	

INPUT:

1 DVI-D, 1.2Vpp on a Molex 24-pin (F) connector; DDC signal 5Vpp (TTL). 1 VGA or YPbPr on a 15-pin HD (F) connector; YPbPr is with bi-level sync. Up to WUXGA, 1080p. Switch for RGB/YPbPr selection. 5V DC, 490mA. 12cm x 7.2cm x 2.4cm (4.7" x 2.8" x 1.0") W, D, H. 0.3kg (0.7lbs). Power supply. RK-3T 19" rack adapter.

4.21

FORMAT & STANDARDS CONVERTERS) HIGH DEFINITION VIDEO

KRAMERELECTRONICS,LtdDIRECTORY OF PRODUCTS 2011/2012WWW.KRAMERELECTRONICS.COM