VP-200AK

1:2 Computer Graphics Video & Stereo Audio Distribution Amplifier









Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.








The VP-200AK is a high-performance distribution amplifier for computer graphics video signals, with resolutions up to and exceeding UXGA, and stereo audio signals. It takes a computer graphics video and an unbalanced stereo audio input and outputs simultaneously two computer graphics video, two balanced, and two unbalanced stereo audio signals.

FEATURES

- High Bandwidth 510MHz (-3dB).
- HDTV Compatible.
- Audio Outputs Simultaneous balanced and unbalanced stereo.
- EQ (Peaking Control) Audio Level (Gain) Controls.
- Kr-isp® Advanced Sync Processing Ensures compatibility with a wide range of computers (even if the sync level is too low) by restoring the sync signal waveform. Kr-isp® advanced sync processing can be enabled or disabled via internal switches.
- Compact Kramer TOOLS™ 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.



TECHNICAL SPECIFICATIONS

1 XGA on a 15-pin HD (F) connector; INPUTS:

1 unbalanced stereo audio on a 3.5mm mini jack. OUTPUTS: 2 UXGA on 15-pin HD (F) connectors;

2 unbalanced stereo audio on 3.5mm mini jacks;

2 balanced stereo audio on detachable 5-pin

terminal blocks.

MAX. OUTPUT LEVEL: Video: 2.0Vpp; Audio: 7.2Vpp. BANDWIDTH (-3dB): Video: 510MHz; Audio: >100kHz.

DIFF. GAIN: 0.55% DIFF. PHASE: 0.10Deg. K-FACTOR: <0.05%.

S/N RATIO: Video: 72.5dB @5MHz; Audio: 82dB (balanced);

88dB (unbalanced). EQ: OdB to 4.7dB @50MHz.

CONTROLS: COUPLING: Video: DC; Audio: AC at the output; DC at the input. AUDIO THD + NOISE: 0.005% @1kHz (unbalanced and balanced). AUDIO 2nd HARMONIC: 0.003% (unbalanced); 0.001% (balanced).

POWER SOURCE: 5V DC, 120mA. DIMENSIONS: 12cm x 7.18cm x 2.42cm (4.7" x 2.8" x 0.95") W, D, H.

0.3kg (0.66lbs) approx. WEIGHT: ACCESSORIES: Power supply, 3ft 15-pin HD cable,

mounting bracket. OPTIONS: RK-3T 19" rack adapter.

