


## VPM-2

### Active Wall Plate - Computer Graphics Video Line Driver & Insert Frame



The **VPM-2** is a wall plate line driver for computer graphics video signals with resolutions up to and exceeding UXGA. Multiple units can be connected to a Kramer switcher (such as the VP-81xl).

#### FEATURES

- High Bandwidth - 380MHz (-3dB).
- HDTV Compatible.
- Front Panel Connection - 15-pin HD input.
- Rear Panel Connection - 15-pin HD output.
- Looping Input.
- Remote Switcher Input Control - Contact closure sent to Kramer switcher (such as VP-8xl) to activate input from wall plate.
- ID Bit Control.
- EQ (Peaking) Control.
- Auxiliary Inputs - 3 removable panels that can be replaced with passive Kramer "WP" series wall plate input modules.
- Dimensions - 18.2cm x 9.5cm x 3.5cm (7" x 3.7" x 1.4") W, D, H.
- Wall Plate Size - 4 gang US only.

## WPN-11

### Active Wall Plate - Computer Graphics Video & Component Video Transmitter



The **WPN-11** is a wall plate transmitter for computer graphics video with resolutions up to and exceeding UXGA, component video, s-Video (Y/C) or composite video signals. It is used in conjunction with a WPN-12 receiver.

#### FEATURES

- HDTV Compatible.
- High Bandwidth - 450MHz (-3dB).
- Front Panel Connections - 1 15-pin HD (F) and 3 RCA (F) for component video, s-Video (Y/C) or composite video inputs.
- Rear Panel Connections - Terminal block output.
- Control - Input selection.
- Dimensions - 6.9cm x 4.3cm x 11.4cm (2.72" x 1.70" x 4.49") W, D, H.
- Wall Plate Size - 2 gang EU, 1 gang US.

## WPN-12

### Active Wall Plate - Computer Graphics Video & Component Video Receiver



The **WPN-12** is a wall plate receiver for computer graphics video with resolutions up to and exceeding UXGA, component video, s-Video (Y/C) or composite video signals. It is used in conjunction with a WPN-11 transmitter.

#### FEATURES

- HDTV Compatible.
- High Bandwidth - 450MHz (-3dB).
- Front Panel Connections - 1 15-pin HD (F) and 3 RCA (F) for component video, s-Video (Y/C) or composite video outputs.
- Rear Panel Connections - Terminal block input.
- Dimensions - 6.9cm x 4.3cm x 11.4cm (2.72" x 1.70" x 4.49") W, D, H.
- Wall Plate Sizes - 2 gang EU, 1 gang US.