



# Clean-up and save money

Madvac 61



# Madvac

## The litter collector benchmark


Madvac is the world's leading manufacturer of outdoor surface cleaning equipment. We are unique among vacuum manufacturers in that our comprehensive range of machines means we are able to offer the right product for your application—whatever you are trying to clean.

**The Madvac 61 is designed to deliver industry-leading vacuum litter collecting technology:**

- Ease of use
- Outstanding performance
- Reliability, durability
- The lowest possible cost of ownership

With durable, rugged construction, high performance suction and a design that meets all international safety and environmental standards, the 61 sets the global benchmark for vacuum litter collector quality.

**Madvac**  
A cleaner  
environment  
for everyone



## From landfill to shopping sites

### Clean up the savings

One Madvac 61 does the job of 4 to 5 manual pickers. Our machines have made the old-fashioned manual litter collection methods a thing of the past. The 61 can do the job of a vanload of people. It's there, when you want it... and it's always productive.




PICTURE  
40 ft hose and optional  
vacuum hose arm gives  
you the reach you need  
for hard-to-reach areas.

### Incredible mobile suction

Get to the hard-to-reach areas quickly with the amazing portable Madvac 61 litter collector. It fits on a pickup truck or hitches as a trailer and sucks up windblown trash from fence lines, parking lots and parks with hose length of up to 40 ft.

Easy to maintain, even easier to operate, and engineered to last ... this is the most cost effective approach to litter collection.





## Increases productivity by 400%

### From landfill to shopping sites

- 5 or 8 inch (127 or 203 mm) diameter hose
- Optional 40 ft (12 m) hose extension for extra reach
- Air exhaust filter bag keeps operators dust-free
- 80 gallon (300 L) capacity steel container
- Patented straight-through suction compacts litter yielding approx. 160 gallon (600 L)
- Quick-change litter bag
- Vacuums cans, bottles, newspapers, plastic and paper bags as well as other trash

### No Fan to Jam

- No Fan To Jam™ patented straight-through suction prevents trash from going through the fan - eliminating fan wear, clogging and mechanical downtime
- Uses variable suction control
- Reliable, powerful workhorse powered by either a Kubota diesel engine, Kohler gasoline, Kohler propane or electrically
- Easy access to engine compartment for simplified maintenance
- **Lifetime warranty on the fan**
- Trailer to skid-mount in 15 minutes

BELOW

*Clean up anywhere, anytime*

BOTTOM

*Cleans fence lines four times faster than manual pick-up*



# 61 Vacuum Litter Collector Specifications

## Engine

Fuel capacity: 61D & 61G: 6 U.S. Gal. tank / 61LP: 30 lb. liquid propane tank / 61E: N/A

Air cleaner: 61D, 61G & 61LP: High-capacity two-stage cyclonic. / 61E: N/A

**Diesel (61D):** liquid cooled Kubota, diesel engine, 13.8 HP, 2 cylinders, electric start, key ignition switch, rubber mounted

**Gasoline (61G):** Air cooled Kohler, gasoline engine, 14 HP, single cylinder, electric, start & stop, key ignition, switch, oil sentry shutdown, rubber mounted

**Propane (61LP):** Air cooled Kohler, liquid propane engine, 20 HP, 2 cylinders, electric & stop, key ignition, switch, rubber mounted

**Electric (61E):** 7.5 HP electric motor, 220V/440V single or 3 phase, sealed, fan cooled, rubber mounted

## Vacuum Specifications

**System type:** Straight-through suction with no restrictions, vacuum air stream to flow through collector bag, litter compacted within collector bag, litter does not pass through the impeller.

**Power:** Fan directly mounted and powered from main engine

**Vacuum pump:** Cast alloy centrifugal fan, statically & dynamically balanced. Heavy gauge steel casing, aerodynamic design.

**Impeller speed:** 61D, 61G & 61LP: 1500 to 3400 RPM. Infinitely variable suction control / 61E: 3480 fixed

**Static pressure at closed inlet:** 30 in. of water gauge pressure.

## Vacuum Specifications

**Suction pressure at open inlet:** 8 in. of water gauge pressure.

**Container:** Heavy gauge steel, capacity 80 gallons

**Bags:** Fibrous polypropylene, reusable, 36 in. x 48 in.

**Pick-up hose:** Lightweight plastic molded hand-held 25 ft. long 8 in. diameter hose made of clear PVC with helix reinforcement, smooth bore. Optional 5 in. diameter hand-held pick-up hose available.

**Hose extensions:** Extensions to pick-up hose in 15 ft. increments available in 8 in. & 5 in. diameters

**Hose storage:** Storage rack for the 25 foot, 8 inch or 5 inch diameter pick-up hose

## Skid-mounted unit specifications

**Frame/Body:** Heavy gauge steel body on welded tubular steel frame, with all around bumpers.

**Installation:** Multiple transport options, adapts into any pickup truck or mounts on train lorries. Also convertible into trailer.

**Warning light:** Flashing beacon, flashing strobe or rotating light optional.

**Gauges:** 61D, 61G & 61LP: Hour meter, oil pressure indicator, electric fuel level indicator, also temperature gauge and glow plug lamp on diesel engine. 61E: N/A

**Storage:** 2 cu. ft. compartment

**Paint:** Electrostatic powder paint, standard color white. Custom colors available.

## Skid unit specifications

**Overall width:** 39 in., bumper to bumper

**Overall length:** 71 in., bumper to bumper

**Height:** 62 in.

**Weight:** 61D: 700lbs., with all fluids  
61G: 620lbs., with all fluids  
61LP: 675lbs., with all fluids  
61E: 610lbs.

## Trailer unit specifications

**Wheels:** (2) 175/80 R 13, 4-season radials

**Lighting:** Complete signalling package

**Overall width:** 56 in., fender to fender

**Overall length:** 114 in., (incl. 38 in. tow bar)

**Height:** 74 in.

**Weight:** 61D: 900lbs.  
61G: 820lbs.  
61LP: 875lbs.  
61E: 810lbs.

**Call today for a free catalog, video or demonstration.**

**Call TOLL FREE:  
1-800-862-3822**

Your local Madvac Dealer is:

## Allianz Madvac Inc.

4651 Schaefer Avenue, Chino  
CA 91710, USA

1690 Eiffel, Boucherville,  
Quebec J4B 7W1, Canada

**Toll-Free** 1 800 862-3822

Tel.: 1 (450) 616-8100

Fax: 1 (450) 616-8103

E-Mail: [info@allianzmadvac.com](mailto:info@allianzmadvac.com)

Web: [www.allianzmadvac.com](http://www.allianzmadvac.com)