

Hako

Clean ahead

**Superior technology
for individual transport logistics**

Powerful electro-transporter in the 2-ton range: Hako-Cargo 2000



Specialized in quick, environmentally-friendly transportation. High level of drive comfort at the front – grows with the tasks at the rear.

**Individual
attachments
and equipment
versions!**

Hako Cargo 2000 – can be used anywhere where heavy objects have to be transported and moved with ease...



Whether you are transporting flowering plants in greenhouses or high tech equipment for high speed trains or have to move double-deckers or packaged loads, Hako has economical solutions for transport logistics.

A high degree of manoeuvrability with heavy loads in the most confined spaces is just one of the strengths of the Hako Cargo. It can also transport goods at an impressive speed of 16 km/h over long stretches. The Hako Cargo is ideal for noise-sensitive areas. Added to this the wide range of transporters and tow tractors of various capacities, the head start in terms of experience with battery electric drive and the quality standards of Hako-Werke.

Extremely economical:

- Excellent price/performance ratio
- Efficient modular system and speedy spare parts supply
- Low level of breakdowns
- Advice on methods of finance whether purchase, hire or leasing

High level of drive comfort:

- Parallel connection technology
- Hydraulic steering
- Extreme full steering lock
- Outer radius 3.200 mm
- Progressive suspension
- Hydraulic brake system
- Adjustable steering column
- Lighting kit suitable for use on roads
- Comfort cab with integrated collision protection



Data, facts, options at a glance:

Electro-transporter

Hako-Cargo 2000



Voltage	48 V
Battery	480 Ah
Motor capacity	2 x 6 kW-parallel-connection
Length	3.500 mm
Width	1.330 mm
Height/with cab	1.350/1.950 mm
Ground clearance	150 mm
Outer radius	3.200 mm
Tyres/air (pneumatic)	6.00-9 6 PR
Brakes	Hydraulic working brakes acting on rear and front axles, functional brake on motor
Unladen weight	970 kg
Loading area	2.200 x 1.250 mm
Useful load (payload)	2.500 kg
Trailer load (towing)	5.000 kg
Speed	16 km/h
Climbing ability laden/unladen	12 %/22%
Steering	Zappi-Impulse

In the interest of technical development we reserve the right to alter equipment without prior notice



Different kind of attachments available e.g. with hydraulic loading side, list table.



No matter what you have to hook up and transport, we manufacture trailers to suit your particular application.

In order to optimize your transport logistics we supply trailers, which we manufacture ourselves. With stub axle or turntable steering. With different loading areas for loads of 1 ton to 5 tons as well as overlengths and special attachments for specialist and standard transport tasks.



Turntable steering



Stub axle steering



Hako
Clean ahead

Hako-Werke GmbH
Hamburger Str. 209-239
D-23843 Bad Oldesloe
Tel.: ++49 4531 806-0
Fax: ++49 4531 806-338
Internet: www.hako.com
e-mail: info@hako.com



The Hako sales and service depots are always close at hand.