

stertil **KONI**
SKYLIFT



The Sky's the limit...



The Stertil-Koni SKYLIFT is the ultimate lift in terms of efficiency, versatility and safety. Here's why...

Stertil Koni has revolutionized the heavy duty lifting market. No matter what vehicle or application: Stertil Koni has the answer. Stertil-Koni is the world market leader on mobile column lifts and preferred supplier of the world's top brands in the truck and bus industry.

Main characteristics of the Stertil-Koni SKYLIFT:

Stertil-Koni SKYLIFT

- Vertical lifting
- No overhang
- No crossbeams
- Locking from floor level
- Free access from all sides
- No base frame
- Minimal horizontal forces
- Minimal maintenance
- Easy installation
- Easily movable



This revolutionary lift takes heavy duty lifting to a different level. Until now it was not possible to have a heavy duty lift that has it all: no crossbeams, complete accessibility from all sides, no base frame, locking from floor level and vertical lifting. Welcome to the lift that will change your workshop...



The Sky's the limit...

The lift comes standard in the following sizes and capacities:

Type	Capacity (lbs)	Available platform lengths (")
SKY 200	45,000	22'-11 1/2" - 26'-3" 29'-6 1/2" - 32'-9 1/2"
SKY 250	55,000	26'-3" - 32'-9 1/2" 39'-4 1/2" - 47'-7"

Every Stertil-Koni SKYLIFT can be fitted with a 49 1/4" extension piece on each side. This can be done either because longer vehicles need to be serviced or if a play detector needs to be mounted on the lift.

All Stertil-Koni SKYLIFT models can be installed fully flush mounted for optimal space utilization.






Why the modern workshop needs a Stertil-Koni SKYLIFT

- **Multi purpose:** a large variance of vehicles can be lifted.
- **Optimal space utilization:** vertical lifting, thus saving valuable working space. No overhang.
- **Maximum access to the vehicle from all sides:** no tripping hazard, clear floor access from all sides.
- **Maximum safety:** independent mechanical and hydraulic locking system from floor level to maximum height. Unique synchronization system: each leg is equipped with an individual measuring device, which ensures a smooth and level synchronization within tight tolerances.
- **Flexible:** surface- and flush mounted models available, both models have a lifting height of 69".



Possible lift configurations



Operational features:


- Lifting height: 69"
- Lifting time: 90 sec.
- Programmable height
- 24V control cabinet
- On board diagnostics
- Ability to manually lower the lift in case of a power cut



Washbay version

Options:

- Jacking beam: available capacities: 12t & 16t
- Washbay model
- Pneumatic connection
- 2-Speed lowering
- Remote control
- LED lighting
- Anti slip protection



* Flexible measurements dependent on customer requirements

More information?

For more specific information about the Stertil Koni SKYLIFT or one of the other quality products from Stertil Koni, please contact us.

SKYLIFT 0908-V1 / Stertil is a registered trademark of Stertil B.V.
We reserve the right to make changes in specifications without notice and without making changes retroactive.



Stertil-Koni U.S.A. Inc., 200 Log Canoe Circle, Stevensville, Maryland 21666

Tel. 410-643-9001 Toll free 800-336-6637 Fax 410-643-8901 www.stertil-koni.com E-mail: lifts@stertil.com



A member of the Stertil Group