

Hakomatic B 910



Slim line, manoeuvrable, efficient.

Contract Cleaning

Hakomatic B 910

Compact, quick and safe.

Uncompromising, powerful basic and maintenance cleaning combined with a high degree of drive comfort are features of this scrubber-drier.

- Powerful pre-sweep unit in front of the scrubbing brush (option) for collecting loose dirt in dry areas.
- As a result of the slim and compact construction the machine is able to pass each door. Clearance width 70 cm.
- Connection for handheld scrubbing and vacuuming tool for cleaning corners easily.

- The centralized arrangement of the driver's seat guarantee an optimum view of the working area. (3)
- Very easy operation: the green Hakomatic button starts all working functions by pushing a single button. 4
- The parabolic squeegee ensures an excellent suction result on all floors and during cornering.

Further advantages:

The "Hako Control System": the machine is programmed according to your requirements. E.g. brushes and water stop when working process is interrupted.

- Up to 50% saving in terms of water and cleaning agent as a result of the Hako Aqua Stop System.
- Electronic diagnostic system for considerable savings in terms of service.
- Powerful and efficient drive motor with power reserves for gradients up to 10%.





- Up to 40% cost saving as a result of the pre-sweep; no additional sweeper necessary.
- Access to cockpit from both sides possible. 3
 All operating elements are on a direct view and reach.
 Adjustable driver's comfort seat for convenient and fatigue-free work.
- Convenient change of brushes and pads without using any tools.
- Easy access to the battery system with quick change system (option).
- Large flexible wall tank with 140 I volume.
 Outlet hoses with dosage device for quick emptying.
- As a result of the brushes, which protrude to both sides and the suspended, free-floating squeegee, working close to the edge is no problem.
- Extremely manoeuvrable. The turning radius of only 120 cm makes cleaning possible – even in narrow aisles/corridors. (0)
- Hakomatic B 910 For perfect maintenance or basic cleaning. Extremely manoeuvrable, compact, easy handling, powerful and efficient.



Hakomatic B 910

Technical Data

Hakomatic B 910		Hakomatic B910	
Working width Squeegee width (option) Area performance, theor. Working speed, up to Running time, up to Rated voltage Protection class (VDE 0700-72) Air flow, vacuum	cm 88 cm 110 (96 m²/h 5300 km/h 6 h 4 V 24 III m³/h 118 mbar 170	Power/output, brush motor Power/output, suction motor Number of brushes Brush diameter Brush revolutions Brush pressure, up to Specific brush pressure Flexible wall tank Climbing ability	W 820 W 550 Units 2 cm 46 rpm 240 kg 60 N/cm² 0,25 Litres 140 % 10
Pressure Power/output, drive motor	W 820	Specific wheel pressure, front/ rear	N/mm ² 0,44/0,62
Dimensions: Length with squeegee Length with squeegee/ sweeper Width without/with squeegee (Option) Height above driver's seat	cm 191 cm 237 cm 93/110 cm (96) cm 137		
Unladen weight, without batteries Weight, ready for operation	kg 365 kg 760		

We reserve the right to change the shape, colour and design in the interests of continued technical development. The machines in the photographs may include special features.

Everything speaks for Hako:



Cleanliness with safety. Hako machines adhere to strict quality regulations/standards -"Quality made by Hako". We also take care of what we sell world-wide



Sales, hire, leasing, rental. With Hako, you can plan your capital expenditure on a completely individual basis. You can enter into short-term, today and have the parts tomorrow! medium-term or long-term agreements So you can get on again as quickly with regard to machine usage.



Round-the-clock service and express spare parts delivery - order as possible.



We are there for you day and night. Close to you, wherever you are. The unsurpassed close-knit Hako sales and service network means we are always close at hand a bonus when you need us. Convince yourself.



Hako-Werke GmbH Hamburger Straße 209-239 D-23843 Bad Oldesloe, Germany Telephone: +49 45 31 8 06-0 Fax: +49 45 31 8 06-3 38 e-mail: info@hako.com www.hako.com

