



WPR-I401 - Wireless 900 MHz Receiver with Dry Contact Closure



WPRP-I575

The **WPR-I401 Wireless 900MHz Receiver with Dry Contact Closure** is designed to provide normally open or normally closed dry contact closure when a signal is received from a compatible wireless 900 MHz transmitter.

The WPR-I401 can be used with a main wireless paging controller, such as the **VS4800** or **VNS5100**. The WPR-I401 can signal the main paging controller of the dry contact closure status and generate automated text, audio or visual alerts to pagers, alphanumeric displays, speakers, strobe lights, e-mail and telephone subscribers.

Key Features:

- Single Dry Contact Closure
- Supervises One 900MHz Transmitter
- Select Normally Open or Normally Closed Configuration for Transmitter
- Program the Transmitter without a Programmer from Default Information Stored in Receiver

Options, Accessories and Complementary Products:

Part Number	Description
WPT-I203	Wireless 900 MHz One-Button Pendant Transmitter
WPT-I205	Wireless 900 MHz One-Button Pendant Transmitter
WPT-I210	Wireless 900 MHz Universal Transmitter
WPT-I210W	Wireless 900 MHz Door/Window Transmitter
WPT-I214	Wireless 900 MHz Four-Button Pendant Transmitter
WPT-I223	Wireless 900 MHz One-Button Pendant Transmitter
WPRP-I575	Wireless 900 MHz Repeater

Specifications:

Dimensions	6.4" x 3.5" x 1.1" (W x H x D)	Humidity	Up to 90% Relative Humidity, Non-Condensing
Weight	1.35 lbs.	Frequency Range	900 MHz
Power	11 - 14V DC Power Supply	Output Relay	Form C, 2A @ 120V AC, 2A @ 300V DC
Color	Gray	Limited Warranty	One Year Parts and Labor
Operating Temperature	32° - 120°F		

*Specifications Are Subject to Change Without Notification