



High-quality, architecturally pleasing, innovative access doors for walls, ceilings, ducts, floors and roofs



VALVE BOXES - Recessed ARVB

Application

- Provides easy access to all types of valves and controls that need to be concealed in the wall, but protected by a fully enclosed box

Product Features

- The depth of the valve box can be modified to meet all the valve and control requirements
- When required, vision panels, louvers, engraved plates can be supplied, along with special holes for pipes or conduits

ARVB Valve Box Specifications:

Box Material: Stainless Steel or Steel: 16 gauge door, frame, box

Box Door: Flush to frame — rounded safety corners

Box Frame: One piece outer flange welded to box

Box: Fully enclosed, completely attached to frame. When required, box can be made with open back.

Box Hinge: Continuous, concealed

Box Latch: Cylinder lock & key. Also available: screwdriver operated cam latch, spanner head cam latch, flush paddle handle, thumb turn latch.

Box Finish: Stainless Steel: #4 satin polish. Steel: 5 stage iron phosphate preparation with prime coat of White alkyd baked-on enamel



STANDARD SIZES (Special sizes available upon request)

| NOMINAL DOOR SIZE W X H | | WEIGHT PER DOOR | | |
|-------------------------|-----------------|-----------------|------|-----|
| inches | mm | Latches | lbs. | kg. |
| 8 X 8 X 4 | 203 X 203 X 101 | 1 | 5 | 2.3 |
| 8 X 8 X 6 | 203 X 203 X 152 | 1 | 7 | 3.2 |
| 8 X 8 X 8 | 203 X 203 X 203 | 1 | 9 | 4.1 |
| 12 X 12 X 4 | 305 X 305 X 101 | 1 | 9 | 4.1 |
| 12 X 12 X 6 | 305 X 305 X 152 | 1 | 12 | 5.5 |
| 12 X 12 X 8 | 305 X 305 X 203 | 1 | 14 | 6.4 |

Wall opening is $W + 3/8"$ (9 mm)

For detailed specifications see submittal sheet

