

## SOLID PHENOLIC CORE

### OPTIONAL FEATURES:

- 1" (25mm) thick stiles
- Continuous stainless steel hinge or three hinges per door
- Continuous Aluminum adjustable hinge
- Continuous stainless steel or aluminum wall brackets
- Cast chrome plated non-ferrous Zamac hardware
- Euroline™ hardware (See page 17)
- Class A fire rating

Ampco's Solid Phenolic compartment systems provide the best value available with strength, durability, color, finish selection, and design flexibility.

For high traffic public buildings, schools, and institutional facilities. A virtually indestructible core makes it suitable for wet areas.

#### Material Characteristics:

- Good machinability
- Best Value
- Lightweight
- Heat and wear resistant
- Resists corrosion and chemicals
- Good mechanical strength & dimensional stability
- Low moisture absorption
- Virtually indestructible core
- Recommended for high traffic and high humidity



### CONSTRUCTION FEATURES:

- 3/4" (19mm) thick stiles and doors
- 1/2" (12mm) thick panels and screens
- Heavy duty cast stainless steel door hardware and stamped stainless steel bracket hardware
- Polished black edges
- Class B fire rating

### STRENGTHS

- Durable Material
- Good Moisture Resistance
- Extensive Color Selection

## PHENOLIC CORE WITH PVC EDGING

With Ampco's 3 mm PVC/ABS edge tape, you can color-match your component edging with the corresponding surface. The tape is structurally bonded to the phenolic core material.

Choose from an array of colors and patterns to enhance your overall design aesthetic. Apart from simply being pleasing to the eye, the tape provides superior edge protection.

Solid phenolic core toilet partition material and 3 mm PVC/ABS edge tape provides the best value for your system and specifications.

