




clary.icon>
Working together

Canvas™ 60

Clary Icon Canvas 60 is a high-resolution 60” interactive video whiteboard that offers unprecedented collaboration opportunities.

- 1** Large 60-inch flat panel multi-touch display
- 2** Multi-touch digital interactive whiteboard with powerful Hitachi StarBoard software and gesture support
- 3** Wireless tablet for remote sharing and additional level of interactivity
- 4** Wireless keyboard with track pad for enhanced interactivity
- 5** Optional mobile cart with a convenient tray for input devices



Clary Icon Canvas 60 with optional mobile cart

PRODUCT HIGHLIGHTS

Highly responsive Infrared sensor

Navigate through Windows just like you would on a PC—with touch functionality

Advanced handwriting recognition

Browse the internet and use finger gestures to achieve tasks

Accurate shape recognition with the included Intellipen

Share information with colleagues around the world in real time with the interactive conferencing feature.

Built-in conferencing and screen sharing capability for enhanced collaboration between starboard users

Seamlessly connect to your preferred online search engines, for prompt information retrieval.

Great integration with web browsers and search engines

Import frequently used documents, digital content, and motion video

Powerful StarBoard software that allows you to present, annotate and share information

Drag and drop images instantly into StarBoard software.

Interactive business presentations and classroom lessons

Instantly convert freehand notes into text with the text pen.

TECHNICAL SPECIFICATIONS

VIDEO

Screen Size Class (diagonal)	60"
Resolution	Full HD 1080 (1920 x 1080p)
Dynamic Contrast Ratio	3,000,000:1
Refresh Rate	600Hz Sub Field Driving
Broadcasting System	ATSC/NTSC/Clear
Aspect Ratio	16:9
ISM (Image Sticking Minimization)	Orbiter/Color Wash
Aspect Ratio Correction	5 Modes (16:9/Just Scan/Set by Program/4:3/Cinema Zoom)
Picture Mode	7 Modes (Vivid/Standard/APS/Cinema/Game/ISF Expert 1/ISF Expert 2)
Professional Calibration	ISFccc Ready

AUDIO HARDWARE

Speakers	Mono/Stereo/Dual (MTS/SAP)
Surround Sound	Yes
Speaker System	1 Way 2 Speakers
Audio Output	10W + 10W

TOUCH SCREEN

Sample Rate	Up to 200 fps
Report Resolution	32,768 x 32,768
Touch Points (Simultaneous)	6 points
Touch Method	Finger, stylus, gloved hand
Finger Touch Accuracy	2.5mm

INTERFACE CONNECTIONS

Inputs	1xRF, 2xAV, 1xComponent, 3xHDMI, 1xRGB, 1xPC Audio, 1xRemote Control, 1xAudio Line
Outputs	1xDigital Audio, 2xAnalog Headset Jack, 1xVGA, 1xeSATA, 1xDisplay Port
Ports	1xRJ-45, 3xUSB, 1xRS-232

POWER SUPPLY

Power Supply (Voltage, Hz)	AC 120V, 60 Hz
----------------------------	----------------

DIMENSIONS / WEIGHT

Display with bezel (WxHxD)	55" x 32.88" x 3.25"
Display without bezel (WxH)	52.38" x 29.63" (60" viewable area)
Weight (without stand)	95 lbs., 132 lbs. (with accessories)

SOFTWARE REQUIREMENTS

(Requires external PC)

OPERATING SYSTEM

Operating System	Genuine Windows 7 Professional
Operating System Architecture	64-bit

STARBOARD SOFTWARE

User Interface	Software tools are readily accessible through multiple menu options.
Conference Feature	Collaborate and conference with colleagues around the globe.
External Applications	Create toolbar shortcuts to popular software applications.
Google™ Image Integration	Drag and drop images instantly into StarBoard software.
Customizable Search Engines	Add up to 4 search engines directly into the software.
Handwriting Recognition	Instantly convert freehand notes into text with the text pen.
Customizable Interface	Customize your toolbar and screen layout to suit your needs.