▼ NE1F Series 23" OR 28" DEPTHS

Covered vented bottom panel provides additional space for mounting components, but can be easily removed for cable entry or filtered fan intake panel for cooling components. Shown with optional floor levelers installed. Floor levelers, casters and doors ordered separately.

RAXXESS™ E1 SERIES

FEATURES

V RACKBUILDER™ DELIVERED Order this rack preloaded through RackBuilder™ Delivered. Details on page 154.

CUSTOMIZABLE

Adjustable depth front and rear rack rails along with seal-able vent openings to quickly create the rack you need.

SMART PACKAGING

Packaged with padding that stays on the rear of the rack after other packaging is removed so the rack can be safely laid on the floor to load heavy components.

EASY-TO-ADD ACCESSORIES

Steel flanged blanking panels at the top are easily removed to accept any two 3U fans or panels.



E1 SERIES

RACKS

Model	Rack Height	Overall Depth	Usable Depth	Width	Height	Height with Casters
NE1F2023	20	23" (584 mm)	20.25" (514 mm)		42" (106.6 cm)	43.4" (110 cm)
NE1F2028	20 space	28" (711 mm)	25.25" (641 mm)			
NE1F2823	20	23" (584 mm)	20.25" (514 mm)		55.9" (141.9 cm)	57.4" (145.7 cm)
NE1F2828	28 space	28" (711 mm)	25.25" (641 mm)	23.5" (597 mm)		
NE1F3623	70	23" (584 mm)	20.25" (514 mm)		69.9" (177.5 cm)	71.3" (181.1 cm)
NE1F3628	36 space	28" (711 mm)	25.25" (641 mm)			
NE1F4423	44 50200	23" (584 mm)	20.25" (514 mm)		83.9" (213 cm)	85.3" (216.6 cm)
NE1F4428	44 space	28" (711 mm)	25.25" (641 mm)			

E1 SERIES

ACCESSORIES



E1 Steel Rack Door (front or rear) Options					
Model	Rack Height	Туре			
NE1D20S	20 space	Solid Steel			
NE1D28S	28 space	Solid Steel			
NE1D36S	36 space	Solid Steel			
NE1D44S	44 space	Solid Steel			



▼ E1 Plexi Rack Door (front or rear) Options					
Rack Height	Туре				
20 space	Plexi				
28 space	Plexi				
36 space	Plexi				
44 space	Plexi				
	Rack Height 20 space 28 space 36 space				



V	E1 Perforated Steel Rack Door (front or rear) Options			
Model	Rack Height	Type		
NE1D20F	20 space	Perforated Steel		
NE1D28F	28 space	Perforated Steel		
NE1D36F	36 space	Perforated Steel		
NE1D44F	44 space	Perforated Steel		



Accessories available to order preloaded via RackBuilder™ Delivered.

More universal rack accessories available on page 174.

RAXXESS™ F1 SERIES

FEATURES



RACKBUILDER™ DELIVERED

Order this rack preloaded through RackBuilder $^{\text{\tiny{TM}}}$ Delivered. Details on page 154.

FULLY ASSEMBLED RACK

Ships with large 4" (101 mm) lockable casters that can be installed for easy maneuverability. Reversible swing front and rear doors add flexibility.

SLEEK AESTHETICS

Great solution for boardrooms and video conferencing with several available finishes (Black, Maple and Mahogany).

THERMAL MANAGEMENT

Two steel flanged blanking panels in the rear door are easily removed to accept any 3U fans or panels.

▼ YF1F Series 30" DEPTH

Steel frame core for strength, stability and to prevent caster tear-outs.


Model	Rack Height	Overall Depth	Usable Depth	Width	Height	Height with Casters	Finish
YF1F1228B	12 space				29.7" (754 mm)	34" (863 mm)	3
YF1F1228M							M
YF1F1228H							•
YF1F2028B	20 space			26.6" (677 mm)	43.7" (111 cm)	48" (121.9 cm)	3
YF1F2028M			25.3" (642 mm)				M
YF1F2028H							•
YF1F2828B							3
YF1F2828M	28 space				57.7" (146.5 cm)	62" (157.4 cm)	M
YF1F2828H					((107.1 (111)	(1)



F1 SERIES

ACCESSORY







More universal rack accessories available on page 174.