






FIXED TV WALL MOUNTS

FUSION™ FIXED MOUNT FEATURES

 **CONTROLZONE™ LEVELING**
 Post-installation fine-tuning of height and leveling eliminates time needed for repositioning the mount and adjusts the entire configuration, not just the TV.

 **CENTERLESS™ SHIFT**
 Generous post-installation lateral shift allows for perfect display positioning.

 **CLICKCONNECT™**
 Tool-less latching makes an audible click when a Fusion mount is safely engaged with the screen.



CONTROLZONE™ LEVELING



CENTERLESS™ SHIFT



CLICKCONNECT™

XSMU 55 - 82" MICRO-ADJUST MOUNT



For extra large displays with wide and/or tall mounting patterns.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Max. Lateral Shift	Height Adjust	Stud Compatibility
250 lbs (113.4 kg)	16.5 x 48.4 x 2.3" (419 x 1230 x 57 mm)	200 x 200 - 1230 x 660 mm	23.5" (597 mm)	1" (25 mm)	24 - 48"



LSMU 37 - 63" MICRO-ADJUST MOUNT



Our top performing fixed mount fits most displays on the market.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Max. Lateral Shift	Height Adjust	Stud Compatibility
200 lbs (90.7 kg)	16.5 x 34.4 x 2.0" (419 x 875 x 50 mm)	100 x 100 - 879 x 505 mm	17.5" (445 mm)	1" (25 mm)	12 - 34"



LSAU 37 - 63" WALL MOUNT



This option without micro height adjustment is ideal for installs using Chief connector kits for multi-display applications.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Max. Lateral Shift	Height Adjust	Stud Compatibility
200 lbs (90.7 kg)	13.2 x 34.4 x 2.0" (335 x 875 x 50 mm)	100 x 100 - 879 x 505 mm	17.5" (445 mm)	N/A	12 - 34"



MSMU 26 - 47" MICRO-ADJUST MOUNT



The single wall plate can accommodate single or dual stud installations.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Max. Lateral Shift	Height Adjust	Stud Compatibility
125 lbs (56.7 kg)	16.5 x 25.4 x 2.0" (420 x 646 x 50 mm)	100 x 100 - 650 x 400 mm	14.5" (368 mm)	1" (25 mm)	Single Stud, 16"



MSAU 26 - 47" WALL MOUNT



This option without micro height adjustment is ideal for installs using Chief connector kits for multi-display applications.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Max. Lateral Shift	Height Adjust	Stud Compatibility
125 lbs (56.7 kg)	13.5 x 25.4 x 2.0" (343 x 646 x 50 mm)	100 x 100 - 650 x 400 mm	14.5" (368 mm)	N/A	Single Stud, 16"



FUSION™ FIXED MOUNT ACCESSORIES



FLR100	Weight Capacity	Compatibility
Left/Right Speaker Adapter	20 lbs (9.1 kg)	Fusion Fixed & Tilt Wall Mounts



FCC100	Weight Capacity	Compatibility
Center Channel Speaker Adapter	20 lbs (9.1 kg)	Fusion Landscape Fixed & Tilt Wall Mounts



FCA100	Equipment Depth Range	Compatibility
CAT5/Surge/CPU Adapter	0 - 1.8" (0 - 46 mm)	Fusion Fixed & Tilt Wall Mounts



FCA102	Equipment Depth Range	Compatibility
Secure CPU/Media Player Adapter	0 - 1.63" (0 - 41 mm)	Large & Extra Large Fusion Wall Mounts



FCA103	Compatibility
CPU Extender Accessory	All Fusion Wall Mounts



FCA101	Compatibility
Lock-Down Collar	Fusion Fixed & Tilt Wall Mounts



FCK000/008/016	Compatibility
Connector Kits	Fusion Fixed & Tilt Wall Mounts
Model	Width
FCK000	Adds zero length to the poles
FCK008	8" (203 mm)
FCK016	16" (406 mm)



FCS100	Dimensions (WxD)	Weight Capacity	Compatibility
Component Shelf	18 x 13.2" (457 x 335 mm)	20 lbs (9.1 kg)	Fusion Landscape Wall Mounts



FCD100	Compatibility
Stackable Component Shelf	Fusion Landscape Wall Mounts



FCA104	Compatibility
Component Shelf Extender	FCS100, FVS100, FVS150, FCC100, FCD100



FVS100/150	Compatibility	
Video Conference Camera Shelves - Below	Fusion Landscape Wall Mounts	
Model	Dimensions (WxD)	Weight Capacity
FVS100	8 x 13.2" (203 x 335 mm)	10 lbs (4.5 kg)
FVS150	12 x 13.2" (305 x 335 mm)	10 lbs (4.5 kg)




FVS200/250/251	Compatibility	
Video Conference Camera Shelves - Above	Fusion Landscape Wall Mounts	
Model	Dimensions (WxD)	Weight Capacity
FVS200	8 x 7.1" (203 x 180 mm)	10 lbs (4.5 kg)
FVS250	12 x 7.1" (305 x 180 mm)	10 lbs (4.5 kg)
FVS251	14 x 7.1" (356 x 180 mm)	10 lbs (4.5 kg)



FVS300/350	Compatibility	
Video Conference Camera Shelves - Center	Fusion Fixed & Tilt Wall Mounts	
Model	Dimensions (WxD)	Weight Capacity
FVS300	8 x 7" (203 x 178 mm)	10 lbs (4.5 kg)
FVS350	12 x 7" (305 x 178 mm)	10 lbs (4.5 kg)

FUSION™ FIXED MOUNT ACCESSORIES



PAC525FC	Dimensions (HxWxD)	Compatibility
Small Multi-Depth Wall Box	9 x 14.25 x 3.9" (229 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PAC526FC	Dimensions (HxWxD)	Compatibility
Large Multi-Depth Wall Box	14.25 x 14.25 x 3.9" (362 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PAC511	Dimensions (HxWxD)	Compatibility
Retrofit Pre-Wire In-Wall Box	18.4 x 16.9 x 3.4" (467 x 419 x 87 mm)	All Chief Wall Mounts



PAC516	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	15.5 x 14.5 x 3.5" (394 x 368 x 89 mm)	All Chief Wall Mounts





PAC522	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	7.8 x 14.5 x 3.5" (197 x 368 x 89 mm)	All Chief Wall Mounts




PAC521P	Dimensions (HxWxD)	Compatibility
In-Wall Box with Power Outlet Conditioner	11.5 x 7.4 x 3.8" (292 x 188 x 97 mm)	All Chief Wall Mounts

THININSTALL™ FIXED MOUNT FEATURES

 **ULTRA-LOW PROFILE**
At less than the width of a penny, these mounts provide an ultra-thin profile to showcase any flat-screen display.

 **GLIDE LOCK™**
Tool-less latching with a sliding flag for fast installation.

 **CABLE KICKSTAND**
A kickstand makes cable access convenient while the open wall plate allows for easy electrical placement behind the display.



GLIDE LOCK™ LATCH



CABLE MANAGEMENT

LSTU 37 - 63" ULTRA-LOW PROFILE



Thinner than the diameter of a penny, this versatile mount is great for ADA compliance requirements.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
125 lbs (56.7 kg)	24.7 x 35.7 x 0.4" (628 x 907 x 10 mm)	200 x 200 - 800 x 500 mm	16", 20", 24"



MSTU 26 - 47" ULTRA-LOW PROFILE




Accommodates different mounting patterns than the LSTU and allows for landscape and portrait orientations.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
125 lbs (56.7 kg)	20.9 x 27.8 x 0.4" (530 x 706 x 10 mm)	100 x 100 - 600 x 400 mm	16"



THININSTALL™ FIXED MOUNT ACCESSORIES



PAC525FC	Dimensions (HxWxD)	Compatibility
Small Multi-Depth Wall Box	9 x 14.25 x 3.9" (229 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PAC526FC	Dimensions (HxWxD)	Compatibility
Large Multi-Depth Wall Box	14.25 x 14.25 x 3.9" (362 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PAC511	Dimensions (HxWxD)	Compatibility
Retrofit Pre-Wire In-Wall Box	18.4 x 16.9 x 3.4" (467 x 419 x 87 mm)	All Chief Wall Mounts



PAC516	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	15.5 x 14.5 x 3.5" (394 x 368 x 89 mm)	All Chief Wall Mounts



PAC522	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	7.8 x 14.5 x 3.5" (197 x 368 x 89 mm)	All Chief Wall Mounts



PAC521P	Dimensions (HxWxD)	Compatibility
In-Wall Box with Power Outlet Conditioner	11.5 x 7.4 x 3.8" (292 x 188 x 97 mm)	All Chief Wall Mounts

OTHER FIXED WALL MOUNTS

PSMH OVER 60" HEAVY DUTY MOUNTS



A heavy-duty series of mounts for extra large flat panels with custom solutions available.

Model	Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
PSMH2840	300 lbs (136 kg)	25 x 36.4 x 2.9" (635 x 924 x 74 mm)	400 x 400 - 800 x 400 mm	16", 24"
PSMH2841	275 lbs (124.7 kg)	21 x 19.5 x 1.3" (533 x 495 x 32 mm)	400 x 400 mm	16"

Visit chiefmfg.com for additional PSMH model specifications.



RXF2 40 - 63" WALL MOUNT



A very low profile Fit™ solution for extra large displays with wide mounting patterns.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
175 lbs (79.4 kg)	20.5 x 38.0 x 0.8" (521 x 965 x 20 mm)	200 x 100 - 855 x 500 mm	16", 24"



RLF2 32 - 52" WALL MOUNT



This popular Fit™ mount accommodates most common screens and provides a very low profile installation.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
125 lbs (56.7 kg)	16.5 x 30.8 x 0.8" (419 x 781 x 20 mm)	100 x 100 - 670 x 400 mm	16", 24"



RMF2 26 - 42" WALL MOUNT



This Fit™ solution is best for displays with smaller mounting patterns and allows for low profile landscape and portrait installations.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
125 lbs (56.7 kg)	16.5 x 22.0 x 0.8" (419 x 559 x 20 mm)	100 x 100 - 445 x 400 mm	16"



FSR 10 - 32" WALL MOUNT



A simple wall mount for small displays. The ultra low profile allows for portrait or landscape options with Q-Latch™ mounting system.

Weight Capacity	Dimensions (HxWxD)	Mounting Patterns (WxH)	Stud Compatibility
45 lbs (20.4 kg)	7.0 x 6.0 x 0.8" (178 x 152 x 19 mm)	75 x 75 - 200 x 100 mm	Single Stud



OTHER FIXED WALL MOUNT ACCESSORIES



PACLK1	Compatibility	
Cable Lock Accessory	Fit™ Series Fixed Wall Mounts	



PAC125/PAC126	Compatibility	
Lateral Shift Accessory - 28" (711 mm) / 36" (914 mm)	Chief Fixed & Tilt Wall Mounts	



PAC525FC	Dimensions (HxWxD)	Compatibility
Small Multi-Depth Wall Box	9 x 14.25 x 3.9" (229 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PAC115/116/117	Compatibility	
Metal Stud Anchor Kits (Qty 4/8/28)	Fusion™ and Fit Wall Mounts & Thinstall™ Dual Stud Swing Arm Mounts	



PAC526FC	Dimensions (HxWxD)	Compatibility
Large Multi-Depth Wall Box	14.25 x 14.25 x 3.9" (362 x 362 x 99 mm)	All Chief Wall Mounts; Standard & 2.5" (64 mm) depth studs



PX2W	Compatibility	
Power Filtering & Surge Protection Accessory	All Chief Wall Mounts	



PAC511	Dimensions (HxWxD)	Compatibility
Retrofit Pre-Wire In-Wall Box	18.4 x 16.9 x 3.4" (467 x 419 x 87 mm)	All Chief Wall Mounts



PACPC1	Compatibility	
Power Filter Kit	All Chief Mounts	



PAC516	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	15.5 x 14.5 x 3.5" (394 x 368 x 89 mm)	All Chief Wall Mounts



PAC390	Compatibility	
Office Furniture Flat Panel Wall Adapter	Chief Fixed & Tilt Wall Mounts	



PAC522	Dimensions (HxWxD)	Compatibility
Pre-Wire In-Wall Box	7.8 x 14.5 x 3.5" (197 x 368 x 89 mm)	All Chief Wall Mounts



PAC392B	Compatibility	
Universal Flat Panel Slat Wall Accessory	Fit Series Fixed & Tilt Wall Mounts	



PAC521P	Dimensions (HxWxD)	Compatibility
In-Wall Box with Power Outlet Conditioner	11.5 x 7.4 x 3.8" (292 x 188 x 97 mm)	All Chief Wall Mounts

OTHER FIXED CPU MOUNTS

PAC260 SERIES DIGITAL MEDIA PLAYER MOUNTS

Ideal for mounting small digital media players, CPUs or video conferencing codecs with mounting options for wall, pole or direct-to-display.

Model	Mounting Option	Weight Capacity	Dimensions (HxWxD)	Max. Equipment Size	Pole Diameter Range
PAC260W	Wall	30 lbs (13.6 kg)	8.96 x 7 x 2.58" (228 x 178 x 66 mm)	10 x 10 x 4" (254 x 254 x 355 mm)	N/A
PAC260P	Pole		8.96 x 7 x 4.16" (228 x 178 x 106 mm)		1.5 - 1.95" (38 - 49 mm)
PAC260D	Direct-to-Display (100 x 100 mm)		8.96 x 7 x 1.76" (228 x 178 x 45 mm)		N/A



PAC261 SERIES DIGITAL MEDIA PLAYER & POWER BRICK MOUNT

Includes the same mounting options as the PAC260 Series, but each model also includes a power brick mount.

Model	Mounting Option	Weight Capacity	Dimensions (HxWxD)	Max. Equipment Size	Pole Diameter Range
PAC261W	Wall	30 lbs (13.6 kg)	12.07 x 7 x 2.58" (307 x 178 x 66 mm)	10 x 10 x 4" (254 x 254 x 355 mm)	N/A
PAC261P	Pole		12.07 x 7 x 4.16" (307 x 178 x 106 mm)		1.5 - 1.95" (38 - 49 mm)
PAC261D	Direct-to-Display (100 x 100 mm)		12.07 x 7 x 1.76" (307 x 178 x 45 mm)		N/A



PAC101 COMPONENT WALL SHELF

Provides a fast and simple wall installation for CPUs and other components.

Weight Capacity	Dimensions (HxWxD)	Installation Option	Color
20 lbs (9.1 kg)	2.2 x 14 x 10.4" (55 x 356 x 264 mm)	Single Stud	S B



FIXED CPU MOUNT ACCESSORY



PAC103	Compatibility
Accessory Shelf Safety Strap	PAC101