







WALL MONITOR MOUNTS


KONTOUR™ K1 SERIES WALL MOUNT
FEATURES


- 

HEAVY DUTY DESIGN
Features sleek and solid forged aluminum arms.
- 

ULTIMATE FLEXIBILITY
Gas-spring technology provides smooth dynamic height adjustment up to 13" (330 mm) and enables ideal monitor positioning.
- 

FAST INSTALLATION
Simple 3-step installation and integrated quick-connect interface for easy mounting and maintenance.
- 

CABLE MANAGEMENT
Tool-free cable management covers create a clean, professional look.
- 

CENTRIS® EXTREME TILT
Tilts +75°/-10° for an ultimate ergonomic solution.
- 

MOUNTING PATTERN
Compatible with 75 x 75 mm and 100 x 100 mm VESA patterns.

K1W220 DUAL MONITOR WALL MOUNT



Featuring flexible dual-link arms, this dynamic mount securely attaches two monitors.

Minimum Depth from Wall	Maximum Extension	Weight Capacity (per monitor)	Colors
2.5" (62 mm)	20.7" (525 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B




K1W22H DUAL MONITOR WALL ARRAY



Securely holds two monitors on an array bar allowing for perfect alignment and low-profile placement. Flexible dual-link arm.

Minimum Depth from Wall	Maximum Extension	Weight Capacity (per monitor)	Maximum Display Width	Colors
3.1" (79 mm)	20.8" (529 mm)	2 - 9 lbs (0.9 - 4.08 kg)	24.9" (632 mm)	S B



K1W120 SINGLE MONITOR WALL MOUNT



Dynamic mount securely attaches a single monitor. Features flexible dual-link arm.

Minimum Depth from Wall	Maximum Extension	Weight Capacity	Colors
2.5" (62 mm)	20.2" (512 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B



K1W110 SINGLE MONITOR WALL MOUNT



Dynamic mount with single-link arm securely attaches single monitor.

Minimum Depth from Wall	Maximum Extension	Weight Capacity	Colors
2.5" (62 mm)	13.4" (341 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B



K1S220 DUAL MONITOR SLAT WALL MOUNT



Featuring flexible dual-link arms, this dynamic mount securely attaches two monitors to slat wall. Ships with the OFBU universal slat wall interface bracket.

Minimum Depth from Wall	Maximum Extension	Weight Capacity (per monitor)	Colors
2.5" (62 mm)	21.8" (553 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B



K1S120 SINGLE MONITOR SLAT WALL MOUNT



Dynamic mount features flexible dual-link arm that securely attaches a single monitor to slat wall. Ships with the OFBLU universal slat wall interface bracket.

Minimum Depth from Wall	Maximum Extension	Weight Capacity	Colors
2.5" (62 mm)	20.1" (510 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B



K1S22H DUAL MONITOR SLAT WALL ARRAY



Securely holds two monitors on an array bar allowing for perfect alignment and low-profile placement. Features flexible dual-link arm.

Minimum Depth from Wall	Maximum Extension	Weight Capacity	Colors
3.1" (79 mm)	21.4" (544 mm)	2 - 9 lbs (0.9 - 4.08 kg)	S B



KONTOUR K1 SERIES WALL MOUNT ACCESSORIES



OFB-xxx	Compatibility
Office Furniture Interface Brackets	K1 and K2 Series Wall Mounts



OFBU	Compatibility	Colors
Universal Heavy-Duty Slat Wall Interface Bracket	K1 and K2 Series Wall Mounts	S B



OFBLU	Compatibility	Colors
Universal Low profile Slat Wall Interface Bracket	KOW100, K1W110 and K1W120	S B



KRA300	Compatibility
Laptop Accessory	K1 Series Mounts



KSA1250B	Compatibility
Quick-Connect Interface for Dell UltraSharp Monitors	All Kontour products



KRA219	Compatibility
Table Clamp Mount Kit	K1 and K2 Series Mounts*



KRA220	Compatibility
Extension Arm Accessory	K1 and K2 Series Mounts*



KRA223	Compatibility
Dual Monitor Array Bar	K1 and K2 Series Mounts*



KRA224	Compatibility
Dual Monitor Array Bar Handle	K1 and K2 Series Mounts*



FSBI2B	Compatibility
Portable iPad® Interface Bracket - iPad 2, and 3rd- & 4th-gen iPads	Kontour Series Mounts (requires KRA400B accessory with K1)



KRA400B	Compatibility
Weighted Adapter Plate	K1 Series Mounts + FSBI2B iPad interface




FSBI2TB	Compatibility
Secure iPad Interface Bracket - iPad 2 and 3rd-gen iPad	Kontour Series Mounts (requires KRA400B accessory with K1)



KRA401B	Compatibility
Weighted Adapter Plate	K1 Series Mounts + FSBI2TB iPad interface

* Compatible with new K1 and K2 models only. Not compatible with discontinued models: K1C100, K1C200, K1C250, K1D100, K1D200, KS100, KS1200, K1W100, K1W200, K1P100, K1P200, K2C100, K2C200, K2P100, K2P200, K2W100 and K2W200.

KONTOUR™ K2 SERIES WALL MOUNT FEATURES

-  **HEAVY DUTY DESIGN**
Features sleek, solidly constructed forged aluminum arms.
-  **FAST INSTALLATION**
Tear-drop hole pattern for easy mounting and maintenance.
-  **CENTRIS® TILT**
Tilts ±15° for a flexible ergonomic solution.
-  **CABLE MANAGEMENT**
Tool-free cable guide clips for a clean, professional look.
-  **MOUNTING PATTERN**
Compatible with 75 x 75 mm and 100 x 100 mm VESA® patterns.



CENTRIS® TILT

K2W220 DUAL MONITOR WALL MOUNT



Securely attaches two monitors to wall. Features dual-link arms for added flexibility.

Minimum Depth from Back of Wall	Maximum Extension	Weight Capacity (per monitor)	Colors
2.9" (74 mm)	17.7" (450 mm)	25 lbs (11.3 kg)	S B




K2W22H DUAL MONITOR WALL ARRAY



Securely holds two monitors on an array bar allowing for perfect alignment and low-profile placement.

Minimum Depth from Back of Wall	Maximum Extension	Weight Capacity (per monitor)	Maximum Display Width	Colors
3.1" (79 mm)	17.4" (441 mm)	2 - 9 lbs (0.9 - 4.08 kg)	24.9" (632 mm)	S B



K2W120 SINGLE MONITOR WALL MOUNT



Securely attaches a single monitor to the wall. Features a dual-link arm for added flexibility.

Minimum Depth from Back of Wall	Maximum Extension	Weight Capacity	Colors
2.9" (74 mm)	17.2" (437 mm)	40 lbs (18.14 kg)	S B



K2W110 SINGLE MONITOR WALL MOUNT



Securely attaches a monitor to the wall with a single-link arm.

Minimum Depth from Back of Wall	Maximum Extension	Weight Capacity	Colors
2.9" (74 mm)	10.5" (265 mm)	40 lbs (18.14 kg)	S B



KONTOUR™ K2 SERIES WALL MOUNT ACCESSORIES



OFB-xxx	Compatibility
Office Furniture Interface Brackets	K1 and K2 Series Wall Mounts



OFBU	Compatibility	Colors
Universal Heavy-Duty Slat Wall Interface Bracket	K1 and K2 Series Wall Mounts	S B




OFBLU	Compatibility	Colors
Universal Low profile Slat Wall Interface Bracket	KOW100, K1W110 and K1W120	S B



KSA1250B	Compatibility
Quick-Connect Interface for Dell UltraSharp Monitors	All Kontour products



FSBI2B	Compatibility
Portable iPad® Interface Bracket - iPad 2, and 3rd- & 4th-gen iPads	Kontour Series Mounts (requires KRA400B accessory with K1)



FSBI2TB	Compatibility
Secure iPad Interface Bracket - iPad 2 and 3rd-gen iPad	Kontour Series Mounts (requires KRA401B accessory with K1)

OTHER KONTOUR™ WALL MOUNTS

KOW100 PITCH/PIVOT SINGLE WALL MOUNT



Easily attaches a monitor to the wall and provides smooth pivot and tilt adjustment for optimal viewing.

Weight Capacity	Mounting Patterns (W,H)	Tilt	Minimum Depth from Wall	Typical Screen Size	Colors
25 lbs (11.3 kg)	75 x 75 mm, 100 x 100 mm	+75°, -10°	3.2" (81 mm)	10 - 30"	S B



KONTOUR™ K4 SERIES WALL MOUNT

FEATURES

MODULARITY
 An easily adjustable solution for monitor array workstations where multiple users need to reposition the bank of screens to their preferred viewing distance. Perfect for control rooms, trading desks, call centers, security desks, IT, healthcare and more.

AESTHETIC DESIGN
 Form meets function with the K4 Series. Solidly constructed, forged aluminum arms are sleekly designed, and snap-on cable management creates a clean appearance.

EXCEPTIONAL FLEXIBILITY
 Provides articulating focal depth adjustment, swivel and pan adjustment capability and Centris® Fingertip Tilt for ideal screen positioning. Also includes an integrated handle for quick ergonomic adjustment to fit the user.

MOUNTING PATTERN
 Compatible with 75 x 75 mm and 100 x 100 mm VESA® patterns.

K4W310 WALL MOUNTED 3x1 ARRAY



Wall array mount for three monitors in a row with one anchor point.

Max. Monitor Width	Extension	Minimum Depth	Arm Rotation	Typical Screen Size	Tilt	Weight Capacity (per monitor)
24.2" (614 mm)	16.2" (412 mm)	9.4" (239 mm)	0 - 20°	up to 24"	±12°	15 lbs (6.8 kg)



K4W210 WALL MOUNTED 2x1 ARRAY



Wall array mount for two monitors in a row with one anchor point.

Max. Monitor Width	Extension	Minimum Depth	Arm Rotation	Typical Screen Size	Tilt	Weight Capacity (per monitor)
37.1" (943 mm)	16.2" (412 mm)	9.4" (239 mm)	0 - 20°	up to 30"	±12°	15 lbs (6.8 kg)




K4W120 WALL MOUNTED 1x2 ARRAY



Wall array mount for two monitors stacked with one anchor point.

Offers $\pm 10^\circ$ tilt and 20° rotation.

Maximum Monitor Height	Extension	Minimum Depth	Arm Rotation	Tilt	Weight Capacity (per monitor)
16" (406 mm)	16.2" (412 mm)	3.7" (94 mm)	0 - 20°	$\pm 10^\circ$	15 lbs (6.8 kg)



KONTOUR™ K1 SERIES POLE MOUNT

FEATURES



EASY INSTALLATION

Simple 3-step installation and integrated quick-connect interface makes mounting and maintenance easy. Mounts on pre-existing poles with 1.5 - 1.9" (38 - 48 mm) outer diameters.



CENTRIS® EXTREME TILT

Centris® technology provides effortless tilt up to +75°/-10°.



MOUNTING PATTERN

Compatible with 75 x 75 mm and 100 x 100 mm VESA® patterns.



HEAVY DUTY DESIGN

Features sleek and solid forged aluminum arms.



ULTIMATE FLEXIBILITY

Gas-spring technology provides smooth dynamic height adjustment enabling ideal monitor positioning.



CABLE MANAGEMENT

Tool-free cable management covers create a clean, professional look.

K1P220 DUAL MONITOR POLE MOUNT



Dynamic pole mount firmly holds two monitors. Flexible dual-link arms provide up to 13" (330 mm) of height adjustment.

Minimum Depth from Pole	Extension	Weight Capacity (per monitor)	Colors
2.5" (62 mm)	20.1" (510 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B



K1P22H DUAL MONITOR POLE ARRAY



Securely holds two monitors on an array bar allowing for perfect alignment and low-profile placement. Flexible dual-link arm provides up to 13" (330 mm) of height adjustment.

Minimum Depth from Pole	Maximum Extension	Weight Capacity (per monitor)	Maximum Display Width	Colors
3.1" (79 mm)	17.4" (441 mm)	2 - 9 lbs (0.9 - 4.08 kg)	24.9" (632 mm)	S B



K1P120 SINGLE MONITOR POLE MOUNT

Flexible dual-link arm provides up to 13" (330 mm) of height adjustment.

Minimum Depth from Pole	Extension	Weight Capacity	Colors
2.5" (64 mm)	19.4" (493 mm)	5 - 25 lbs (2.3 - 11.3 kg)	S B

**K1P110** SINGLE MONITOR POLE MOUNT

Dynamic pole mount firmly holds a single monitor. Single-link arm provides up to 13" (330 mm) of height adjustment.

Minimum Depth from Pole	Maximum Extension	Weight Capacity	Colors
2.5" (64 mm)	12.7" (322 mm)	25 lbs (11.3 kg)	S B



KONTOUR™ K1 SERIES POLE MOUNT ACCESSORIES



KRA300	Compatibility
Laptop Accessory	K1 Series Mounts




KSA1250B	Compatibility
Quick-Connect Interface for Dell UltraSharp Monitors	All Kontour products



FSBI2B	Compatibility
Portable iPad® Interface Bracket - iPad 2, and 3rd- & 4th-gen iPads	Kontour Series Mounts (requires KRA400B accessory with K1 Series)



KRA400B	Compatibility
Weighted Adapter Plate	K1 Series Mounts + FSBI2B iPad interface








FSBI2TB	Compatibility
Secure iPad Interface Bracket - iPad 2 and 3rd-gen iPad	Kontour Series Mounts (requires KRA401B accessory with K1 Series)



KRA401B	Compatibility
Weighted Adapter Plate	K1 Series Mounts + FSBI2TB iPad interface

KONTOUR™ K2 SERIES POLE MOUNT FEATURES

- 
HEAVY DUTY DESIGN
 Features sleek, solidly constructed forged aluminum arms.
- 
CENTRIS® TILT
 Centris® technology provides effortless tilt up to ±15 degrees.
- 
CABLE MANAGEMENT
 Includes tool-free cable management clips for a clean, professional look.

- 
EASY INSTALLATION
 Teardrop hole pattern makes mounting the screens quick and easy. Mounts on pre-existing poles with 1.5 - 1.9" (38 - 48 mm) outer diameters.
- 
MOUNTING PATTERN
 Compatible with 75 x 75 mm and 100 x 100 mm VESA® patterns.

K2P220 DUAL MONITOR POLE MOUNT



Pole mount firmly holds two monitors. Dual-link arm offers added flexibility.

Minimum Depth from Pole	Maximum Extension	Weight Capacity (per monitor)	Colors
2.9" (74 mm)	17.1" (434 mm)	25 lbs (11.3 kg)	S B




K2P22H DUAL MONITOR POLE ARRAY



Securely holds two monitors on an array bar allowing for perfect alignment and low-profile placement. Dual-link arm offers added flexibility.

Minimum Depth from Pole	Maximum Extension	Weight Capacity (per monitor)	Maximum Display Width	Colors
3.1" (79 mm)	16.8" (425 mm)	2 - 9 lbs (0.9 - 4.08 kg)	24.9" (632 mm)	S B



K2P120 SINGLE MONITOR POLE MOUNT

Pole mount firmly holds a single monitor. Dual-link arm offers added flexibility.

Minimum Depth from Pole	Maximum Extension	Weight Capacity	Colors
2.9" (74 mm)	16.6" (422 mm)	40 lbs (18.14 kg)	S B

**K2P110** SINGLE DISPLAY POLE MOUNT

Pole mount with single-link arm firmly holds a single monitor.

Minimum Depth from Pole	Maximum Extension	Weight Capacity	Colors
2.9" (74 mm)	9.9" (250 mm)	40 lbs (18.14 kg)	S B



KONTOUR™ K2 SERIES POLE MOUNT ACCESSORIES



FSBI2B	Compatibility
Portable iPad® Interface Bracket - iPad 2, and 3rd- & 4th-gen iPads	K1 Series Mounts (requires KRA400B accessory with K1 Series)



FSBI2TB	Compatibility
Secure iPad Interface Bracket - iPad 2 and 3rd-gen iPad	K1 Series Mounts (requires KRA401B accessory with K1 Series)



KSA1250B	Compatibility
Quick-Connect Interface for Dell UltraSharp Monitors	All Kontour products

OTHER KONTOUR™ POLE MOUNTS

KOP100 SINGLE MONITOR POLE MOUNT



Easily attaches a monitor to a pole and provides smooth pivot and tilt adjustment.

Column Diameter Range	Weight Capacity	Mounting Patterns (W,H)	Tilt	Min.Depth from Pole	Typical Screen Size	Colors
1.5 - 1.9" (38 - 48 mm)	25 lbs (11.3 kg)	75 x 75 mm, 100 x 100 mm	+75°, -10°	2.6" (66 mm)	10 - 30"	S B

