

EXPLORE™ 4-LEG SERIES

RECTANGLE, SQUARE AND ROUND ACTIVITY TABLES

Multi purpose tables provide maximum flexibility to reconfigure in the classroom and can be combined with quarter or sixth round tables for additional configurations.




FEATURES

- Tables allow you to create a highly flexible study, collaboration, learning, and work, environments in the classroom, library, or training room. Tables come in a variety of sizes to allow for multiple users for small group work, or can be combined with each other or with quarter or sixth round tables for larger discussion and work groups.
- Available in rectangle, square, round, quarter round, and sixth round tops.
- Tables with rounded sides function like a joint and increase room flexibility by allowing for slight bends in table configurations.
- Tables are available with 2.5" twin wheel casters, all with a locking brake, or with leveling glides for stationary configurations.
- Work surface is height adjustable from 22" to 32" in height in 1" increments on tables with casters. Tables with glides are height adjustable from 20" to 30".
- Unique flat oval tube steel base has telescoping legs for height adjustment and is constructed from 14-gauge steel.
- Edges are available in a thermoplastic elastomer (TPE) t-mold; polypropylene (PP) bumper with sealed MDF 45° bevel edge; or sealed MDF 22.5° beveled with round edge. Not all table sizes or shapes are available in all edge options.
- Work surface includes metal threaded inserts to mount the leg assemblies for a metal to metal connection that adds strength and greatly reduces the possibility screws will strip or fall out over time.
- Meets or exceeds ANSI BIFMA x5.5-2008 standards for tables and proudly made in the U.S.A. using union labor.

STANDARD FINISH OPTIONS

Work surface is available in Grey Mist laminate with matching Quartz trim or Natural Maple laminate with Aluminum trim. Powder paint steel bases are Aluminum and toe kicks are always Anthracite.



PREMIUM FINISH OPTIONS

EDU 2.0 products are available to order in any paint, trim and laminate offered by Bretford. Tops may be specified with the edge options shown below, not all sizes are available in all edges. To order product ordered in premium finish specify paint, laminate, edge detail, trim color.

Example: (shown last page)

EDUSC3672C⁽¹⁾-AL⁽²⁾-HM⁽³⁾-01⁽⁴⁾-R⁽⁵⁾

⁽¹⁾ = Base Model Number With Flat Sides

⁽²⁾ = Aluminum Paint


⁽³⁾ = Biltmore Cherry Laminate

⁽⁴⁾ = 3mm Thermoplastic Elastomer (TPE) Edge

⁽⁵⁾ = Raven Edge Finish

PREMIUM EDGE OPTIONS

Table work surfaces may be specified in a variety of edges. Not all table sizes or shapes are available in all edge options. (01) 3mm thermoplastic (TPE) t-mold edge. (17) 2mm polypropylene (PP) edge with sealed MDF 45° cut away. (08) sealed rounded MDF with 22.5° cut away. MDF only available in a natural finish on 17 and 08.



DIMENSIONS

Overall Tables with Glides:

Rectangle EDUS2436- & EDUSC2436- : 36" w x 24" d x 20"-30" h
 Rectangle EDUS2448- & EDUSC2448- : 48" w x 24" d x 20"-30" h
 Rectangle EDUS2460- & EDUSC2460- : 60" w x 24" d x 20"-30" h
 Rectangle EDUS2472- & EDUSC2472- : 72" w x 24" d x 20"-30" h
 Rectangle EDUS3036- & EDUSC3036- : 36" w x 30" d x 20"-30" h
 Rectangle EDUS3048- & EDUSC3048- : 48" w x 30" d x 20"-30" h
 Rectangle EDUS3060- & EDUSC3060- : 60" w x 30" d x 20"-30" h
 Rectangle EDUS3072- & EDUSC3072- : 72" w x 30" d x 20"-30" h
 Rectangle EDUS3660- & EDUSC3660- : 60" w x 36" d x 20"-30" h
 Rectangle EDUS3672- & EDUSC3672- : 72" w x 36" d x 20"-30" h
 Rectangle EDUS3684- : 84" w x 36" d x 20"-30" h
 Round EDUS42DI- : 42" w x 42" d x 20"-30" h
 Square EDUS4242- : 42" w x 42" d x 20"-30" h
 Rectangle EDUS4260- : 60" w x 42" d x 20"-30" h
 Rectangle EDUS4272- : 72" w x 42" d x 20"-30" h
 Rectangle EDUS4284- : 84" w x 42" d x 20"-30" h
 Round EDUS48DI- : 48" w x 48" d x 20"-30" h
 Square EDUS4848- : 48" w x 48" d x 20"-30" h
 Round EDUS6060- : 60" w x 60" d x 20"-30" h

Overall Tables with Casters:

Rectangle EDUS2436C- & EDUSC2436C- : 36" w x 24" d x 22"-32" h
 Rectangle EDUS2448C- & EDUSC2448C- : 48" w x 24" d x 22"-32" h
 Rectangle EDUS2460C- & EDUSC2460C- : 60" w x 24" d x 22"-32" h
 Rectangle EDUS2472C- & EDUSC2472C- : 72" w x 24" d x 22"-32" h
 Rectangle EDUS3036C- & EDUSC3036C- : 36" w x 30" d x 22"-32" h
 Rectangle EDUS3048C- & EDUSC3048C- : 48" w x 30" d x 22"-32" h
 Rectangle EDUS3060C- & EDUSC3060C- : 60" w x 30" d x 22"-32" h
 Rectangle EDUS3072C- & EDUSC3072C- : 72" w x 30" d x 22"-32" h
 Rectangle EDUS3660C- & EDUSC3660C- : 60" w x 36" d x 22"-32" h
 Rectangle EDUS3672C- & EDUSC3672C- : 72" w x 36" d x 22"-32" h
 Rectangle EDUS3684C- : 84" w x 36" d x 22"-32" h
 Round EDUS42DIC- : 42" w x 42" d x 22"-32" h
 Square EDUS4242C- : 42" w x 42" d x 22"-32" h
 Rectangle EDUS4260C- : 60" w x 42" d x 22"-32" h
 Rectangle EDUS4272C- : 72" w x 42" d x 22"-32" h
 Rectangle EDUS4284C- : 84" w x 42" d x 22"-32" h
 Round EDUS48DIC- : 48" w x 48" d x 22"-32" h
 Square EDUS4848C- : 48" w x 48" d x 22"-32" h
 Round EDUS6060C- : 60" w x 60" d x 22"-32" h

SHIPPING INFORMATION & UPC CODES

All tables ship ready to assemble in one carton pack.

Base Model	ALGM	ALMP
EDUS2436-	0 96633 35396 5	0 96633 35397 2
EDUS2436C-	0 96633 35398 9	0 96633 35399 6
EDUS2448-	0 96633 35400 9	0 96633 35401 6
EDUS2448C-	0 96633 35402 3	0 96633 35403 0
EDUS2460-	0 96633 35404 7	0 96633 35405 4
EDUS2460C-	0 96633 35406 1	0 96633 35407 8
EDUS2472-	0 96633 35408 5	0 96633 35409 2
EDUS2472C-	0 96633 35410 8	0 96633 35411 5
EDUS3036-	0 96633 35412 2	0 96633 35413 9
EDUS3036C-	0 96633 35414 6	0 96633 35415 3
EDUS3048-	0 96633 35416 0	0 96633 35417 7
EDUS3048C-	0 96633 35418 4	0 96633 35419 1
EDUS3060-	0 96633 35420 7	0 96633 35421 4
EDUS3060C-	0 96633 35422 1	0 96633 35423 8
EDUS3072-	0 96633 35424 5	0 96633 35425 2
EDUS3072C-	0 96633 35426 9	0 96633 35427 6
EDUS3660-	0 96633 35428 3	0 96633 35429 0
EDUS3660C-	0 96633 35430 6	0 96633 35431 3
EDUS3672-	0 96633 35432 0	0 96633 35433 7
EDUS3672C-	0 96633 35434 4	0 96633 35435 1
EDUS4848-	0 96633 35436 8	0 96633 35437 5
EDUS4848C-	0 96633 35438 2	0 96633 35439 9
EDUS6060-	0 96633 35496 2	0 96633 35497 9
EDUS6060C-	0 96633 35498 6	0 96633 35499 3
EDUSC2436-	0 96633 35653 9	0 96633 35654 6
EDUSC2436C-	0 96633 35655 3	0 96633 35656 0
EDUSC2448-	0 96633 35657 7	0 96633 35658 4
EDUSC2448C-	0 96633 35659 1	0 96633 35660 7
EDUSC2460-	0 96633 35661 4	0 96633 35662 1
EDUSC2460C-	0 96633 35663 8	0 96633 35664 5
EDUSC2472-	0 96633 35665 2	0 96633 35666 9
EDUSC2472C-	0 96633 35667 6	0 96633 35668 3
EDUSC3036-	0 96633 35669 0	0 96633 35670 6
EDUSC3036C-	0 96633 35671 3	0 96633 35672 0
EDUSC3048-	0 96633 35673 7	0 96633 35674 4
EDUSC3048C-	0 96633 35675 1	0 96633 35676 8
EDUSC3060-	0 96633 35677 5	0 96633 35678 2
EDUSC3060C-	0 96633 35679 9	0 96633 35680 5
EDUSC3072-	0 96633 35681 2	0 96633 35682 9
EDUSC3072C-	0 96633 35683 6	0 96633 35684 3
EDUSC3660-	0 96633 35685 0	0 96633 35686 7
EDUSC3660C-	0 96633 35687 4	0 96633 35688 1
EDUSC3672-	0 96633 35689 8	0 96633 35690 4
EDUSC3672C-	0 96633 35691 1	0 96633 35692 8

ENVIRONMENTAL & SAFETY SPECIFICATIONS

EDGE TRIM OPTIONS

Standard edge T-mold trim is constructed from thermoplastic elastomer (TPE) which, unlike PVC, is non-toxic, generates low pollution during manufacturing, is additive and phthalate free, is recyclable at the end of the product life cycle, or will break down in a landfill.

POWDER COAT PAINT

All steel components are finished using a powder coat paint that greatly reduces VOCs while providing superior durability.

RECYCLED CONTENT

The work surface uses a MDF substrate that contains an average of 70% recycled content. Steel components are constructed with prime steel and feature a 25% to 35% post-consumer recycled content. Steel components are 100% recyclable at the end of the product life cycle.

ANSI-BIFMA TESTED

Tables are tested to and meet or exceed the ANSI-BIFMA x5.5-2008 standards for tables.

FOUR LOCKING CASTERS

Mobile EXPLORE tables feature all four casters with locking brakes for stable configurations.

CONSTRUCTION SPECIFICATIONS

BASE

Upper and lower leg assemblies are constructed with 14-gauge flat oval tubing, which are formed using a CNC tube bender, and features arc welded connections to the mounting plate with two 3/16" gussets added for strength and support. The upper leg assembly mounts to the underside of the work surface with seven screws through a 3/16" thick steel plate. Each leg screw threads into metal inserts in the underside of the work surface for a strong fit. The lower leg assembly telescopes inside the upper assembly, allowing for height adjustability from 20" to 30" on tables with glides and 22" to 32" on tables with casters. Legs adjust in 1" increments. The lower leg is available with the choice of 2.5" diameter twin wheel casters, all with locking brakes, or with 1" adjustable leveling glides.

WORK SURFACE

Work surfaces on base models feature a 1" thick, 45 lb.. density melamine top and premium finish models feature a 1" thick, 45 lb.. density core with .03" high-pressure laminate top and .03" backer. Work surfaces are available with straight side edges for a tight fit when configured together, or with rounded side edges, which allow tops to roll along the edge and create greater flexibility when configured. Models are available in a variety of edge options, not all edge options are available on all sizes or shapes. The underside of the work surface includes 28 metal inserts that align with the leg mounting plates.

WARRANTY

Bretford warranties EXPLORE Series Tables for 12-years, at date of shipment, against defects from materials or workmanship. Electrical and data components, gas shocks, and fabric feature a 1-year warranty.

MADE IN THE USA

EXPLORE tables are made at Bretford's Chicago area manufacturing facility, employing union labor.



BRETFORD®

11000 SEYMOUR AVENUE
FRANKLIN PARK, ILLINOIS 660131 USA
TOLL FREE PHONE 800-521-9614
PHONE 847-678-2545
TOLL FREE FAX 800-343-1779
FAX 847-678-0852
WWW.BRETFORD.COM