

WM SERIES SHORT THROW MOUNTS FEATURES



PRECISION HEIGHT AND LEVELING
Industry-first micro height and leveling adjustment.



FAST INSTALLATION

Innovative quick-connect system for a speedy install.



INTEGRATED CABLE MANAGEMENT

Fully internal cable management system conceals and protects cables for a clean finish.



PRECISION HEIGHT & LEVELING



VARIABLE EXTENSION OPTIONS



VARIABLE EXTENSION OPTIONS

Telescoping extension and infinite projector placement make it easy to achieve a picture perfect installation.



MULTIPLE INSTALLATION OPTIONS

Designed for mounting to concrete, block wall, brick, wood or steel studs. Hardware Included.


WM210AUS EXTENDS UP TO 20" (508 mm)















Small dual stud short throw mount. Includes RSMA Mini Elite* Projector Mount. For short throw arm only, order WM210S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	13" (330 mm)	11.5 x 19.6 x 23.1" (293 x 499 x 586 mm)



WM220AUS EXTENDS UP TO 30" (762 mm)













Medium dual stud short throw mount. Includes RSMA Mini Elite Projector Mount. For short throw arm only, order WM220S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	13" (330 mm)	11.5 x 19.6 x 35.6" (293 x 499 x 904 mm)



WM230AUS EXTENDS UP TO 55" (140 cm)















Large dual stud short throw mount. Includes RSMA Mini Elite Projector Mount. For short throw arm only, order WM230S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	13" (330 mm)	11.5 x 19.6 x 59.6" (29 x 50 x 151 cm)



WM240AUS EXTENDS UP TO 66" (168 cm)













Extra large dual stud short throw mount. Includes RSMA Mini Elite Projector Mount. For short throw arm only, order WM240S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	13" (330 mm)	11.5 x 19.6 x 70.4" (29 x 50 x 179 cm)



WM110AUS EXTENDS UP TO 18" (457 mm)













Small single stud short throw mount. Includes RSMA Mini Elite* Projector Mount. For short throw arm only, order WM110S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	N/A	14.2 x 7.3 x 21.7" (360 x 185 x 551 mm)



WM120AUS EXTENDS UP TO 29" (737 mm)













Medium single stud short throw mount. Includes RSMA Mini Elite Projector Mount. For short throw arm only, order WM120S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	N/A	14.2 x 7.3 x 34.2" (360 x 185 x 869 mm)



WM130AUS EXTENDS UP TO 53" (135 cm)













Large single stud short throw mount. Includes RSMA Mini Elite Projector Mount. For short throw arm only, order WM130S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	N/A	14.2 x 7.3 x 58.2" (36 x 18.5 x 147.9 cm)



WM SERIES SHORT THROW PROJECTOR MOUNT

ACCESSORIES



WMA1S	Compatibility	Weight Capacity
Wall Mount Arm	CMS columns up to 4' (1.2 m)	150 lbs (68 kg) wood/concrete, 50 lbs (22.7 kg) steel stud



WMA2S	Compatibility	Weight Capacity
Wall Mount Arm with Lateral Shift	CMS columns up to 4' (1.2 m)	150 lbs (68 kg) wood/concrete, 75 lbs (34 kg) steel stud



WMAL24	Compatibility
24" (610 mm) Stud Accessory	WM2 Series Wall Mounts



WMAL72	Compatibility
72" (183 cm) Multi-stud Accessory	WM2 Series Wall Mounts



WMAC16	Compatibility
Wall Cover	WM2 Series Wall Mounts



WM2I	Compatibility
Interactive Update Kit	WM2 Series Wall Mounts



WMAH3S	Compatibility
3" (76 mm) Height Adjust Accessory	WM2 Series Wall Mounts

WP2 SERIES SHORT THROW MOUNT

FFATURES

PRECISION ADJUSTMENT

Integrated micro pitch and lateral shift adjustment to speed up image registration.



INTEGRATED CABLE MANAGEMENT

Aesthetic covers and internal cable management system conceal and protect cables for a clean finish.



VARIABLE EXTENSION OPTION

Projector mount slides along arm for infinite projector placement.



MULTIPLE INSTALLATION OPTIONS

Designed for mounting to concrete, block wall, brick, wood or steel studs. Includes mounting hardware.

WP21US EXTENDS UP TO 22" (559 mm)











Small economical dual or single stud short throw mount. Includes RPA Mini Projector Mount. For short throw arm only, order WP21S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	1.75" (44 mm)	8.6 x 19.1 x 24.4" (22 x 48 x 62 cm)



WP22US EXTENDS UP TO 38" (965 mm)











Medium economical dual or single stud short throw mount. Includes RPA Mini Projector Mount. For short throw arm only, order WP22S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	1.75" (44 mm)	8.6 x 19.1 x 40.4" (22 x 48 x 103 cm)



WP23US EXTENDS UP TO 54" (137 cm)











Large economical dual or single stud short throw mount. Includes RPA Mini Projector Mount. For short throw arm only, order WP23S.

Weight Capacity	Level	Lateral Shift	Dimensions (HxWxD)
25 lbs (11.3 kg)	±3°	1.75" (44 mm)	8.6 x 19.1 x 56.4" (22 x 48 x 143 cm)



WP2 SERIES SHORT THROW PROJECTOR MOUNT

ACCESSORIES



CMSH3	Compatibility
3" (76 mm) Column Height Adjust Accessory	WP Series Wall Solutions



CMSH3S	Compatibility
3" (76 mm) Column Height Adjust Accessory	WP Series Wall Solutions