




1201 RAISED PANEL™

HOME *Style* CEILINGS

**Armstrong**®



# HomeStyle® Ceilings

For a minimal investment in dollars and time, you can totally transform any space with an Armstrong ceiling. Don't settle for a boring white ceiling! In just one weekend, our DIY-friendly ceiling tiles and plank can bring life to the "fifth wall" of any room. Apply directly to the ceiling with Easy Up® guaranteed installation system or adhesive.



480 COUNTRY CLASSIC™ PLANK

## HomeStyle Ceiling Plank

Your ceiling can define any room. The visual of our 6" X 48" HomeStyle® Country Classic Ceiling Plank provides a country rustic look as a cost-effective alternative to real wood planks. These easy-to-install planks come in white, or you can paint or stain them for the style you're looking for.

### 6" x 48" Plank



480 COUNTRY CLASSIC™ PLANK

### HomeStyle Plank Features

- Real wood-grain appearance
- Paintable or stainable to match any décor
- Great for kitchens and baths
- Easy to install directly to your ceiling with Easy Up® guaranteed installation system or adhesive
- 30 year system warranty when installed with Easy Up



Beveled Tongue and Groove Edge



Installs Direct To Ceiling



Installation System



10/30 Year Limited Manufacturer Warranty



Recycled Content


HOME *Style* CEILINGS

# HomeStyle® Ceiling Tiles

HOME *Style*® CEILINGS


Adding ceiling tiles to any room can completely enhance the décor. Our ceiling tiles are fast and easy to install. They provide a great cover up for damaged drywall and plaster or popcorn ceilings. Apply directly to the ceiling with Easy Up® guaranteed installation system or adhesive.

## 16" x 16" Tile




1693 SAHARA™

## 12" x 12" Tiles



231 WASHABLE WHITE



250 PINEHURST™



258 GRENOBLE™



1693 SAHARA™

## HomeStyle Tile Features

- Paintable to match any décor
- 16" x 16" tiles install 50% faster than 12" x 12" tiles and visually expand your room
- Easy to install directly to your ceiling with Easy Up® guaranteed installation system or adhesive
- Great for covering damaged drywall and plaster or popcorn ceilings
- Recycled content up to 33%; refer to page 23 for item specifics
- 30 year system warranty when installed with Easy Up



Beveled Tongue and Groove Edge



Installs Direct To Ceiling



Installation System



10/30 Year Limited Manufacturer Warranty




Recycled Content




# HomeStyle® High Performance Ceiling Panels

HomeStyle Ceiling panels for suspended ceilings come in a variety of 2' x 2' styles. Armstrong® Ceiling High Performance Panels provide a sense of beauty to any room in the home, plus the added benefit of sag, mold, mildew and bacteria resistance.


## 2' x 2' High Performance Panels



241 (303) SUPERTUFF™  
TEGULAR EDGE, 15/16" GRID




269 (1752) SAND PEBBLE™  
TEGULAR EDGE, 15/16" GRID



271 (1774) SAHARA™  
TEGULAR EDGE, 15/16" GRID  
273 (1772) SAHARA™  
SQUARE EDGE, 15/16" GRID  
276 (1775) SAHARA™  
TEGULAR EDGE, 9/16" GRID



1231 BRIGHTEX WITH AIRGUARD  
TEGULAR EDGE, 9/16" GRID



932 (1732) FINE FISSURED™  
TEGULAR EDGE, 15/16" GRID  
928 (1728) FINE FISSURED™  
SQUARE EDGE, 15/16" GRID



1728BL FINE FISSURED™ BLACK  
SQUARE EDGE, 15/16" GRID

1728BL FINE FISSURED™ BLACK

## HomeStyle High Performance Panel Features

- Brightex with AirGuard neutralizes formaldehyde and reduces indoor formaldehyde emissions by 50% over a 10 yr. period; plus absorbs 65% noise for quieter space
- Variety of decorative styles to match any décor
- Sag resistance
- Ideal for basements
- Mold, mildew and bacteria resistance
- Non-directional patterns install faster and reduce scrap
- Paintable to match any décor
- Easy installation system provides access to pipes, ducts and wiring
- 241 is impact resistance; ideal for rec rooms
- Acoustical; all absorb >50% of noise
- Recycled content up to 55%; refer to page 23 for item specifics
- Blocks sound between floors up to 25%
- Installs on 9/16" Suprafine grid to create monolithic visual similar to drywall, yet maintaining accessibility (276 & 1231)



Tegular Edge



Square Edge



Installs In Grid




10/30  
Year  
Limited  
Manufacturer  
Warranty




Recycled  
Content

## 2' x 2' Decorative Panels


HOME *Style*® CEILINGS



266 BRIGHTON™  
TEGULAR EDGE, 15/16" GRID



1270 CASCADE™  
STEPPED EDGE, 15/16" GRID




8008 TINCRAFT™ CIRCLES  
FLUSH TEGULAR EDGE,  
15/16" GRID




8009 TINCRAFT™ SQUARES  
FLUSH TEGULAR EDGE,  
9/16" GRID




1201 RAISED PANEL™  
FLUSH TEGULAR EDGE,  
15/16" GRID



1202 SCALLOPED  
FLUSH TEGULAR EDGE,  
15/16" GRID



1203 FLUTED  
FLUSH TEGULAR EDGE,  
15/16" GRID



1205 SINGLE RAISED PANEL  
FLUSH TEGULAR EDGE,  
15/16" GRID



1206 TANGO  
TEGULAR EDGE, 15/16" GRID

1210 SINGLE RAISED PANEL  
FLUSH TEGULAR EDGE,  
9/16" GRID

### HomeStyle Decorative Panel Features

- Blocks sound between floors up to 25%.
- Installs on 9/16" Suprafine grid to create monolithic visual similar to drywall, yet maintaining accessibility (8009, 1210)
- Variety of decorative styles to match any décor
- Mold and mildew resistance
- Grid blending design masks the industrial look of metal grid (1201, 1202, 1203, 1205, 1210, 1270, 8008, 8009)
- Non-directional patterns install faster
- Paintable to match any décor
- Easy installation system provides access to pipes, ducts and wiring
- Recycled content up to 52%; refer to page 23 for item specifics



Tegular Edge



Flush Tegular Edge



Stepped Edge



Installs In Grid



10 Year  
Limited  
Manufacturer  
Warranty



Recycled  
Content

(266, 1270, 8008 and 8009 have a 1 year warranty; all above remaining products have a 10 year warranty)



8009 TINCRAFT™ SQUARES

**Armstrong®**

## 2' x 4' Panels



280 PLAIN WHITE



297 GRENOBLE™



922 (1729) FINE FISSURED™



922 (1729) FINE FISSURED™

### HomeStyle Panel Features

- Non-directional patterns install faster
- Paintable to match any décor
- Easy installation system provides access to pipes, ducts and wiring
- 922 is economical and high performance (sag, mold and mildew resistance)
- Ideal for basements
- Recycled content up to 40%; refer to page 23 for item specifics



Square Edge



Installs In Grid



1 Year  
Limited  
Manufacturer  
Warranty



Recycled  
Content

(922 has 10 year warranty. All above remaining products have a 1 year warranty.)


# Contractor High Performance Series™

Contractor Series™

Armstrong's® affordable Contractor Series™ offers the performance you need to add more value to your standard and custom projects with less effort. Ideal for commercial applications such as offices, schools and healthcare facilities.

Available in a large selection of high-performance mineral fiber and fiberglass ceilings from Armstrong. No nailing or finishing required. Make an Armstrong Contractor Series ceiling part of your next project.

## 2' x 2' Panels



954 (584)  
CLASSIC FINE TEXTURED  
TEGULAR EDGE

## 2' x 4' Panels



403 ESPRIT® FIBERGLASS  
SQUARE EDGE



410 SONOFLEX RANDOM  
FISSURED™ FIBERGLASS  
SQUARE EDGE



416 SONOFLEX ETCHED  
FIBERGLASS  
SQUARE EDGE

## Contractor Series High Performance Features

- Great for new, replacement and matching commercial applications
- Acoustical; reduce noise >50% (954 up to 70%)
- Sag, mold, mildew and bacteria resistance
- Ideal for basements
- Non-directional image reduces labor and scrap (954)
- Easy installation system provides access to pipes, ducts and wiring
- Fiberglass panel options offer a lightweight, easy to handle and install alternative to traditional ceiling options
- Recycled content up to 82%; refer to page 23 for item specifics



Square Edge



Tegular Edge



Installs In Grid



10/30  
Year  
Limited  
Manufacturer  
Warranty



Recycled  
Content




954 (584) CLASSIC FINE TEXTURED



## 2' x 2' Panels



934 (704) RANDOM TEXTURED  
TEGULAR EDGE




949 (756) TEXTURED  
SQUARE EDGE




973 (673) LUMAWASH™  
SQUARE EDGE

935 (770) RANDOM TEXTURED  
SQUARE EDGE


## 2' x 4' Panels



915 (895) TEXTURED FIRE GUARD™  
SQUARE EDGE



933 (769) RANDOM TEXTURED  
SQUARE EDGE



9767 (2767) SCORED  
TEGULAR EDGE



972 (672) LUMAWASH™  
SQUARE EDGE

942 (755) TEXTURED  
SQUARE EDGE

942 (755) TEXTURED

## Contractor Series Features

- Great for new, replacement and matching ceilings
- Acoustical; reduce noise 55%
- Non-directional image reduces labor and scrap (933, 934, 935, 972, 973)
- Meets USDA/FSIS guidelines for use in food prep areas (972, 973)
- Reflects 89% of the light that strikes its surface for a brighter room (972, 973)
- Mold, mildew and bacteria resistance (972, 973)
- Sag resistance (973)
- Easy installation system provides access to pipes, ducts and wiring
- 915 must be installed in a fire-rated grid to achieve fire resistance UL ratings
- Recycled content up to 38%; refer to page 23 for item specifics



Square Edge



Tegular Edge



Installs In Grid



1 Year  
Limited  
Manufacturer  
Warranty



Recycled  
Content

(973 has a 10/30 year warranty; all above remaining products have a 1 year warranty)





# Performance Guide by Item

Retail Item #	Retail Item Name	Size		Edge Detail	Installation System	Fire Performance Class	Mold Mildew Bacteria Resistance	Sag Resistance	NRC	CAC	LR	Recycled Material Content
46	Wellington™	12"x12"	1/2"	Square Tongue & Groove	Easy Up	A	-	-	-	30	0.76	40%
231	Washable White	12"x12"	1/2"	Bevel Tongue & Groove	Easy Up	A	-	x	-	30	0.80	24%
241	SuperTuff™	2'x2'	5/8"	Tegular	Prelude	A	x	x	0.50	33	0.87	33%
250	Pinehurst™	12"x12"	1/2"	Bevel Tongue & Groove	Easy Up	A	-	x	-	30	0.80	24%
258	Grenoble™	12"x12"	1/2"	Bevel Tongue & Groove	Easy Up	A	-	-	-	30	0.80	24%
266	Brighton™	2'x2'	1/2"	Tegular	Prelude	A	x	-	0.45	30	0.86	25%
269	Sand Pebble™	2'x2'	5/8"	Tegular	Prelude	A	x	x	0.55	30	0.80	41%
271	Sahara™	2'x2'	5/8"	Tegular	Prelude	A	x	x	0.50	35	0.83	41%
273	Sahara™	2'x2'	5/8"	Square	Prelude	A	x	x	0.50	35	0.83	41%
276	Sahara™	2'x2'	3/4"	Tegular	Suprafine	A	x	x	0.50	35	0.83	41%
280	Plain White	2'x4'	1/2"	Square Tongue & Groove	Prelude	A	-	-	-	30	0.80	24%
297	Grenoble™	2'x4'	1/2"	Square	Prelude	A	-	-	-	30	0.80	24%
403	Esprit®	2'x4'	5/8"	Square	Prelude	A	x	x	0.55	-	0.72	82%
410	Sonoflex Random Fissured™	2'x4'	5/8"	Square	Prelude	A	x	x	0.55	-	0.72	82%
416	Sonoflex Etched	2'x4'	5/8"	Square	Prelude	A	x	x	0.55	-	0.72	82%
480	Country Classic™ Plank	6'x48"	1/2"	Bevel Tongue & Groove	Easy Up	A	-	x	-	30	0.80	22%
915	Textured Fire Guard™*	2'x4'	5/8"	Square	Prelude	A	-	-	0.55	35	0.81	38%
922	Fine Fissured™	2'x4'	5/8"	Square	Prelude	A	x	x	0.55	35	0.85	40%
928	Fine Fissured™	2'x2'	5/8"	Square	Prelude	A	x	x	0.55	33	0.85	40%
932	Fine Fissured™	2'x2'	5/8"	Tegular	Prelude	A	x	x	0.55	35	0.85	40%
933	Random Textured	2'x4'	5/8"	Square	Prelude	A	-	-	0.55	35	0.82	30%
934	Random Textured	2'x2'	5/8"	Tegular	Prelude	A	-	-	0.55	33	0.82	30%
935	Random Textured	2'x2'	5/8"	Square	Prelude	A	-	-	0.55	33	0.82	30%
942	Textured	2'x4'	5/8"	Square	Prelude	A	-	-	0.55	35	0.80	30%
949	Textured	2'x2'	5/8"	Square	Prelude	A	-	-	0.55	33	0.81	30%
954	Classic Fine Textured	2'x2'	3/4"	Tegular	Prelude	A	x	x	0.70	35	0.86	67%
972	Lumawash™	2'x4'	5/8"	Square	Prelude	A	x	-	-	33	0.89	36%
973	Lumawash™	2'x2'	5/8"	Square	Prelude	A	x	x	-	33	0.89	36%
1140	WoodHaven™ Beadboard	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	N/A	N/A	95%
1148	WoodHaven™ Painted White	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	0.85	95%
1149	WoodHaven™ Beadboard	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	0.85	95%
1201	Raised Panel™	2'x2'	5/8"	Flush Tegular	Prelude	A	x	-	-	30	0.80	52%
1202	Scalloped	2'x2'	5/8"	Flush Tegular	Prelude	A	x	-	-	30	0.80	52%
1203	Fluted	2'x2'	5/8"	Flush Tegular	Prelude	A	x	-	-	30	0.80	52%
1205	Single Raised Panel	2'x2'	5/8"	Flush Tegular	Prelude	A	x	-	-	30	0.80	52%
1206	Tango	2'x2'	5/8"	Tegular	Prelude	A	x	-	-	30	0.80	52%
1210	Single Raised Panel	2'x2'	3/4"	Flush Tegular	Suprafine	A	x	-	-	30	0.80	52%
1231	Brightex with AirGuard	2'x2'	3/4"	Tegular	Suprafine	A	x	x	0.65	35	0.90	55%
1240	TinTile™	12"x12"	1/2"	Square Tongue & Groove	Easy Up	A	-	-	-	30	0.80	40%
1244	Circles	12"x12"	1/2"	Square Tongue & Groove	Easy Up	A	-	-	-	30	0.80	40%
1260	WoodHaven™ Knotty Pine	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1261	WoodHaven™ Natural Maple	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1262	WoodHaven™ Classic Maple	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1263	WoodHaven™ New Apple	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1264	WoodHaven™ Rustic Pine	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1265	WoodHaven™ White Wash	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1267	WoodHaven™ Light Ash	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1268	WoodHaven™ Natural Cherry	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1269	WoodHaven™ Clear Maple	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1270	Cascade™	2'x2'	3/4"	Stepped Edge	Prelude	A	x	-	-	30	0.80	25%
1271	WoodHaven™ Bamboo	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1272	WoodHaven™ Cherry Spice	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1273	WoodHaven™ Weathered	5'x84"	3/8"	Bevel Tongue & Groove	-	C	-	-	-	-	-	95%
1280BXA	Easy Elegance™ Coffe – White	2'x2'	2 1/2"	Tegular	Prelude	A	x	x	-	-	0.85	-
1280BLBXA	Easy Elegance™ Coffe – Black	2'x2'	2 1/2"	Tegular	Prelude	A	x	x	-	-	-	-
1282BXA	Easy Elegance™ Coffe – White	2'x2'	1"	Tegular	Prelude	A	x	x	-	-	0.85	-
1282BLBXA	Easy Elegance™ Coffe – Black	2'x2'	1"	Tegular	Prelude	A	x	x	-	-	-	-
1693	Sahara™	16'x16'	1/2"	Bevel Tongue & Groove	Easy Up	A	x	x	-	30	0.80	33%
1728BL	Fine Fissured™ – Black	2'x2'	5/8"	Square	Prelude	A	x	x	0.55	33	0.06	40%
8008	TinCraft™ Circles	2'x2'	3/4"	Flush Tegular	Prelude	A	x	-	-	35	0.78	52%
8009	TinCraft™ Squares	2'x2'	3/4"	Flush Tegular	Suprafine	A	x	-	-	35	0.78	52%
9767	Scored	2'x4'	3/4"	Tegular	Prelude	A	-	-	0.55	35	0.82	29%
Various (V)	Metallaire™	Various		Square	Prelude	A	x	x	-	-	-	54%
									Mini Ctns/ Master Ctn	Pcs/ Mini Ctn	Pcs/ Master Ctn	LF/Mini Ctn
1310	StyleStix™ 6' Grid Cover	6'		Stepped Detail		A	x	x	8	6	48	36
1311	StyleStix™ 6' Wall Molding Cover	6'		N/A		A	x	x	8	5	40	30
1312	StyleStix™ 2' Grid Cover	2'		Stepped Detail		A	x	x	8	12	96	24

\*Fire Guard™ a fire resistive ceiling when used in applicable UL assemblies

NOTE: Noise reduction coefficient (NRC), ceiling attenuation class (CAC), light reflectance (LR) and flame spread ratings are expressed according to ASTM E 1264 requirements.

# Packaging Guide by Item

Retail Item #	Retail Item Name	Size		Edge Detail	SF Per Ctn	Pcs/Ctn	Lbs/Ctn	Ctns Per Pallet	Layers Per Pallet	Warranty
46	Wellington™	12"x12"	1/2"	Square Tongue & Groove	40	40	35	48	8	10/30-year
231	Washable White	12"x12"	1/2"	Bevel Tongue & Groove	40	40	28	48	8	10/30-year
241	SuperTuff™	2'x2'	5/8"	Tegular	48	12	52	40	10	10/30-year
250	Pinehurst™	12"x12"	1/2"	Bevel Tongue & Groove	40	40	28	48	8	10/30-year
258	Grenoble™	12"x12"	1/2"	Bevel Tongue & Groove	40	40	28	48	8	10/30-year
266	Brighton™	2'x2'	1/2"	Tegular	64	16	43	40	10	1-year
269	Sand Pebble™	2'x2'	5/8"	Tegular	64	16	43	36	9	10/30-year
271	Sahara™	2'x2'	5/8"	Tegular	64	16	51	32	9	10/30-year
273	Sahara™	2'x2'	5/8"	Square	64	16	51	32	9	10/30-year
276	Sahara™	2'x2'	5/8"	Tegular	64	16	48	32	8	10/30-year
280	Plain White	2'x4'	1/2"	Square	64	8	44	44	22	1-year
297	Grenoble™	2'x4'	1/2"	Square	64	8	44	44	22	1-year
403	Esprit®	2'x4'	5/8"	Square	128	16	22	18	18	10/30-year
410	Sonoflex Random Fissured™	2'x4'	5/8"	Square	128	16	22	18	13	10/30-year
416	Sonoflex Etched	2'x4'	5/8"	Square	128	16	22	18	9	10/30-year
480	Country Classic™ Plank	6"x48"	1/2"	Bevel Tongue & Groove	40	20	33	48	16	10/30-year
915	Textured Fire Guard™	2'x4'	5/8"	Square	64	8	71	36	18	1-year
922	Fine Fissured™	2'x4'	5/8"	Square	64	8	50	36	14	10/30-year
928	Fine Fissured™	2'x2'	5/8"	Square	64	16	45	36	9	10/30-year
932	Fine Fissured™	2'x2'	5/8"	Tegular	64	16	45	36	9	10/30-year
933	Random Textured	2'x4'	5/8"	Square	80	10	53	30	15	1-year
934	Random Textured	2'x2'	5/8"	Tegular	64	16	50	36	9	1-year
935	Random Textured	2'x2'	5/8"	Square	64	16	41	36	9	1-year
942	Textured	2'x4'	5/8"	Square	80	10	53	30	15	1-year
949	Textured	2'x2'	5/8"	Square	64	16	46	36	9	1-year
954	Classic Fine Textured	2'x2'	3/4"	Tegular	48	12	48	36	9	10/30-year
972	Lumawash™	2'x4'	5/8"	Square	64	8	45	36	18	1-year
973	Lumawash™	2'x2'	5/8"	Square	64	16	44	36	9	10/30-year
1140	WoodHaven™ Classic White	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1148	WoodHaven™ Painted White	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1149	WoodHaven™ Beadboard	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1190	Easy Up® Tracks	8"	N/A	N/A	LF/Per Ctn-160	20	18	24	8	30-year
1191	Easy Up® Clips	N/A	N/A	N/A	N/A	360	5	39	3	30-year
1201	Raised Panel™	2'x2'	5/8"	Flush Tegular	24	6	22	36	9	10-year
1202	Scalloped	2'x2'	5/8"	Flush Tegular	24	6	22	36	9	10-year
1203	Fluted	2'x2'	5/8"	Flush Tegular	24	6	22	36	9	10-year
1205	Raised Panel™	2'x2'	5/8"	Flush Tegular	24	6	22	36	9	10-year
1206	Tango	2'x2'	5/8"	Tegular	24	6	22	36	9	10-year
1210	Single Raised Panel	2'x2'	3/4"	Flush Tegular	24	6	22	36	9	10-year
1231	Brightex with AirGuard	2'x2'	3/4"	Tegular	32	8	35	56	14	10-year
1240	TinTile™	12"x12"	1/2"	Square Tongue & Groove	40	40	35	48	8	10/30-year
1244	Circles	12"x12"	1/2"	Square Tongue & Groove	40	40	35	48	8	10/30-year
1260	WoodHaven™ Knotty Pine	5"x84"	3/8"	Tongue & Groove	29	10	46	48	6	10-year
1261	WoodHaven™ Natural Maple	5"x84"	3/8"	Tongue & Groove	29	10	46	48	6	10-year
1262	WoodHaven™ Classic Maple	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1263	WoodHaven™ New Apple	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1264	WoodHaven™ Rustic Pine	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1265	WoodHaven™ White Wash	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1267	WoodHaven™ Light Ash	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1268	WoodHaven™ Natural Cherry	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1269	WoodHaven™ Clear Maple	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1270	Cascade™	2'x2'	3/4"	Stepped Edge	48	12	37	40	10	1-year
1271	WoodHaven™ Bamboo	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1272	WoodHaven™ Cherry Spice	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1273	WoodHaven™ Weathered	5"x84"	3/8"	Tongue & Groove	29	10	47	48	6	10-year
1280BXA	Easy Elegance™ Coffe - White	2'x2'	2 1/2"	Tegular	Various (V)	V	V	V	V	Lifetime
1280BLBXA	Easy Elegance™ Coffe - Black	2'x2'	2 1/2"	Tegular	V	V	V	V	V	Lifetime
1282BXA	Easy Elegance™ Coffe - White	2'x2'	1"	Tegular	V	V	V	V	V	Lifetime
1282BLBXA	Easy Elegance™ Coffe - Black	2'x2'	1"	Tegular	V	V	V	V	V	Lifetime
1693	Sahara™	16"x16"	1/2"	Bevel Tongue & Groove	36	20	35	24	4	10-year
1728BL	Fine Fissured™ - Black	2'x2'	5/8"	Square	64	16	52	36	9	10/30-year
8008	TinCraft™ Circles	2'x2'	3/4"	Flush Tegular	48	12	43	40	10	1-year
8009	TinCraft™ Squares	2'x2'	3/4"	Flush Tegular	32	8	4	40	10	1-year
9767	Scored	2'x4'	3/4"	Tegular	80	10	58	24	12	1-year
Various (V)	Metallaire™	Various		Square	V	V	V	V	V	Lifetime
					LF/ Master Ctn	Lbs/ Master Ctn	Master Ctn/ Pallet			
1310	StyleStix™ 6' Grid Cover	6'		Stepped Detail	288	45	21			Lifetime
1311	StyleStix™ 6' Wall Molding Cover	6'		N/A	240	37	20			Lifetime
1312	StyleStix™ 2' Grid Cover	2'		Stepped Detail	192	30	21			Lifetime

# Suspended Ceiling Installation Systems

## Prelude® (15/16" Face) & Suprafine (9/16" Face) Ceiling Suspension Systems


Preferred choice of the professional installer

- Heavy-duty performance (7301); intermediate-duty performance (Prelude 7300, Suprafine 7500)
- Meets all building codes for non-residential construction
- Easy installation—Choice of stab-in or hook-in cross tees; only 3" clearance required (Prelude only)
- XL stab-in or ML hook-in cross tees provide secure lock connection; easy to remove, reuse and relocate
- Rotary stitched during manufacture for additional torsional strength and extra stability during installation
- SuperLock™ main beam clip is engineered for a strong, secure connection and fast, accurate alignment confirmed with audible click; easy to remove/relocate
- Hot-dipped galvanized coating inhibits red rusting better than electrogalvanized or painted systems
- Seismic Rx® Suspension systems save time and money; Armstrong offers an ICC-ES approach to installations (ESR-1308); for stringent seismic specifications use heavy-duty main beams, XL stab-in cross tees, and BERC2 clips
- 10-year limited warranty; 30-year with Armstrong high-performance ceiling panels
- PeakForm® profile increases strength and stability for improved performance during installation
- Prelude Fire Guard™ options for UL design fire-rated performance only


### Installation



Step 1 – Install wall molding



Step 2 – Suspend main beams with wire hangers



Step 3 – Install cross tees



Step 4 – Install ceiling panels


271 SAHARA™




PeakForm® profile increases strength and stability for improved performance during installation



PeakForm® offers superior load-carrying capacity than typical square bulb



Fire Guard™ options for UL design fire-rated performance only

















EXPANSION RELIEF ON FIRE GUARD™ MAIN BEAM

15/16" vs 9/16" Grid



NOTE: Use only appropriate panels for each exposed grid system.

# Suspended Ceiling Installation Systems

Cross Section Illustration	Item #	Fire Guard Item #	Description	LBS/LF on 4' span	Length	Web Height	Flange Width	PC/CTN	LF/CTN	
Prelude										
	7301WH 7301BL		12' Heavy Duty Main Beam - White 12' Heavy Duty Main Beam - Black	16.5	144"	1-11/16"	15/16"	20	240	
	7300XRWH 8300BL	8300XRWH 8300BL	12' Intermediate Duty Main Beam - White 12' Intermediate Duty Main Beam - Black	12.8	144"	1-11/16"	15/16"	20	240	
			XL8340RWH XL8340BL		48"	1-11/16"	15/16"	60	240	
	ML7343WH ML7343BL		4' Hook Cross Tee - White 4' Hook Cross Tee - Black		48"	1-1/2"	15/16"	60	240	
	ML7323WH ML7323BL		2' Hook Cross Tee - White 2' Hook Cross Tee - Black		24"	1-1/2"	15/16"	60	120	
	XL7342BL		4' Stab Cross Tee - Black		48"	1-1/2"	15/16"	60	240	
	XL7348RWH		4' Stab Cross Tee - White		48"	1-3/8"	15/16"	60	240	
	XL7328RWH XL7328BL	XL8323RWH XL8323BL	2' Stab Cross Tee - White 2' Stab Cross Tee - Black		24"	1-3/8"	15/16"	60	120	
	7800RWH 7800BL		12' Wall Molding - White 12' Wall Molding - Black		144"	1-1/2"		140	1680	
Suprafine 9/16" Exposed Tee Components										
	7500RWH		12' Intermediate Duty Main Beam - White	12.75	144"	1-11/16"	9/16"	20	240	
	XL7540RWH		4' Stab Cross Tee - White		48"	1-11/16"	9/16"	60	240	
	XL7520RWH		2' Stab Cross Tee - White		24"	1-11/16"	9/16"	60	120	
	7804RWH		12' Wall Molding - White		144"	7/8"	9/16"	30	360	
Accessories										
	7891		12 Gauge Hanger Wire		144"					
	UHDCA		Universal Hold Down Clip					1000		
	UTCA		Up Tight Clip to attach to wood joist					250		
	BERC2		Beam End Retaining Clip					200		



- Provides greater dimensional stability & strength versus wood furring.
- Eliminates tile lipping caused by warping wood furring.
- Easy Up clips provide superior holding versus traditional staples.
- Easy Up clips can be used on an existing 15/16" grid ceiling to install WoodHaven planks.
- Installing Armstrong direct apply products with Easy Up provides a 30-year limited warranty.



Step 1 – Attach tracks



Step 2 – Snap on clips



Step 3 – Position tiles or planks; slide and secure clip



Scan for a demo

To install over popcorn ceilings or to maintain easier access, install using Easy Up® guaranteed installation system.

### Calculate Tracks and Clips Needed

Ceiling Product	Track spacing	Ratio of lf of Track/sf of room	Ratio of Clips/sf of room
12" x 12" Tile	12" oc	1.33	1.10
16" x 16" Tile	16" oc	1.05	0.75
HomeStyle® Plank	12" oc	1.33	1.25
WoodHaven™	24" oc	0.75	1.50

1190 Easy Up® Tracks



1191 Easy Up® Clips

oc = on center, lf = linear feet, sf = square feet

TIN LOOK™ 1244 CIRCLES (FIELD PAINTED)



How to use the chart:		Example:
1	Find your ceiling product on the chart	12" x 12" Tile
2	Calculate the square footage of your room	10' wide x 12' long room = 120 sf
3	Find the Track Ratio listed for your ceiling product on the chart	1.33 lf of Track/sf
4	Multiply the sf by the ratio	120 sf x 1.33 = 159.6 lf
5	Divide the result by 8' for total number of tracks required. Round up if necessary	160 lf/8' = 20 Tracks (each track = 8' length)
6	Find the Clip Ratio listed for your ceiling product on the chart	1.1 Clips/sf
7	Multiply the sf from step 2 by the ratio	120 sf x 1.1 = 132 Clips
8	Round up if necessary for total number of clips required	132 Clips

Notes: Table averages values of room combinations from 10' x 10' to 30' x 30'. It is possible that these values could leave you slightly short, as it is an average. Values assume butting Track joints, end to end, with no overlap.


## Suspended Ceiling Estimating Guide

For ceiling panels and grid

**INSTRUCTIONS:** Find room size on left and read across for 2' x 2' or 2' x 4' ceiling panels. As a general rule, use one, two-bulb 4' fluorescent lighting fixture every 75 square feet. Use one luminous panel for every recessed lighting fixture.



Main beams parallel to room's short dimension.



Main beams parallel to room's long dimension.

ROOM SIZE	2' x 2'							
	AREA - SQ. FT.	12" WALL MOLDINGS	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES

ROOM SIZE	2' x 4'				
	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES

ROOM SIZE	2' x 2'							
	AREA - SQ. FT.	12" WALL MOLDINGS	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES


ROOM SIZE	2' x 4'				
	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES

ROOM SIZE	2' x 2'								2' x 4'					
	AREA - SQ. FT.	12" WALL MOLDINGS	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES
6' x 6'	36	2	9	1	2	5	1	2	5	6	1	4	1	4
6' x 8'	48	3	12	1	4	6	1	3	7	8	1	6	1	6
6' x 10'	60	3	15	1	4	8	1	4	9	10	1	7	1	8
6' x 12'	72	3	18	1	6	9	1	5	11	12	1	9	1	10
6' x 14'	84	4	21	2	6	11	2	6	13	14	2	10	2	12
6' x 18'	108	4	27	2	8	14	2	8	17	18	2	13	2	16
6' x 22'	132	5	33	3	10	17	2	10	21	22	3	16	2	20
6' x 26'	156	6	39	3	12	20	3	12	25	26	3	19	3	24
6' x 30'	180	6	45	4	14	23	3	14	29	30	4	22	3	28
6' x 34'	204	7	51	4	16	26	3	16	33	34	4	25	3	32
6' x 38'	228	8	57	5	18	29	4	18	37	38	5	28	4	36
6' x 42'	252	8	63	5	20	32	4	20	41	42	5	31	4	40
6' x 46'	276	9	69	6	22	35	4	22	45	46	6	34	4	44
6' x 50'	300	10	75	6	24	38	5	24	49	50	6	37	5	48
8' x 8'	64	3	16	1	6	8	1	6	8	8	1	6	1	6
8' x 10'	80	3	20	2	6	11	1	8	10	10	2	7	1	8
8' x 12'	96	4	24	2	9	12	1	10	12	12	2	9	1	10
8' x 14'	112	4	28	2	9	15	2	12	14	14	2	10	2	12
8' x 16'	128	4	32	2	12	16	2	14	16	16	2	12	2	14
8' x 18'	144	5	36	3	12	19	2	16	18	18	3	13	2	16
8' x 20'	160	5	40	3	15	20	2	18	20	20	3	15	2	18
8' x 22'	176	5	44	4	15	23	2	20	22	22	4	16	2	20
8' x 26'	208	6	52	4	18	27	3	24	26	26	4	19	3	24
8' x 30'	240	7	60	5	21	31	3	28	30	30	5	22	3	28
8' x 34'	272	7	68	6	24	35	3	32	34	34	6	25	3	32
8' x 38'	304	8	76	6	27	39	4	36	38	38	6	28	4	36
8' x 42'	336	9	84	7	30	43	4	40	42	42	7	31	4	40
8' x 46'	368	9	92	8	33	47	4	44	46	46	8	34	4	44
8' x 50'	400	10	100	8	36	51	5	48	50	50	8	37	5	48
10' x 10'	100	4	25	2	8	14	2	8	14	15	2	12	2	12
10' x 12'	120	4	30	2	12	15	2	10	17	18	2	15	2	15
10' x 14'	140	4	35	3	12	19	3	12	20	21	3	17	3	18
10' x 16'	160	5	40	3	16	20	3	14	23	24	3	20	3	21
10' x 18'	180	5	45	4	16	24	3	16	26	27	4	22	3	24
10' x 20'	200	5	50	4	20	25	4	18	29	30	4	25	4	27
10' x 22'	220	6	55	5	20	29	4	20	32	33	5	27	4	30
10' x 24'	240	6	60	5	24	30	4	22	35	36	5	30	4	33
10' x 26'	260	6	65	5	24	34	5	24	38	39	6	32	5	36
10' x 28'	280	7	70	5	28	35	5	26	41	42	6	35	5	39
10' x 32'	320	7	80	6	32	40	6	30	47	48	6	40	6	42
10' x 36'	360	8	90	7	36	45	6	34	53	54	7	45	6	48
10' x 40'	400	9	100	8	40	50	7	38	59	60	8	50	7	54
10' x 44'	440	9	110	9	44	55	8	42	65	66	9	55	8	60
10' x 48'	480	10	120	10	48	64	8	46	71	72	10	60	8	66

ROOM SIZE	2' x 2'								2' x 4'					
	AREA - SQ. FT.	12" WALL MOLDINGS	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES	2' CROSS TEES	NUMBER OF PANELS	12" MAIN BEAMS	4' CROSS TEES	12" MAIN BEAMS	4' CROSS TEES
12' x 12'	144	4	36	2	15	18	2	15	18	18	2	15	2	15
12' x 14'	168	5	42	3	15	23	3	18	21	21	3	17	3	18
12' x 16'	192	5	48	3	20	24	3	21	24	24	3	20	3	21
12' x 18'	216	5	54	4	20	29	3	24	27	27	4	22	3	24
12' x 20'	240	6	60	4	25	30	4	27	30	30	4	25	4	27
12' x 24'	288	6	72	5	30	36	4	33	36	36	5	30	4	33
12' x 28'	336	7	84	6	35	42	5	39	42	42	6	35	5	39
12' x 32'	384	8	96	7	40	48	6	45	48	48	7	40	6	45
12' x 36'	432	8	108	8	45	54	6	51	54	54	8	45	6	51
12' x 40'	480	9	120	9	50	60	7	57	60	60	9	50	7	57
12' x 44'	528	10	132	10	55	66	8	63	66	66	10	55	8	63
12' x 48'	576	10	144	11	60	72	8	69	72	72	11	60	8	69
12' x 50'	600	11	150	12	60	77	9	72	75	75	12	62	9	72
14' x 14'	196	5	56	4	18	27	4	18	27	28	4	24	4	24
14' x 16'	224	5	63	4	18	28	4	21	31	31	4	28	4	28
14' x 18'	252	6	70	5	24	34	5	24	35	36	5	31	5	32
14' x 20'	280	6	77	5	24	35	5	27	39	40	5	35	5	36
14' x 22'	308	6	84	6	30	41	6	31	43	44	6	38	6	40
14' x 26'	364	7	98	7	36	48	7	37	51	52	7	45	7	48
14' x 30'	420	8	112	9	42	55	8	43	59	60	9	52	8	56
14' x 34'	476	8	126	10	48	62	9	49	67	68	10	59	9	64
14' x 38'	532	9	140	11	54	69	10	55	75	76	11	66	10	72
14' x 42'	588	10	154	12	60	76	11	61	83	84	12	74	11	80
14' x 46'	644	10	168	13	66	83	12	67	91	92	13	81	12	88
14' x 50'	700	11	182	14	72	90	13	73	99	100	14	88	13	96
16' x 18'	288	6	72	6	28	39	5	36	40	41	6	36	5	40
16' x 22'	352	7	88	7	35	47	6	44	48	49	7	44	6	48
16' x 26'	416	7	104	8	42	55	7	52	56	57	8	52	7	56
16' x 30'	480	8	120	10	49	63	8	60	64	65	9	60	8	64
16' x 34'	544	9	136	11	56	71	9	68	72	73	10	68	9	72
16' x 38'	608	9	152	12	63	79	10	76	80	81	11	76	10	80
16' x 42'	672	10	168	14	70	87	11	84	88	89	12	84	11	88
16' x 46'	736	11	184	15	77	95	12	92	96	97	13	92	12	96
16' x 50'	800	11	200	16	84	103	13	100	104	105	14	100	13	104
18' x 20'	360	7	90	6	32	45	7	36	49	50	8	45	7	49
18' x 24'	432	7	108	8	40	54	8	44	59	60	9	54	8	59
18' x 28'	504	8	126	9	48	63	10	52	69	70	10	63	10	65
18' x 32'	576	9	144	11	56	72	11	60	79	80	11	72	11	75
18' x 36'	648	9	162	12	64	81	12	68	89	90	12	81	12	85
18' x 40'	720	10	180	14	72	90	14	76	99	100	14	90	14	95

# WoodHaven™ Estimating

Complete installation materials included in every package of planks: 55 clips, 55 screws. Enough installation material to install one package of WoodHaven ceiling planks.




## WoodHaven Ceiling Plank Packages

	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
4'	1	1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	4
5'	1	1	2	2	2	2	2	2	3	3	3	3	3	3	4	4	4
6'	1	2	2	2	2	2	3	3	3	3	3	4	4	4	4	4	5
7'	1	2	2	2	2	3	3	3	3	4	4	4	4	5	5	5	5
8'	2	2	2	2	3	3	3	4	4	4	4	5	5	5	5	6	6
9'	2	2	2	3	3	3	4	4	4	5	5	5	5	6	6	6	7
10'	2	2	3	3	3	4	4	4	5	5	5	6	6	6	7	7	7
11'	2	2	3	3	4	4	4	5	5	5	6	6	7	7	7	8	8
12'	2	3	3	3	4	4	5	5	5	6	6	7	7	8	8	8	9
13'	2	3	3	4	4	5	5	5	6	6	7	7	8	8	9	9	9
14'	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10
15'	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11
16'	3	3	4	4	5	5	6	7	7	8	8	9	9	10	10	11	12
17'	3	3	4	5	5	6	6	7	8	8	9	9	10	10	11	12	12
18'	3	4	4	5	5	6	7	7	8	9	9	10	10	11	12	12	13
19'	3	4	4	5	6	6	7	8	8	9	10	10	11	12	12	13	14
20'	4	4	5	5	6	7	7	8	9	9	10	11	12	12	13	14	14

Install tip: Use Easy Up® Clips (Item 1191) to transform your existing suspended (drop) ceiling panels to WoodHaven planks!



Step 1 – Remove Panels



Step 2 – Snap on clips



Step 3 – Position planks; slide and secure clips



Scan for a demo