

PIPE ATTACHMENTS

EXTENDED OFFSET PIPE CLAMP

Figure 267

Designed to attach directly to piping where the exact distance between the structure and the pipe cannot be determined until the piping is in place. The extended legs can be modified in the field to suit the location. Legs of longer lengths can be furnished on order.

Material: Carbon Steel.

Finish: Plain, Painted, Electro-Galvanized, Hot-Dip Galvanized.

Ordering: Specify pipe size, figure number, and finish. For Metric applications specify Figure M267.




FIGURE 267 – EXTENDED PIPE CLAMP

PIPE SIZE	A	B	WEIGHT EACH
3/8	12	3 3/4	1.85
10	305	95	0.84
1/2	12	3 3/4	1.85
15	305	95	0.84
3/4	12	4 3/4	1.85
20	305	121	0.84
1	255	5 1/2	2.34
25	12	140	1.06
1 1/4	305	5 3/8	2.40
32	1356	149	1.09
1 1/2	12	6 3/8	2.45
40	305	156	1.11
2	12	7	3.13
50	305	178	1.42
2 1/2	12	7 1/2	4.21
65	305	191	1.91
3	12	7 7/8	4.47
80	305	200	2.03
4	12	10 1/2	4.90
100	305	267	2.22
5	12	12 1/4	4.90
125	305	311	2.22
6	12	13	5.32
150	305	330	2.41
8	12	15 1/4	11.20
200	305	387	5.06
10	12	18 3/4	13.50
250	305	464	6.12
12	12	20 3/4	22.00
300	305	527	110.00
14	12	21	35.00
350	305	533	15.90

RIGHT ANGLE BEAM CLAMP

Figure 282

The Figure 282 is used in attaching conduit or pipe at a right angle to a structural member.

Materials: Malleable iron body with carbon steel U-bolt and nuts.

Finish: Hot-Dip Galvanized

Ordering: Specify pipe size, figure number, and finish. For Metric applications specify Figure M282.




FIGURE 282 - RIGHT ANGLE BEAM CLAMP

PIPE SIZE	WEIGHT EACH
3/8	0.33
10	0.15
1/2	0.41
15	0.19
3/4	0.42
20	0.19
1	0.47
25	0.21
1 1/4	0.54
32	0.24
1 1/2	0.57
40	0.26
2	0.85
50	0.39
2 1/2	1.06
65	0.48
3	1.10
80	0.50
3 1/2	1.28
90	0.58
4	1.40
100	0.64

DIMENSIONS	TEMPERATURE	LOADS	WEIGHT
INCHES	FAHRENHEIT	POUNDS	POUNDS
MILLIMETERS	CELSIUS	NEWTONS	KILOGRAMS