



**Viega ProPress 45° elbow**

**Smart Connect feature**

- For use with ASTM B88 tubing
- Copper
- Press connection

Components

EPDM sealing elements

**Model 2926**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.094	10	<b>77607</b>	8
3/4	3/4	0.158	10	<b>77612*</b>	8
3/4	3/4	0.152	10	<b>77023<sup>1</sup></b>	8
1	1	0.219	5	<b>77617*</b>	8
1	1	0.210	5	<b>77028<sup>1</sup></b>	8
1 1/4	1 1/4	0.320	1	<b>77622*</b>	8
1 1/4	1 1/4	0.305	1	<b>77033<sup>1</sup></b>	8
1 1/2	1 1/2	0.617	1	<b>77627*</b>	8
1 1/2	1 1/2	0.584	1	<b>77038<sup>1</sup></b>	8
2	2	0.853	1	<b>77632*</b>	8
2	2	0.786	1	<b>77043<sup>1</sup></b>	8

<sup>1)</sup> new versions

\* = Available while supplies last



**Viega ProPress XL 45° elbow**

**Smart Connect feature**

- For use with ASTM B88 tubing
- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0926XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.609	1	<b>20653</b>	8
3	3	2.336	1	<b>20658</b>	8
4	4	4.214	1	<b>20663</b>	8



**Viega ProPress 45° street elbow**

**Smart Connect feature**

- For use with ASTM B88 tubing
- Copper
- Press connection, street

Components

EPDM sealing element

**Model 2926.1**

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.085	10	<b>77637</b>	8
3/4	3/4	0.145	10	<b>77642*</b>	8
3/4	3/4	0.140	10	<b>77053<sup>1</sup></b>	8
1	1	0.200	5	<b>77647*</b>	8
1	1	0.199	5	<b>77058<sup>1</sup></b>	8
1 1/4	1 1/4	0.311	1	<b>77652*</b>	8
1 1/4	1 1/4	0.304	1	<b>77063<sup>1</sup></b>	8
1 1/2	1 1/2	0.591	1	<b>77657*</b>	8
1 1/2	1 1/2	0.538	1	<b>77068<sup>1</sup></b>	8
2	2	0.814	1	<b>77662*</b>	8
2	2	0.766	1	<b>77073<sup>1</sup></b>	8

<sup>1)</sup> new versions

\* = Available while supplies last



**Viega ProPress XL 45° street elbow**

**Smart Connect feature**

- For use with ASTM B88 tubing
- Copper
- Press connection, street

Components

EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

**Model 0926.1XL**

P	FTG	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.554	1	<b>20668</b>	8
3	3	2.189	1	<b>20673</b>	8
4	4	3.964	1	<b>20678</b>	8