

The HN39 Series instrument valves are compact and economical high pressure instrument block valves.

Stem tip is non-rotating tip (NRT) style, standard.

# **Product Availability**

All valves have integral hard seats, 316 stainless steel body and trim and Teflon/Grafoil packing. Valves are furnished with panel mount nut.

Hastelloy C, Monel models available upon request.

## Ratings


Stainless Steel to 6000 psig @ 100°F (414 bar @ 38°C). 450°F (232,2°C) limit for Teflon packed valves. 1000°F (537,8°C) limit for Grafoil packed valves.

### **Features and Benefits**


- Non-Rotating Tip Provides tight repeatable shutoff without galling or cross scoring that occurs on ball type stems.
- Integral Body and Bonnet design



### Flow Schematic





### **Pressure and Temperature Chart**





# **Dimensions**





Connection	Dimensions, inches (mm)				O-161 O1	
Connection	Α	В	С	Weight Lbs (Kgs)	Orifice Size	
1/8" MNPT x MNPT	2.00 (51)	0.88 (221)	2.63 (67)	1.0 (0,5)	0.12" (3)	
1/4" MNPT x MNPT	2.00 (51)	0.88 (221)	2.63 (67)	1.0 (0,5)	0.18" (5)	
3/8" MNPT x MNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
1/2" MNPT x MNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
3/4" MNPT x MNPT	2.63 (67)	1.38 (35)	3.75 (95)	2.1 (1,0)	0.39"(10)	
1/8" FNPT x FNPT	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.12" (3)	
1/4" FNPT x FNPT	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.18" (5)	
3/8" FNPT x FNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
1/2" FNPT x FNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
3/4" FNPT x FNPT	2.63 (67)	1.38 (35)	3.75 (95)	2.1 (1,0)	0.39"(10)	
1/8" Tube Nut	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.12" (3)	
1/4" Tube Nut	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.18" (5)	
3/8" Tube Nut	2.00 (51)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
1/2" Tube Nut	2.00 (51)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
3/4" Tube Nut	2.00 (51)	1.38 (35)	3.75 (95)	2.1 (1,0)	0.39"(10)	
1/8" MNPT x FNPT	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.12" (3)	
1/4" MNPT x FNPT	2.00 (51)	0.88 (22)	2.63 (67)	1.0 (0,5)	0.18" (5)	
3/8" MNPT x FNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
1/2" MNPT x FNPT	2.50 (64)	1.25 (32)	3.50 (89)	1.7 (0,8)	0.24" (6)	
3/4" MNPT x FNPT	2.63 (67)	1.38 (35)	3.75 (95)	2.1 (1,0)	0.39"(10)	

Model Number	Connection Type	Size	Option
V39	$M = MNPT \times MNPT$	1 = 1/8" (NPT)	G = Grafoil Packing
	$F = FNPT \times FNPT$	2 = 1/4" (NPT)	R = Round Handle
	T = Tube Nut x Tube Nut	3 = 3/8" (NPT)	B = BSPP Ends
	MF = MNPT x FNPT	4 = 1/2" (NPT)	T = BSPT Ends
	FM = FNPT x MNPT	6 = 3/4" (NPT)	
		6MM = 6mm (Tube Nut)	
		8 = 1" (NPT)	
		8MM = 8mm (Tube Nut)	
		10MM = 10mm (Tube Nut)	
		14MM = 14mm (Tube Nut)	
		18MM = 18mm (Tube Nut)	
		25MM = 25mm (Tube Nut)	

#### Standard packing is TFE. Add "-G" for grafoil.

If more than one option is required, separate option codes with - (dash). See examples: HN39F-4-G; HN39M-1-B

#### Sample Ordering Schematic

2.5				
1	7,117,22-5		30775	
	HVI30	T	61/11/1	C C
	111100		OIVIIVI	U
- 13		I STATE OF THE STA		

HN39Series/1014